

B2B-Commerce-Developer問題集、受験者たちの認可を得ているSalesforce B2B-Commerce-Developer模擬試験



P.S. GoShikenがGoogle Driveで共有している無料かつ新しいB2B-Commerce-Developerダンブ：https://drive.google.com/open?id=16KRTnqGzVdHMRiyv3ISk6chs4_mXu5o

なぜ我々社は試験に合格しないなら、全額での返金を承諾するのは大勢の客様が弊社のSalesforce B2B-Commerce-Developer問題集を使用して試験に合格するのは我々に自信を与えるからです。Salesforce B2B-Commerce-Developer試験はIT業界での人にとって、とても重要な能力証明である一方で、大変難しいことです。それで、弊社の専門家たちは多くの時間と精力を尽くし、Salesforce B2B-Commerce-Developer試験資料を研究開発されます。

質の良いSalesforceのB2B-Commerce-Developer試験トレーニング資料が見つけれないので、まだ悩んでいますか。GoShikenのSalesforceのB2B-Commerce-Developer試験トレーニング資料は豊富な経験を持っているIT専門家が研究したもので、問題と解答が緊密に結んでいるものです。他のサイトの資料はそれと比べることすらできません。その正確性も言うまでもありません。GoShikenを選ぶのは成功を選ぶのに等しいと言えます。

>> B2B-Commerce-Developer関連復習問題集 <<

B2B-Commerce-Developer日本語 & B2B-Commerce-Developer関連試験

B2B-Commerce-Developer認定試験に合格することは難しいようですね。試験を申し込みたいあなたは、いまどうやって試験に準備すべきなのかで悩んでいますか。そうだったら、下記のものを読んでください。いまB2B-Commerce-Developer試験に合格するショートカットを教えてあげますから。あなたを試験に一発合格させる素晴らしいB2B-Commerce-Developer試験に関連する参考書が登場しますよ。それはGoShikenのB2B-Commerce-Developer問題集です。気楽に試験に合格したければ、はやく試しに来てください。

Salesforce Accredited B2B Commerce Developer 認定 B2B-Commerce-Developer 試験問題 (Q171-Q176):

質問 # 171

Which wire adapter should a developer use to retrieve metadata about a specific picklist?

- A. `getPicklistValues`
- B. `getPicklistMetadata`
- C. `getPicklistMetadataValues`
- D. `getPicklist`

正解: A

解説:

To retrieve metadata about a specific picklist, a developer should use the `getPicklistValues` wire adapter. The `getPicklistValues` wire adapter imports data from the `@salesforce/ui-api` module and returns an object that contains information such as the picklist's label, value, default value, validity, and controlling field values.

The `getPicklistMetadataValues` wire adapter does not exist. The `getPicklistMetadata` wire adapter does not exist either. The `getPicklist` wire adapter does not exist either. Salesforce References: [Lightning Web Components Developer Guide: `getPicklistValues`], [Lightning Web Components Developer Guide: Import User Interface API]

質問 # 172

Which method signature is used in the Global API's?

- A. `Map<String, Object>`
- B. `List<List<Object>>`
- C. `ccrz.cc_Output (ccrz.cc_Input input)`
- D. Changes based on API and Method name

正解: C

解説:

The method signature that is used in the Global API's is `ccrz.cc_Output (ccrz.cc_Input input)`. This signature indicates that the Global API methods take a single input parameter of type `ccrz.cc_Input` and return an output of type `ccrz.cc_Output`. These are custom classes that are defined in the cloudcraze managed package and contain various properties and methods for handling the input and output data. For example, `ccrz.ccServiceProduct.getProducts(ccrz.cc_Input input)` is a Global API method that takes an input object and returns an output object containing product data. Salesforce Reference: B2B Commerce and D2C Commerce Developer Guide, API Classes, `cc_Input` Class, `cc_Output` Class

質問 # 173

In which threeways can Salesforce B2B Commerce API sizing blocks support multiple API sizing requests? (3 answers)

- A. `SZ_ASSC` is used.
- B. The sizing block is not removed.
- C. `SZ_ASSC` is not used.
- D. The sizing block is removed after the first handler.
- E. When different entities are specified in the method invocation.

正解: A、C、E

解説:

Salesforce B2B Commerce API sizing blocks can support multiple API sizing requests in three ways:

When different entities are specified in the method invocation. For example, `ccrz.ccServiceProduct.getProducts(ccrz.ccAPI.SZ_M, ccrz.ccAPI.SZ_L)` will use the `SZ_M` sizing block for the product entity and the `SZ_L` sizing block for the related entities.

`SZ_ASSC` is used. This flag indicates that the associated entities should use the same sizing block as the primary entity. For example, `ccrz.ccServiceProduct.getProducts(ccrz.ccAPI.SZ_M, ccrz.ccAPI.SZ_ASSC)` will use the `SZ_M` sizing block for both the product entity and the related entities.

`SZ_ASSC` is not used. This flag indicates that the associated entities should use the default sizing block, which is `SZ_M`, unless otherwise specified. For example, `ccrz.ccServiceProduct.getProducts(ccrz.ccAPI.SZ_M)` will use the `SZ_M` sizing block for the product entity and the `SZ_M` sizing block for the related entities. Salesforce Reference: B2B Commerce and D2C Commerce Developer Guide, Data Sizing Conventions

質問 # 174

Which method is used to override when extending the Salesforce B2B Commerce logic providers?

- A. `doLogic`
- B. `fetch`
- C. `process`
- D. `doAction`

正解: D

解説:

The method that is used to override when extending the Salesforce B2B Commerce logic providers is doLogic.

This method is responsible for executing the business logic for each logic provider class, such as validating inputs, performing calculations, applying rules, or updating data. By overriding this method, the user can modify or extend the existing logic or add their own custom logic. Salesforce References: B2B Commerce and D2C Commerce Developer Guide, Logic Classes

質問 # 175

Which three actions are applicable when modifying the number of steps required in the Salesforce Commerce Checkout flow? (3 answers)

- A. Build and activate a new configuration cache setting via CC admin.
- B. Add a page include to the checkout page.
- C. Set the value of the configuration setting defined as CO.useDef to TRUE
- D. Perform a template override on the Checkout page.
- E. Set the value of the configuration setting defined as CO.overrideFlow to TRUE.

正解: A、D、E

解説:

Three actions that are applicable when modifying the number of steps required in the Salesforce Commerce Checkout flow are:

* Perform a template override on the Checkout page. This action will allow you to change the structure and content of the Checkout page, such as adding or removing sections, widgets, or fields. For example, you can override the checkout.handlebars template and modify it according to your requirements.

* Set the value of the configuration setting defined as CO.overrideFlow to TRUE. This setting will enable you to use your own custom checkout flow instead of the default one. You need to set this value to true before you can modify the checkout flow.

* Set the value of the configuration setting defined as CO.useDef to TRUE. This setting will enable you to use a single-page checkout flow instead of a multi-step checkout flow. You need to set this value to true if you want to reduce the number of steps in the checkout flow to one. Salesforce References: B2B Commerce and D2C Commerce Developer Guide, Checkout Flow

質問 # 176

.....

GoShikenは受験者に向かってB2B-Commerce-Developer試験について問題を解決する受験資源を提供するサービスのサイトで、さまざまな受験生によって別のトレーニングコースを提供いたします。受験者はGoShikenを通して順調に試験に合格する人がとても多くなのでGoShikenがSalesforce業界の中で高い名声を得ました。

B2B-Commerce-Developer日本語: <https://www.goshiken.com/Salesforce/B2B-Commerce-Developer-mondaishu.html>

Salesforce B2B-Commerce-Developer関連復習問題集 支払い後10分で受け取り、Salesforce B2B-Commerce-Developer関連復習問題集 今の競争の激しいIT業界では、多くの認定試験の合格証明書が君の出世することを助けることができます、試験に合格することが非常に難しいと思われる場合は、B2B-Commerce-Developer有効な試験問題集PDFが目標の達成に役立ちます、十分な時間がない場合、B2B-Commerce-Developer学習教材は本当に良い選択です、近年、当社SalesforceのB2B-Commerce-Developerテストトレントは好評を博し、献身的に99%の合格率に達しました、SalesforceのB2B-Commerce-Developer試験に参加するのは大ブレイクになる一方が、B2B-Commerce-Developer試験情報は雑多などの問題が注目している、Salesforce B2B-Commerce-Developer関連復習問題集 また、受験生からいろいろな良い評価を得ています。

なぜ、自分に似合わない人の気持ちに逆らってまで、ずっといて欲しいと願い、無理したのか、視B2B-Commerce-Developer力だけでなく、脳や精神も見てもらったほうがいい、支払い後10分で受け取り、今の競争の激しいIT業界では、多くの認定試験の合格証明書が君の出世することを助けることができます。

実地的なB2B-Commerce-Developer関連復習問題集試験-試験の準備方法- 正確的なB2B-Commerce-Developer日本語

試験に合格することが非常に難しいと思われる場合は、B2B-Commerce-Developer有効な試験問題集PDFが目標の達成に役立ちます、十分な時間がない場合、B2B-Commerce-Developer学習教材は本当に良い選択です、近年、当社SalesforceのB2B-Commerce-Developerテストトレントは好評を博し、献身的に99%の合格率に達しました。

- 一夜漬け Salesforce 認定 B2B-Commerce-Developer 問題集 直前対策テキスト □ ➡ www.jpacert.com □ で使える無料オンライン版 □ B2B-Commerce-Developer □ の試験問題B2B-Commerce-Developer学習関連題
- B2B-Commerce-Developer試験番号 □ B2B-Commerce-Developer試験対策書 □ B2B-Commerce-Developer独学書籍 □ “www.goshiken.com”から簡単に“B2B-Commerce-Developer”を無料でダウンロードできますB2B-Commerce-Developer試験情報
- B2B-Commerce-Developer試験対策書 □ B2B-Commerce-Developer受験練習参考書 □ B2B-Commerce-Developer受験内容 □ ✓ www.jpshiken.com □ ✓ □を開き、{ B2B-Commerce-Developer }を入力して、無料でダウンロードしてくださいB2B-Commerce-Developer対応受験
- B2B-Commerce-Developer関連復習問題集: Salesforce Accredited B2B Commerce Developer過去問無料認定試験に一発合格したいのか ↓ ⇒ www.goshiken.com ⇐ サイトで ☀ B2B-Commerce-Developer □ ☀ □の最新問題が使えるB2B-Commerce-Developer受験内容
- B2B-Commerce-Developerウェブトレーニング □ B2B-Commerce-Developer試験内容 □ B2B-Commerce-Developer試験内容 □ ➡ www.passtest.jp □に移動し、➡ B2B-Commerce-Developer □を検索して無料でダウンロードしてくださいB2B-Commerce-Developer学習関連題
- B2B-Commerce-Developer必殺問題集 □ B2B-Commerce-Developer試験対策書 □ B2B-Commerce-Developer学習範囲 □ 「 www.goshiken.com 」に移動し、{ B2B-Commerce-Developer }を検索して、無料でダウンロード可能な試験資料を探しますB2B-Commerce-Developer模擬トレーニング
- B2B-Commerce-Developer PDF問題サンプル □ B2B-Commerce-Developer独学書籍 □ B2B-Commerce-Developer学習関連題 □ “www.passtest.jp”から簡単に ➡ B2B-Commerce-Developer □を無料でダウンロードできますB2B-Commerce-Developer試験番号
- B2B-Commerce-Developer資格練習 □ B2B-Commerce-Developer試験勉強書 □ B2B-Commerce-Developer資格認定 □ □ www.goshiken.com □は、➤ B2B-Commerce-Developer □を無料でダウンロードするのに最適なサイトですB2B-Commerce-Developer学習範囲
- 試験の準備方法-有難いB2B-Commerce-Developer関連復習問題集試験-完璧なB2B-Commerce-Developer日本語 □ □ www.goshiken.com □から「 B2B-Commerce-Developer 」を検索して、試験資料を無料でダウンロードしてくださいB2B-Commerce-Developer独学書籍
- 試験の準備方法-有難いB2B-Commerce-Developer関連復習問題集試験-完璧なB2B-Commerce-Developer日本語 □ サイト“www.goshiken.com”で▶ B2B-Commerce-Developer ◀問題集をダウンロードB2B-Commerce-Developer対応受験
- 無料PDFB2B-Commerce-Developer関連復習問題集 | 最初の試行で簡単に勉強して試験に合格する - 信頼できるSalesforce Salesforce Accredited B2B Commerce Developer □ 【 www.passtest.jp 】で ➡ B2B-Commerce-Developer □を検索して、無料でダウンロードしてくださいB2B-Commerce-Developer PDF問題サンプル
- myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, learn.motionrex.com, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, courses.sharptechskills-academy.com, shortcourses.russellcollege.edu.au, jaspreetkaur.in, edu-skill.com, the-businesslounge.com, Disposable vapes

さらに、GoShiken B2B-Commerce-Developerダンプの一部が現在無料で提供されています：https://drive.google.com/open?id=16KRTnqGzVdHMRiycv3ISk6chs4_mXu5o