

# Printable 1z1-076 PDF | Definitely Pass | Refund Guranteed

**CRC Guaranteed to Pass® Refund Request Form**  
 Part #1008179 (05953)

**Double Your Money Back Guarantee:**  
 If your vehicle has failed the state emissions test using CRC Guaranteed to Pass® Onboard Systems Cleaner as directed, and you have submitted the claim form and supporting documents within 50 days of state emissions test, you will receive a refund of the state emissions test fee plus a refund of the CRC "Pay-as-You-Go" price of \$350.00 Guaranteed to Pass® Onboard Systems Cleaner (up to \$500.00 to be paid in form of a "VISA® Prepaid Card"). This guarantee is null and void if the treated vehicle's catalytic converter or emission components are altered or damaged or engine settings do not comply with the manufacturer's specifications.

With exception to the above, CRC Industries, Inc. makes no warranty expressed or implied, with respect to Guaranteed to Pass®, including warranties of merchantability or fitness for a purpose. The refund of purchase price listed above is the purchaser's sole remedy, and if CRC Industries, Inc. shall not be liable to purchaser for any other cost, damage or liability whatsoever, including without limitation, for any incidental or consequential damage, cost of retesting or testing or mechanical impairments.

**PLEASE INCLUDE:**

- State required known candidate date, purchasing price and product number / description.
- Copy of failed State Emissions Test showing failure date and time, as well as before and after test readings.
- Completed Refuse form.

NAME \_\_\_\_\_ PRODUCT PURCHASE DATE \_\_\_\_\_  
 ADDRESS \_\_\_\_\_ CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_  
 PHONE \_\_\_\_\_ EMAIL \_\_\_\_\_  
Each claim requires a copy of the failed state emissions test. Please attach to the back of this form.

**DATE:** \_\_\_\_\_ **SIGNATURE:** \_\_\_\_\_

I am requesting a refund of my purchase price of the product referred to in this claim, and that the vehicle is failed with an emission control device that failed the engine's related specifications. These documents have been submitted as evidence of my way and to the best of my knowledge, ever in past ordering orders. I understand that any adjustments made to the engine or its components are within the engineer's specifications.

1. Void if refund requested by individual, organization or group  
 2. Void if original documents are not when we are supplied  
 3. Void if claim form is not complete  
 4. Void if any emission control device was missing, disengaged or tampered with  
 5. Void if engine settings are not within the engine's related's  
 6. Void if any claim is submitted for a date  
 7. Any alteration or change to a double money back adjustment of any information or documentation may void this guarantee  
 8. Void if failed claim date is not submitted within 90 days of test failure

**For faster processing, please include**  
**information and attach**  
**www.CRCz.com**

**or mail to:**  
**CRC GUARANTEED TO PASS REFUND**  
**P.O. Box 1008179**  
**Matthews, NC 28105**

**For Submission Status:**  
**www.onSubmitNow.com/forCustomerStatus**  
**EMAIL: CFCustomer@checkup.com**  
**PHONE: (800) 380-2203**

©2003 CRC Industries, Inc. Member NATE, a member of the National Association of Emissions Testing. We accept VISA® credit cards. Credit card for up to 12 months available and subject after the first payment. Terms and conditions apply.

What's more, part of that Actual4test 1z1-076 dumps now are free: [https://drive.google.com/open?id=1sN0usNkCOId2DNN\\_266995UDJYkjhExk](https://drive.google.com/open?id=1sN0usNkCOId2DNN_266995UDJYkjhExk)

Though there always exists fierce competition among companies in the same field. Our 1z1-076 study materials are always the top sellers in the market and our website is regarded as the leader in this career. Because we never stop improve our 1z1-076 practice guide, and the most important reason is that we want to be responsible for our customers. So we creat the most effective and accurate 1z1-076 Exam Braindumps for our customers and always consider carefully for our worthy customer.

## Oracle 1z1-076 Exam Syllabus Topics:

Topic	Details
Topic 1	<ul style="list-style-type: none"><li>Monitoring a Data Guard Broker Configuration: The topic covers the use of Enterprise Manager and DGMGRL to monitor Data Guard configurations and explains the various data protection modes available.</li></ul>
Topic 2	<ul style="list-style-type: none"><li>Oracle Data Guard Basics: This topic covers the essential architecture and concepts of Oracle Data Guard. It includes sub-topics such as the physical and logical standby database comparison, benefits of Data Guard, and its integration with multi-tenant databases.</li></ul>
Topic 3	<ul style="list-style-type: none"><li>Enhanced Client Connectivity in a Data Guard Environment: This topic focuses on enhancing client connectivity in a Data Guard setup and implementing failover procedures for seamless client redirection. It also covers application continuity to ensure uninterrupted operations during role transitions.</li></ul>

Topic 4	<ul style="list-style-type: none"> <li>Patching and Upgrading Databases in a Data Guard Configuration: This section provides guidance on patching and upgrading databases in a Data Guard environment, along with performance optimization techniques and monitoring considerations.</li> </ul>
Topic 5	<ul style="list-style-type: none"> <li>Backup and Recovery Considerations in an Oracle Data Guard Configuration: In this topic, Backup and recovery procedures in a Data Guard configuration are discussed, including RMAN backups, offloading to physical standby, and network-based recovery.</li> </ul>
Topic 6	<ul style="list-style-type: none"> <li>Using Oracle Active Data Guard: Supported Workloads in Read-Only Standby Databases: Here, the usage of physical standby databases for real-time queries is discussed.</li> </ul>
Topic 7	<ul style="list-style-type: none"> <li>Creating a Logical Standby Database: This topic guides users through the process of creating and managing a logical standby database, including SQL Apply filtering.</li> </ul>
Topic 8	<ul style="list-style-type: none"> <li>Performing Role Transitions: Here, the concept of database roles is explained, along with the steps for performing switchovers, failovers, and maintaining physical standby sessions during role transitions.</li> </ul>
Topic 9	<ul style="list-style-type: none"> <li>Creating a Data Guard Broker Configuration: This section delves into the practical aspects of creating and managing a Data Guard broker configuration, including command-line and Enterprise Manager approaches.</li> </ul>
Topic 11	<ul style="list-style-type: none"> <li>Managing Oracle Net Services in a Data Guard Environment: The section focuses on Oracle Net Services and its role in Data Guard networking setup.</li> </ul>

>> [Printable 1z1-076 PDF](#) <<

## Exam 1z1-076 Labs, 1z1-076 Latest Exam Experience

We can assist you with learning by simplified information by our 1z1-076 learning guide. At the same time, our specialists will update 1z1-076 learning materials daily and continue to improve the materials. Therefore, you can use our 1z1-076 exam questions faster and more efficiently, which means that you can save a lot of time to do more meaningful and valuable things. When you are learning our 1z1-076 Learning Materials, you can find confidence in the process of learning materials and feel happy in learning. After about 20-30 hours, you can get your Oracle certificate.

## Oracle Database 19c: Data Guard Administration Sample Questions (Q32-Q37):

### NEW QUESTION # 32

Which TWO are benefits of using Transaction Guard in a Data Guard environment?

- A. It protects against user errors being replicated to standby databases.
- B. It provides application continuity by rolling back uncommitted transactions interrupted by a failover or switchover.**
- C. It protects against logical corruptions being replicated to standby databases.
- D. It provides application continuity by replaying transactions interrupted by a failover or a switchover
- E. It protects against recoverable errors during a planned or an unplanned outage of a primary database.**

**Answer: B,E**

Explanation:

Transaction Guard provides benefits in terms of transaction consistency and recovery in a Data Guard environment:

It provides application continuity by rolling back uncommitted transactions interrupted by a failover or switchover (B): Transaction Guard ensures that any uncommitted transactions at the time of an outage are rolled back consistently, thus preserving the integrity of the application's data and state.

It protects against recoverable errors during a planned or an unplanned outage of a primary database (D): Transaction Guard offers protection against errors that can occur during outages, allowing applications to resume operations more quickly and reliably after recovery.

Reference:

### NEW QUESTION # 33

Your Data Guard environment consists of these components and settings:

1. A primary database
2. A remote physical standby database
3. Real-time query is enabled.
4. The redo transport mode is set to SYNC.
5. The protection mode is set to Maximum Availability.

You notice that queries executed on the physical standby database receive errors: ORA-03172:

STANDBY\_MAX\_DATA\_DELAY of 15 seconds exceeded. Which two would you recommend to avoid this error?

- A. Increase the size of the buffer cache on the standby database instance.
- B. Increase the number of standby redo log files on the primary database.
- C. Change the protection mode to Maximum Performance.
- D. Increase the network bandwidth between the primary and standby databases.
- E. Change the protection mode to Maximum Protection.
- F. Reduce I/O latency for the storage used by the primary database.

**Answer: D,F**

Explanation:

The ORA-03172: STANDBY\_MAX\_DATA\_DELAY error indicates that the real-time query on the physical standby database is experiencing delays beyond the specified maximum data delay threshold. Increasing the network bandwidth (Option E) can enhance the speed at which redo data is transferred from the primary to the standby database, thereby reducing the likelihood of exceeding the STANDBY\_MAX\_DATA\_DELAY threshold. Reducing I/O latency on the primary database's storage (Option B) ensures that redo data is generated and shipped more efficiently, further mitigating the risk of delay. These actions, focused on optimizing data transfer and processing speed, address the root causes of the ORA-03172 error in a synchronous Data Guard configuration operating in Maximum Availability mode.

### NEW QUESTION # 34

Which statement is true regarding Oracle Net connectivity for a Data Guard Broker configuration?

- A. To enable Real-Time Query on a physical standby database, a TNS entry enabling connectivity to the standby database instance must be defined on the primary database host.
- B. The LOCAL\_LISTENER initialization parameter must be set to the listener used to register the primary database instance.
- C. To start SQL Apply on a logical standby database, a TNS entry enabling connectivity to the primary database instance must be defined on the logical standby database host.
- D. A TNS entry enabling connectivity to the primary database instance must be defined on each of the standby database hosts.
- E. A TNS entry or entries enabling connectivity to standby database instance(s) must be defined on the primary database host.

**Answer: E**

### NEW QUESTION # 35

Your Data Guard environment contains a four-instance RAC primary database whose SID is PROD and a RAC physical standby database whose std is PROD\_SBY.

Examine the command executed on a node of the primary database cluster to create a service OLTPWORKLOAD that the applications will use to connect to the database when it is in the PRIMARY database role:

srvctl add service -db PROD -service oltpworkload -role PRIMARY -failovertype SESSION -failovermethod BASIC -failoverdelay 10 -failoverretry 150 The service is then started Consider this list of tasks:

1. On a node of the standby database cluster execute:

srvctl add service -db PROD\_SBY -service oltpworkload -role PRIMARY -failovertype SESSION -failovermethod BASIC -failoverdelay 10 -failoverretry 150

2. On the primary database, create the oltpworkload database service using the dbms\_service.create\_service procedure.

3. Configure tap for clients in the tnsnames.ora files.
4. Make sure clients use the OLTPWORKLOAD service to connect to the database instances.
5. On the standby database, create the oltpworkload database service using the dbms\_service.create\_service procedure.

Identify the required steps to configure and use Transparent Application Failover (taf).

- A. 0
- B. 2,3,4
- C. 3,4
- D. 1
- E. 1,3,4
- F. 1,4

**Answer: F**

Explanation:

To set up Transparent Application Failover (TAF) in a Data Guard environment with RAC, you would need to:

\* On a node of the standby database cluster, execute the srvctl command to add the oltpworkload service for the PRIMARY role (1): This prepares the standby cluster to provide the oltpworkload service in case a failover occurs, and the standby becomes the primary database.

\* Make sure clients use the OLTPWORKLOAD service to connect to the database instances (4):

This ensures that client connections are directed to the correct service, which is managed by TAF and can fail over in case of a primary database outage.

References:

\* Oracle Real Application Clusters Administration and Deployment Guide

\* Oracle Data Guard Concepts and Administration Guide

#### NEW QUESTION # 36

You created a physical standby database prodsbyi from the primary database prod using SQL and RMAN. Which THREE are prerequisites for creating a Data Guard Broker configuration to manage these databases?

- A. The primary database must have supplemental logging enabled.
- B. The LOG\_ARCHIVE\_DEST\_n parameters with the service attribute set must be cleared.
- C. The primary database must have FORCE LOGGING enabled.
- D. The standby database must have supplemental logging enabled.
- E. A local net service name to enable connectivity to the PRODSBYI database instance must be defined on the primary database host.
- F. The DG\_BROKER\_START parameter must be set to TRUE for both database instances.

**Answer: A,E,F**

Explanation:

When setting up a Data Guard Broker configuration for a primary database and its physical standby, the following prerequisites must be met:

A: Oracle Net connectivity must be defined on both the primary and standby hosts to enable the respective database instances to communicate with each other.

B: Supplemental logging is required on the primary database because it provides additional logging necessary for the standby database to be able to apply changes from the primary database accurately.

F: The DG\_BROKER\_START parameter must be set to TRUE for both the primary and standby database instances. This parameter is used to start the Data Guard Broker process which manages the configuration.

Options C and D are not prerequisites for creating a Data Guard Broker configuration. Additionally, while FORCE LOGGING mode (option E) is recommended as a best practice to prevent possible data inconsistencies during media recovery, it is not a strict prerequisite for creating a Data Guard Broker configuration.

#### NEW QUESTION # 37

.....

Our 1z1-076 exam questions just focus on what is important and help you achieve your goal. When the reviewing process gets some tense, our 1z1-076 practice materials will solve your problems with efficiency. With high-quality 1z1-076 guide materials and flexible choices of learning mode, they would bring about the convenience and easiness for you. Every page is carefully arranged by our experts with clear layout and helpful knowledge to remember. In your every stage of review, our 1z1-076 practice prep will make

you satisfied.

**Exam 1z1-076 Labs:** [https://www.actual4test.com/1z1-076\\_examcollection.html](https://www.actual4test.com/1z1-076_examcollection.html)

P.S. Free & New 1z1-076 dumps are available on Google Drive shared by Actual4test: [https://drive.google.com/open?id=1sN0usNkCOId2DNN\\_266995UDJYkjhExk](https://drive.google.com/open?id=1sN0usNkCOId2DNN_266995UDJYkjhExk)