

NSE7_EFW-7.2題庫分享 & NSE7_EFW-7.2考題免費下載



BONUS!!! 免費下載VCESoft NSE7_EFW-7.2考試題庫的完整版: <https://drive.google.com/open?id=18v37Tft4MynzpsWxppKoeGUsY2UqztsE>

VCESoft的IT專家團隊利用他們的經驗和知識不斷的提升考試培訓材料的品質來滿足考生的需求，保證考生順利地通過第一次參加的Fortinet NSE7_EFW-7.2認證考試。通過購買VCESoft的產品你總是能夠更快得到更新更準確的考試相關資訊。並且VCESoft的產品的覆蓋面很廣，可以為很多參加IT認證考試的考生提供方便，而且準確率100%。它能給你100%的信心，讓你安心的參加考試。

Fortinet NSE7_EFW-7.2 考試大綱：

主題	簡介
主題 1	VPN: Implementing IPsec VPN IKE version 2 is discussed in this topic. Additionally, it delves into implementing auto-discovery VPN (ADVPN) to enable on-demand VPN tunnels between sites.
主題 2	Routing: It covers implementing OSPF to route enterprise traffic and Border Gateway Protocol (BGP) to route enterprise traffic.
主題 3	System configuration: This topic discusses Fortinet Security Fabric and hardware acceleration. Furthermore, it delves into configuring various operation modes for an HA cluster.
主題 4	Security profiles: Using FortiManager as a local FortiGuard server is discussed in this topic. Moreover, it delves into configuring web filtering, application control, and the intrusion prevention system (IPS) in an enterprise network.
主題 5	Central management: The topic of Central management covers implementing central management.

>> NSE7_EFW-7.2題庫分享 <<

準確的NSE7_EFW-7.2題庫分享 |適用於Fortinet NSE 7 - Enterprise Firewall 7.2

我們的VCESoft是一個為多種IT認證考試的人提供準確的考試材料的專業網站。我們的VCESoft是一個可以為很多IT人士提升自己的職業目標。我們的IT精英團隊的力量會讓你難以置信。你可以先嘗試我們VCESoft為你提供的

免費下載關於Fortinet NSE7_EFW-7.2認證考試的部分考題及答案來測我們的可靠性。

最新的 NSE 7 Network Security Architect NSE7_EFW-7.2 免費考試真題 (Q39-Q44):

問題 #39

Which two statements about ADVPN are true? (Choose two.)

- A. You must configure phase 2 quick mode selectors to 0.0.0.0 0.0.0.0.
- B. The hub adds routes based on IKE negotiations.
- C. You must disable add-route in the hub.
- D. All FortiGate devices must be in the same autonomous system (AS).

答案: A,C

解題說明:


C: The hub adds routes based on IKE negotiations: This is part of the ADVPN functionality where the hub learns about the networks behind the spokes and can add routes dynamically based on the IKE negotiations with the spokes.

D: You must configure phase 2 quick mode selectors to 0.0.0.0 0.0.0.0: This wildcard setting in the phase 2 selectors allows any-to-any tunnel establishment, which is necessary for the dynamic creation of spoke-to-spoke tunnels.

These configurations are outlined in Fortinet's documentation for setting up ADVPN, where the hub's role in route control and the use of wildcard selectors for phase 2 are emphasized to enable dynamic tunneling between spokes.

問題 #40

Refer to the exhibit, which shows config system central-management information.



```
config system central-management
  set type fortimanager
  set allow-push-firmware disable
  set allow-remote-firmware-upgrade disable
  set fmg "10.1.0.241"
  config server-list
    edit 1
      set server-type update
      set server-address 10.1.0.241
    next
  end
  set include-default-servers disable
end
```

Which setting must you configure for the web filtering feature to function?

- A. Configure server-type with the rating option.
- B. Configure securewf.fortiguard.net on the default servers.
- C. Add server.fortiguard.net to the server list.
- D. Set update-server-location to automatic.

答案: A

解題說明:

For the web filtering feature to function effectively, the FortiGate device needs to have a server configured for rating services. The rating option in the server-type setting specifies that the server is used for URL rating lookup, which is essential for web filtering. The displayed configuration does not list any FortiGuard web filtering servers, which would be necessary for web filtering. The setting set include-default-servers disable indicates that the default FortiGuard servers are not being used, and hence, a specific server for web filtering (like securewf.fortiguard.net) needs to be configured.

問題 #41

Which two statements about bfd are true? (Choose two)

- A. It works for OSPF and BGP
- B. You can disable it at the protocol level
- C. It can support neighbor only over the next hop in BGP
- D. You must configure n globally only

答案: A,B

解題說明:

BFD (Bidirectional Forwarding Detection) is a protocol that can quickly detect failures in the forwarding path between two adjacent devices. You can disable BFD at the protocol level by using the "set bfd disable" command under the OSPF or BGP configuration. BFD works for both OSPF and BGP protocols, as well as static routes and SD-WAN rules. References := BFD | FortiGate / FortiOS 7.2.0 - Fortinet Document Library, section "BFD".

問題 #42

Exhibit.



Refer to the exhibit, which contains a partial VPN configuration.
What can you conclude from this configuration?

- A. The routing table shows a single IPsec virtual interface.
- B. The VPN should use the dynamic routing protocol to exchange routing information Through the tunnels.
- C. FortiGate creates separate virtual interfaces for each dial up client.
- D. Dead peer detection s disabled.

答案: D

解題說明:

The configuration line "set dpd on-idle" indicates that dead peer detection (DPD) is set to trigger only when the tunnel is idle, not actively disabled. References: FortiGate IPsec VPN User Guide - Fortinet Document Library From the given VPN configuration, dead peer detection (DPD) is set to 'on-idle', indicating that DPD is enabled and will be used to detect if the other end of the VPN tunnel is still alive when no traffic is detected.

Hence, option C is incorrect. The configuration shows the tunnel set to type 'dynamic', which does not create separate virtual interfaces for each dial-up client (A), and it is not specified that dynamic routing will be used (B). Since this is a phase 1 configuration snippet, the routing table aspect (D) cannot be concluded from this alone.

問題 #43

Exhibit.

```
# diagnose webfilter fortiguard cache dump

Saving to file [/tmp/urcCache.txt]
Cache Contents:
-----
Cache Mode:    TTL
Cache DB Ver:  23.6106

Domain |IP          DB Ver  T URL
34000000|34000000  23.6106  P Bhttps://training.fortinet.com/
25000000|25000000  23.6106  E Bhttps://twitter.com/...

# get webfilter categories
...
g07 General Interest - Business:
    31 Finance and Banking
...
    51 Government and Legal Organizations
    52 Information Technology
```

Refer to the exhibit, which shows the output from the webfilter fortiguard cache dump and webfilter categories commands. Using the output, how can an administrator determine the category of the training.fortinet.com website?

- A. The administrator must convert the first two digits of the Domain hex value to a decimal value
- B. The administrator must convert the first three digits of the IP hex value to binary
- **C. The administrator can look up the hex value of 34 in the second command output.**
- D. The administrator must add both the Pima in and Iphex values of 34 to get the category number

答案：C

解題說明：

* Option B is correct because the administrator can determine the category of the training.fortinet.com website by looking up the hex value of 34 in the second command output. This is because the first command output shows that the domain and the IP of the website are both in category (Hex) 34, which corresponds to Information Technology in the second command output¹.

* Option A is incorrect because the administrator does not need to convert the first three digits of the IP hex value to binary. The IP hex value is already in the same format as the category hex value, so the administrator can simply compare them without any conversion².

* Option C is incorrect because the administrator does not need to add both the Pima in and Iphex values of 34 to get the category number. The Pima in and Iphex values are not related to the category number, but to the cache TTL and the database version respectively³.

* Option D is incorrect because the administrator does not need to convert the first two digits of the Domain hex value to a decimal value. The Domain hex value is already in the same format as the category hex value, so the administrator can simply compare them without any conversion². References: =

* 1: Technical Tip: Verify the webfilter cache content⁴

* 2: Hexadecimal to Decimal Converter⁵

* 3: FortiGate - Fortinet Community⁶

* : Web filter | FortiGate / FortiOS 7.2.0 - Fortinet Documentation⁷

問題 #44

.....

作為Fortinet行業的一員，你有在為通過一些NSE7_EFW-7.2認證考試而頭痛嗎。NSE7_EFW-7.2認證你考試一般都是為了檢驗考生的相關專業知識和經驗的考試，不是很容易通過的。對於第一次參加Fortinet認證考試的考生來說，選擇一個好的具有針對性的培訓方案是很有必要的。VCESoft能為很多參加NSE7_EFW-7.2認證考試的考生提供具有針對性的培訓方案，包括考試之前的模擬測試，針對性教學課程，和與真實考試有95%相似性的練習題及答案。快將我們VCESoft加入你的購物車吧。

NSE7_EFW-7.2考題免費下載: https://www.vcesoft.com/NSE7_EFW-7.2-pdf.html

- 最新的NSE7_EFW-7.2題庫分享 |高通過率的考試材料|準備充分的NSE7_EFW-7.2: Fortinet NSE 7 - Enterprise Firewall 7.2 □ 到> www.pdfexamdumps.com <搜尋 □ NSE7_EFW-7.2 □ 以獲取免費下載考試資料NSE7_EFW-7.2 考試題庫
- 最新NSE7_EFW-7.2考題 □ NSE7_EFW-7.2在線考題 □ NSE7_EFW-7.2試題 □ 打開> www.newdumpspdf.com □ 搜尋 □ NSE7_EFW-7.2 □ 以免費下載考試資料NSE7_EFW-7.2考試大綱
- NSE7_EFW-7.2熱門認證 □ 最新NSE7_EFW-7.2題庫 □ NSE7_EFW-7.2資料 □ > www.pdfexamdumps.com □ 上搜索 ⇒ NSE7_EFW-7.2 □ 輕鬆獲取免費下載最新NSE7_EFW-7.2題庫資訊
- NSE7_EFW-7.2考試證照綜述 □ NSE7_EFW-7.2證照信息 □ NSE7_EFW-7.2考試心得 □ 立即到 ⇒ www.newdumpspdf.com □ □ □ 上搜索 ✱ NSE7_EFW-7.2 □ ✱ □ 以獲取免費下載最新NSE7_EFW-7.2題庫資訊
- NSE7_EFW-7.2權威考題 □ NSE7_EFW-7.2題庫 □ NSE7_EFW-7.2題庫 □ 在> www.pdfexamdumps.com <網站上查找> NSE7_EFW-7.2 <的最新題庫NSE7_EFW-7.2權威考題
- 受信任的NSE7_EFW-7.2題庫分享和有用的Fortinet認證培訓 - 值得信賴的Fortinet Fortinet NSE 7 - Enterprise Firewall 7.2 □ ✓ www.newdumpspdf.com □ ✓ □ 上搜索「NSE7_EFW-7.2」輕鬆獲取免費下載NSE7_EFW-7.2 考題
- NSE7_EFW-7.2考題 □ 最新NSE7_EFW-7.2題庫 □ 最新NSE7_EFW-7.2題庫資訊 □ “www.newdumpspdf.com”網站搜索[NSE7_EFW-7.2]並免費下載NSE7_EFW-7.2真題
- 最新NSE7_EFW-7.2題庫資訊 □ NSE7_EFW-7.2在線考題 □ NSE7_EFW-7.2真題 □ 在⇒ www.newdumpspdf.com ⇐ 上搜索 (NSE7_EFW-7.2) 並獲取免費下載NSE7_EFW-7.2試題
- NSE7_EFW-7.2題庫分享 |在www.vcesoft.com| 100%通過快速下載 □ 在 □ www.vcesoft.com □ 網站上查找{ NSE7_EFW-7.2 } 的最新題庫NSE7_EFW-7.2資料
- NSE7_EFW-7.2題庫 □ NSE7_EFW-7.2權威考題 □ NSE7_EFW-7.2認證考試 □ 在 ⇒ www.newdumpspdf.com □ 網站下載免費[NSE7_EFW-7.2]題庫收集NSE7_EFW-7.2權威考題
- 最新NSE7_EFW-7.2題庫 □ NSE7_EFW-7.2權威考題 □ NSE7_EFW-7.2考試心得 □ 透過【www.testpdf.net】搜索 ⇒ NSE7_EFW-7.2 □ □ □ 免費下載考試資料NSE7_EFW-7.2題庫
- www.stes.tyc.edu.tw, shortcourses.russellcollege.edu.au, theatbyeinstitute.org, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, www.quora.com, www.stes.tyc.edu.tw, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, Disposable vapes

BONUS!!! 免費下載VCESoft NSE7_EFW-7.2考試題庫的完整版: <https://drive.google.com/open?id=18v37TFt4MynzpsWxppKoeGUsY2UqztsE>