

Newest C_ADBTP_2601 Latest Exam Guide—Pass C_ADBTP_2601 First Attempt

MAC 2601 EXAM PACK - QUESTIONS AND
CORRECT DETAILED ANSWERS WELL VERIFIED
.GRADED A+

3 components of value proposition - **ANSWER** -assurance, insight,
objectivity

insight - **ANSWER** -Internal auditor acts as a catalyst for improving an
organization's effectiveness and efficiency by providing insight and
recommendation based on analyses and assessment of data and
business processes.

objectivity - **ANSWER** -With commitment to integrity and
accountability, internal auditor provides value to governing bodies and
senior management as an objective source of independent advice.

After we develop a new version, we will promptly notify you. At C_ADBTP_2601, you have access to the best resources in the industry. We guarantee that you absolutely don't need to spend extra money to buy other products. C_ADBTP_2601 practice materials will definitely make you feel value for money. If you are really in doubt, you can use our trial version of our C_ADBTP_2601 Exam Questions first. We believe that you will definitely make a decision immediately after use!

Choose BraindumpsIT C_ADBTP_2601 new dumps questions, you will never regret for your decision. Our high-quality C_ADBTP_2601 exam cram can ensure you 100% pass. You see, we have quality control system, each questions of C_ADBTP_2601 exam dumps are checked and confirmed strictly according to the quality control system. Besides, the updated frequency for C_ADBTP_2601 Exam Questions is so regular and in accordance with the real exam changes. You can enjoy one year free update after purchase.

>> C_ADBTP_2601 Latest Exam Guide <<

Reliable C_ADBTP_2601 Practice Materials, C_ADBTP_2601 Test Labs

Review the products offered by us by downloading their free demos and compare them with the C_ADBTP_2601 study material offered in online course free and vendors' files. You will find our products the better than our competitors such as exam collection and others. The excellent quality of our C_ADBTP_2601 content, their relevance with the actual exam needs and their interactive and simple format will prove them superior and quite pertinent to your needs and requirements.

SAP Administrating SAP Business Technology Platform(C_ADBTP_2601)

Sample Questions (Q10-Q15):

NEW QUESTION # 10

SIMULATION

Enable Service Subscriptions

Task 2: Entitle and Subscribe a Service in a Subaccount

In your AM PA Prod subaccount, entitle the standard (Application) service plan for SAP Build Work Zone, standard edition.

In the AM PA Prod subaccount, establish a trust to the agylamkzw.accounts.ondemand.com identity provider.

In your AM PA Prod subaccount, create a service subscription for SAP Build Work Zone, standard edition with the standard service plan .

Answer:

Explanation:

See the Explanation below for complete solution.

Explanation:

Part A - Entitle the Service Plan in AM PA Prod

Step 1 - Open the AM PA Prod Subaccount

What to do

In the SAP BTP Cockpit, go to Directories.

Open the Partner directory.

Select the subaccount AM PA Prod.

Explanation:

This opens the exact subaccount where the entitlement and subscription must be created.

What to verify

You should now be on the AM PA Prod subaccount page.

Step 2 - Open Entitlements in the Subaccount

What to do

In AM PA Prod, open Entitlements.

Explanation:

SAP documents that subaccount entitlements are configured in the subaccount's entitlement area, where you add service plans and quotas available to that subaccount.

What to verify

You should see the Entitlements screen for AM PA Prod.

Step 3 - Add the Required Service Plan

What to do

Click Configure Entitlements or Add Service Plans.

Search for:

SAP Build Work Zone, standard edition

Select the service.

Choose the plan:

standard (Application)

Add the service plan.

Save the entitlement changes.

Explanation:

The task requires the standard (Application) plan specifically. SAP's entitlement flow requires you to add the service plan to the subaccount before you can subscribe to the application.

What to verify

Under Entitlements, you should now see:

SAP Build Work Zone, standard edition

plan: standard (Application)

Part B - Establish Trust to the Identity Provider

Step 4 - Open Trust Configuration

What to do

In the AM PA Prod subaccount, go to:

Security

Trust Configuration

Explanation:

SAP Help states that trust to a custom identity provider is established from the cockpit in Security > Trust Configuration.

What to verify

You should be on the Trust Configuration page of AM PA Prod.

Step 5 - Start the Trust Setup

What to do

Click Establish Trust or New Trust Configuration.

□ Explanation:

This opens the wizard or form to add a trusted identity provider for the subaccount. SAP documents this as the standard cockpit flow for custom identity provider trust.

Step 6 - Enter the Identity Provider

What to do

In the trust configuration, use the identity provider:

agvlamkzw.accounts.ondemand.com

Continue through the wizard and confirm the trust setup.

Save the configuration.

□ Explanation:

The simulation explicitly requires trust to that identity provider domain. For SAP Build Work Zone, standard edition, SAP also notes that the subaccount must trust an identity provider before subscription use cases for business users are completed.

What to verify

On the Trust Configuration page, the identity provider

agvlamkzw.accounts.ondemand.com should appear as trusted.

□

Part C - Create the Service Subscription

Step 7 - Open the Subscription Area

What to do

In AM PA Prod, go to:

Services

Instances and Subscriptions

□ Explanation:

SAP Help for SAP Build subscriptions points to the subaccount subscription flow after the entitlement is available. In current cockpit usage, subscriptions are created from the subaccount's services are a.

What to verify

You should see the Instances and Subscriptions page.

□

Step 8 - Create the Subscription

What to do

Click Create.

Choose Subscription if a type selection appears.

Search for:

SAP Build Work Zone, standard edition

Select the plan:

standard

Then confirm the creation.

□

□ Explanation:

SAP's getting-started guidance for SAP Build Work Zone, standard edition says that once the subaccount has the required entitlement, you can subscribe to the application from the subaccount.

What to verify

You should now see a subscription entry for:

SAP Build Work Zone, standard edition

plan: standard

Step 9 - Confirm the Subscription Is Active

What to do

Check the status of the new subscription in Instances and Subscriptions.

□ Explanation:

The subscription should be visible and active in the subaccount after creation.

What to verify

You should see:

SAP Build Work Zone, standard edition

subscription created successfully

SAP's guidance for subscription-based applications consistently uses this subaccount subscription flow after entitlement is present.

□

Final Expected Result for Task 2

Inside AM PA Prod:

the entitlement SAP Build Work Zone, standard edition is assigned

the entitled plan is standard (Application)
trust is established to agvlamkzw.accounts.ondemand.com
a subscription exists for SAP Build Work Zone, standard edition
the subscription uses the standard service plan
Common Mistakes to Avoid

1. Doing the entitlement in the wrong place

This task must be done in:

AM PA Prod subaccount

Not only in:

Partner directory

Directory entitlement and subaccount entitlement are different scopes in the cockpit.

2. Choosing the wrong service or wrong plan

Use exactly:

SAP Build Work Zone, standard edition

standard (Application) for entitlement

standard for the subscription selection screen

SAP's service subscription flow starts only after the correct entitlement exists.

3. Skipping trust configuration

The simulation explicitly requires trust to:

agvlamkzw.accounts.ondemand.com

Trust is configured in Security > Trust Configuration.

4. Looking for subscription creation before entitlement

The entitlement must be added first, otherwise the service may not appear in the subscription creation flow.

Quick Validation Checklist

Confirm all of the following in AM PA Prod:

Entitlements contains SAP Build Work Zone, standard edition

the plan is standard (Application)

Trust Configuration shows agvlamkzw.accounts.ondemand.com

Instances and Subscriptions shows SAP Build Work Zone, standard edition the subscription is created successfully

NEW QUESTION # 11

SIMULATION

Establish Shared Services

Task 1: Create a Shared Services Directory and Subaccounts

In your SAP BTP cockpit, create the directory Shared Services (Description: Shared Accounts) with your global account as the parent.

In the Shared Services directory, create the subaccount SH Dev (Description: Shared Services Development) with subdomain btpops#####-sh-dev in the region Amazon Web Services (AWS) → Europe (Frankfurt) cf-eu10.

In the Shared Services directory, create the subaccount SH Ops (Description: Shared Services Operations) with subdomain btpops#####-sh-ops in the region Amazon Web Services (AWS) → Europe (Frankfurt) cf-eu10.

Answer:

Explanation:

See the Explanation below for complete solution.

Explanation:

Before You Start

Log in to the SAP BTP Cockpit.

Open the correct Global Account.

Make sure you are working in the correct global account before creating anything.

Why this matters:

The new directory and both subaccounts must be created inside the correct global account hierarchy.

Part A - Create the Shared Services Directory

Step 1 - Open Directories

What to do

In the SAP BTP Cockpit, open your Global Account.

In the left navigation menu, click Directories.

□ Explanation:

This is where you create and manage directory structures under the global account.

What to verify

You should now see the list of existing directories.

Step 2 - Create the Directory Shared Services

What to do

Click Create or Create Directory.

Enter the following values:

Name: Shared Services

Description: Shared Accounts

Parent: your Global Account

Click Create.

□ Explanation:

This creates a new top-level directory directly under the global account.

It will be used to hold the shared-services subaccounts.

What to verify

You should now see:

Shared Services

under the global account.

Part B - Create the SH Dev Subaccount

Step 3 - Open the Shared Services Directory

What to do

In the directory list, select Shared Services.

Explanation:

Both required subaccounts must be created inside this directory.

What to verify

You should now be inside the Shared Services directory.

Step 4 - Open Subaccounts

What to do

Inside Shared Services, open Subaccounts.

Click Create → Subaccount.

Explanation:

This opens the subaccount creation screen.

Step 5 - Create SH Dev

What to do

Enter the following:

Display Name / Name: SH Dev

Description: Shared Services Development

Subdomain: btpops####-sh-dev

Set the region as:

Cloud Provider: Amazon Web Services (AWS)

Region: Europe (Frankfurt)

Technical Region / Environment: cf-eu10

Then click Create.

Explanation:

This creates the shared services development subaccount in the required AWS Frankfurt region.

What to verify

After creation, you should see:

SH Dev

inside the Shared Services directory.

□ Part C - Create the SH Ops Subaccount

Step 6 - Start a New Subaccount

What to do

Still inside Shared Services, click Create → Subaccount again.

Explanation:

This opens the form for the second required subaccount.

Step 7 - Create SH Ops

What to do

Enter the following:

Display Name / Name: SH Ops

Description: Shared Services Operations

Subdomain: btpops####-sh-ops

Set the region as:

Cloud Provider: Amazon Web Services (AWS)

Region: Europe (Frankfurt)

Technical Region / Environment: cf-eu10

Then click Create.

□ Explanation:

This creates the shared services operations subaccount in the same required region.

What to verify

After creation, you should see:

SH Ops

inside the Shared Services directory.

Final Expected Result for Task 1

You should now have:

Directory

Shared Services

Description: Shared Accounts

Parent: Global Account

Subaccounts inside Shared Services

SH Dev

Description: Shared Services Development

Subdomain: btpops####-sh-dev

Region: AWS → Europe (Frankfurt) cf-eu10

SH Ops

Description: Shared Services Operations

Subdomain: btpops####-sh-ops

Region: AWS → Europe (Frankfurt) cf-eu10

□ Common Mistakes to Avoid

1. Creating the directory in the wrong place

Shared Services must be created with:

parent = Global Account

2. Creating the subaccounts outside the directory

Both subaccounts must be created inside:

Shared Services

3. Wrong subdomain values

Use exactly:

btpops####-sh-dev

btpops####-sh-ops

Only replace #### with your global account number.

4. Wrong region

Both subaccounts must use:

Amazon Web Services (AWS)

Europe (Frankfurt)

cf-eu10

5. Mixing up SH Dev and SH Ops

Be careful:

SH Dev = Shared Services Development

SH Ops = Shared Services Operations

NEW QUESTION # 12

SIMULATION

Create a Service Instance in Cloud Foundry

Enable a service instance of the HTML5 Application Repository Service for Cloud Foundry.

Create a Service Instance in a Cloud Foundry Environment

In your SAP BTP cockpit, in the EU HCM Dev subaccount, create the service instance html5-eu-hcm-dev for the HTML5 Application Repository Service with the service plan app-host in the Cloud Foundry space activity-recording

Answer:

Explanation:

See the Explanation below for complete solution.

Explanation:

Before you start

Log in to SAP BTP Cockpit.

Open the correct Global Account.

Go to Directories.

Open Human Resources.

Open the EU HCM Dev subaccount.

This matters because the task must be completed in EU HCM Dev, and the service instance must be created in the specific Cloud Foundry space activity-recording. SAP Help also confirms that the HTML5 Application Repository is used in the Cloud Foundry environment and that the app-host plan is the host service used to store HTML5 application content.

Step 1 - Open the Cloud Foundry space

In EU HCM Dev, go to:

Cloud Foundry

Spaces

Select the space:

activity-recording

SAP Help describes creating Cloud Foundry service instances by first navigating to the subaccount, opening Cloud Foundry Spaces, selecting the target space, and then using that space's Services > Service Instances area.

Step 2 - Open Service Instances in the space

Inside the activity-recording space, go to:

Services

Service Instances

This is the Cloud Foundry-space-level location used for creating service instances in that space.

Step 3 - Start creating the new instance

Click Create.

□ A wizard opens for the new service instance. SAP Help describes this as the standard cockpit flow for creating service instances in Cloud Foundry spaces.

Step 4 - Choose the required service

In the service selection, choose:

HTML5 Application Repository Service

SAP Help documents the HTML5 Application Repository as the service used for centrally storing HTML5 applications' static content on SAP BTP in the Cloud Foundry environment.

□ Step 5 - Choose the required service plan

Select the service plan:

app-host

SAP Help states that the app-host service plan is used to deploy applications to the HTML5 Application Repository.

Step 6 - Enter the instance name

Set the service instance name to:

html5-eu-hcm-dev

Then continue and confirm creation.

□ SAP Help recommends using a CLI-friendly name for service instances, and the task gives the exact required name.

□ Step 7 - Verify the space is correct

Before final confirmation, verify the target Cloud Foundry space is:

activity-recording

This is important because Cloud Foundry service instances are created within a specific space, not only at the subaccount level.

Step 8 - Create and confirm

Click Create or Finish.

Wait for the status to change from in-progress to created.

SAP Help notes that after creation, the instance appears in the service instances table and its status can be checked there.

Final expected result

Inside EU HCM Dev, in Cloud Foundry space activity-recording, you should have a service instance with:

Service: HTML5 Application Repository Service

Plan: app-host

Instance Name: html5-eu-hcm-dev

Common mistakes to avoid

Creating the instance in the wrong subaccount; it must be EU HCM Dev.

Creating it in the wrong Cloud Foundry space; it must be activity-recording.

Choosing the wrong service; use HTML5 Application Repository Service.

Choosing the wrong plan; use app-host. SAP Help specifically links app-host with hosting deployed HTML5 app content.

□ Typing the wrong instance name; use exactly html5-eu-hcm-dev.

NEW QUESTION # 13

SIMULATION

Enable a Cloud Foundry Environment

Task 2: Enable and Configure a Cloud Foundry Environment

In your SAP BTP cockpit, in the EU HCM Dev subaccount, enable the Cloud Foundry environment in the cf-eu10-004 landscape.

Set the instance name to cf-eu-hcm-dev and the org name to btpops####-eu-hcm-dev.

In the EU HCM Dev subaccount, create a space with the name activity-recording.

In the EU HCM Dev subaccount, create a space quota with the name half-org-quot a. Halve the available org quota for memory, routes, service, and instance memory for an unlimited number of app instances. Assign the space quota to activity-recording.

Answer:

Explanation:

See the Explanation below for complete solution.

Explanation:

Before you start

Log in to SAP BTP Cockpit.

Open the correct Global Account.

Go to Directories.

Open Human Resources.

Open the EU HCM Dev subaccount.

This matters because the task must be completed specifically in EU HCM Dev. SAP documents that Cloud Foundry is enabled at subaccount level, and the system creates a Cloud Foundry org linked to that subaccount.

Part 1 - Enable the Cloud Foundry environment

Step 1 - Open the subaccount overview

In EU HCM Dev, go to Overview.

Explanation:

SAP Help describes the cockpit flow for enabling Cloud Foundry from the subaccount Overview page.

What to verify

You should see a Cloud Foundry section on the overview page.

Step 2 - Start enabling Cloud Foundry

In the Cloud Foundry section, click Enable Cloud Foundry.

Explanation:

This starts creation of the Cloud Foundry organization for the subaccount. SAP notes that when you enable Cloud Foundry in a subaccount, the system automatically creates a Cloud Foundry org for it.

Step 3 - Enter the required Cloud Foundry values

In the enablement dialog, enter:

Landscape: cf-eu10-004

Instance Name: cf-eu-hcm-dev

Org Name: btpops####-eu-hcm-dev

Then confirm by clicking Create or Enable.

Explanation:

The task gives you the exact landscape and naming values to use. SAP documentation shows that enabling Cloud Foundry in the cockpit requires naming the Cloud Foundry instance and org.

What to verify

After the process completes, the subaccount should show Cloud Foundry as enabled, with the org created for EU HCM Dev.

□ Part 2 - Create the space

Step 4 - Open Spaces

In EU HCM Dev, after Cloud Foundry is enabled, open:

Cloud Foundry

Spaces

Explanation:

SAP Help shows that spaces are created from the Spaces area after Cloud Foundry is enabled in the subaccount.

□ Step 5 - Create the space

Click Create Space.

Enter:

Space Name: activity-recording

Confirm by clicking Create.

□ Explanation:

This creates the required Cloud Foundry space inside the org for EU HCM Dev. SAP's cockpit documentation and setup guides show this as the standard next step after enabling the environment.

What to verify

You should now see:

activity-recording

in the list of Cloud Foundry spaces.

Part 3 - Create the space quota

Step 6 - Open Cloud Foundry Space Quotas

In EU HCM Dev, open:

Cloud Foundry

Space Quotas

Explanation:

SAP Help states that, in the Cloud Foundry environment, the quotas allocated to a subaccount can be further distributed by creating space quota plans, and these are managed from the Cloud Foundry Space Quotas area.

Step 7 - Create a new space quota

Click Create Space Quota or New Space Quota.

Enter the quota name:

half-org-quota

Explanation:

This creates a quota plan that you will assign to the required space. SAP Help describes creating space quota plans in the subaccount and then assigning them to spaces.

Step 8 - Set quota values to half of the org quota

In the quota form, set the values to half of the available org quota for:

Memory

Routes

Services

Instance Memory

For App Instances, set:

Unlimited

Then save the quota.

□ Explanation:

The simulation asks you to halve the available org quota for those four dimensions. SAP Help confirms that space quotas are used to limit resource consumption inside the org by defining values such as memory, routes, and service instances, and that these plans can then be assigned to spaces.

How to calculate "half"

Use the current org quota values shown in the Cloud Foundry quota screens and divide each by 2 before entering it.

Examples:

If org memory = 2 GB, enter 1 GB

If routes = 20, enter 10

If services = 200, enter 100

If instance memory = 2 GB, enter 1 GB

What to verify

The new quota plan should exist as:

half-org-quota

with the reduced values saved.

□ Part 4 - Assign the quota to the space

Step 9 - Assign the quota to activity-recording

Open the newly created quota:

half-org-quota

Choose Assign Spaces or Assign to Spaces

Select:

activity-recording

Save the assignment

Explanation:

SAP Help states that after creating a space quota, you assign it to one or more spaces from the space quota management flow.

What to verify

The quota half-org-quota should now be assigned to:

activity-recording

□

Final expected result
 Inside EU HCM Dev:
 Cloud Foundry is enabled
 landscape is cf-eu10-004
 instance name is cf-eu-hcm-dev
 org name is bt pops#####-eu-hcm-dev
 space activity-recording exists
 space quota half-org-quota exists
 memory, routes, services, and instance memory are each set to half of the available org quota app instances are unlimited quota half-org-quota is assigned to activity-recording Common mistakes to avoid Enabling Cloud Foundry in the wrong subaccount; it must be EU HCM Dev.
 Using the wrong landscape; the task explicitly requires cf-eu10-004.
 Typing the wrong org name; use exactly bt pops#####-eu-hcm-dev.
 Forgetting to create the space before assigning the quota.
 Entering full org quota instead of half.
 Limiting app instances to a number instead of leaving them unlimited.
 Creating the quota but not assigning it to activity-recording.

NEW QUESTION # 14

.....

There are numerous of feedbacks from our customers give us high praise on our C_ADBTP_2601 practice materials. We can claim that you can get ready to attend your exam just after studying with our C_ADBTP_2601 exam materials for 20 or 30 hours. Our high quality and high efficiency have been tested and trusted. Almost every customer is satisfied with our C_ADBTP_2601 Exam Guide. Come and have a try on our most popular C_ADBTP_2601 training materials!

Reliable C_ADBTP_2601 Practice Materials: https://www.braindumpsit.com/C_ADBTP_2601_real-exam.html

It is quite wonderful that the software version can simulate the real C_ADBTP_2601 examination for all of the users in windows operation system, No matter you are exam candidates of high caliber or newbies, our SAP C_ADBTP_2601 exam quiz will be your propulsion to gain the best results with least time and reasonable money, That's why BraindumpsIT offers the demo of C_ADBTP_2601 exam to their clients so that they can get the idea of our high quality work.

The platform has capabilities to integrate with applications C_ADBTP_2601 across various platforms and services, If you don't position them right they will look weird, It is quite wonderful that the software version can simulate the real C_ADBTP_2601 examination for all of the users in windows operation system.

Realistic C_ADBTP_2601 Latest Exam Guide & Leading Offer in Qualification Exams & First-Grade Reliable C_ADBTP_2601 Practice Materials

No matter you are exam candidates of high caliber or newbies, our SAP C_ADBTP_2601 exam quiz will be your propulsion to gain the best results with least time and reasonable money.

That's why BraindumpsIT offers the demo of C_ADBTP_2601 exam to their clients so that they can get the idea of our high quality work, You can write down your questions on the C_ADBTP_2601 study guide and send to our online workers.

Our experts who compiled them are working on the subject for years.

- Exam C_ADBTP_2601 Pass4sure □ C_ADBTP_2601 Valid Test Pattern □ C_ADBTP_2601 Latest Test Bootcamp □ Search for ▶ C_ADBTP_2601 ◀ and easily obtain a free download on ⇒ www.practicevce.com ⇐ □ Real C_ADBTP_2601 Question
- Simulate the Real Exam with SAP C_ADBTP_2601 Practice Exams □ Search for □ C_ADBTP_2601 □ on ▶ www.pdfvce.com □ immediately to obtain a free download □ C_ADBTP_2601 New Braindumps
- Fantastic C_ADBTP_2601 Latest Exam Guide – Find Shortcut to Pass C_ADBTP_2601 Exam ♣ Immediately open ✓ www.prepawaypdf.com □ ✓ □ and search for ▶ C_ADBTP_2601 ◀ to obtain a free download □ C_ADBTP_2601 Reliable Exam Materials
- Reliable C_ADBTP_2601 Practice Questions □ C_ADBTP_2601 Downloadable PDF □ Real C_ADBTP_2601 Question □ Open ▶ www.pdfvce.com □ and search for 「 C_ADBTP_2601 」 to download exam materials for free □

