

PCEP-30-02 Prüfungsfragen Prüfungsvorbereitungen 2026: PCEP - Certified Entry-Level Python Programmer - Zertifizierungsprüfung Python Institute PCEP-30-02 in Deutsch Englisch pdf downloaden



P.S. Kostenlose 2026 Python Institute PCEP-30-02 Prüfungsfragen sind auf Google Drive freigegeben von ZertSoft verfügbar:
https://drive.google.com/open?id=1_yAhWUCzR2oE3IJASiixbQbnwgHODz-p

Haben Sie keine gute Methode, Python Institute PCEP-30-02 Zertifizierungsprüfungen vorzubereiten? Python Institute PCEP-30-02 Zertifizierungsprüfung ist eine der bedeutendsten Zertifizierung bei IT-Zertifizierungen. Seit Jahren hat IT-Brachen die Aufmerksamkeit der ganzen Welt gewonnen. Und es wird auch ein unverzichtbarer Bestandteil des modernen Lebens. Und Python Institute Zertifizierungen sind schon international anerkannt. Deshalb entwickeln viele IT-Fachleute ihre Kenntnisse und Fähigkeiten durch Python Institute exam. Und PCEP-30-02 Zertifizierungsprüfung ist eine der wichtigsten Prüfung. Diese Zertifizierung kann Leuten größere Interessen bringen.

ZertSoft bietet Ihnen die zielgerichteten Fragenkataloge von guter Qualität, mit denen Sie sich gut auf die Python Institute PCEP-30-02 Zertifizierungsprüfung vorbereiten können. Die Übungen von ZertSoft sind den echten Prüfungen sehr ähnlich. Wir versprechen, dass Sie nur einmal die Python Institute PCEP-30-02 Zertifizierungsprüfung bestehen können. Sonst gaben wir Ihnen eine Rückerstattung.

PCEP-30-02 neuester Studienführer & PCEP-30-02 Training Torrent prep

Unser ZertSoft bietet erstklassige Informationsressourcen zur IT-Zertifizierung. In ZertSoft können Sie die Lernhilfe sowie Lernmaterialien finden. Die Fragenkataloge zur Python Institute PCEP-30-02 Prüfung von ZertSoft werden von den IT-Fachleuten langfristig nach ihren Erfahrungen und Kenntnissen bearbeitet. Unsere Fragenkataloge haben eine hohe Genauigkeit und starke Logik. Benutzen Sie beruhigt unsere Fragenkataloge zur Python Institute PCEP-30-02 Zertifizierung von ZertSoft. Sie können sich ganz gut auf Ihre PCEP-30-02 Prüfung vorbereiten.

Python Institute PCEP-30-02 Prüfungsplan:

| Thema | Einzelheiten |
|---------|---|
| Thema 1 | <ul style="list-style-type: none">• Functions and Exceptions: This part of the exam covers the definition of function and invocation |
| Thema 2 | <ul style="list-style-type: none">• parameters, arguments, and scopes. It also covers Recursion, Exception hierarchy, Exception handling, etc. |
| Thema 3 | <ul style="list-style-type: none">• Computer Programming Fundamentals: This section of the exam covers fundamental concepts such as interpreters, compilers, syntax, and semantics. It covers Python basics: keywords, instructions, indentation, comments in addition to Booleans, integers, floats, strings, and Variables, and naming conventions. Finally, it covers arithmetic, string, assignment, bitwise, Boolean, relational, and Input• output operations. |
| Thema 4 | <ul style="list-style-type: none">• Control Flow: This section covers conditional statements such as if, if-else, if-elif, if-elif-else |

Python Institute PCEP - Certified Entry-Level Python Programmer PCEP-30-02 Prüfungsfragen mit Lösungen (Q36-Q41):

36. Frage

Which of the following functions can be invoked with two arguments?

- A.

```
def mu (None):  
    pass
```
- B.

```
def iota (level, size):  
    pass
```
- C.

```
def kappa (level):  
    pass
```
- D.

```
def lambda ():  
    pass
```

Antwort: B

Begründung:

Explanation

The code snippets that you have sent are defining four different functions in Python. A function is a block of code that performs a specific task and can be reused in the program. A function can take zero or more arguments, which are values that are passed to the

function when it is called. A function can also return a value or None, which is the default return value in Python.

To define a function in Python, you use the `def` keyword, followed by the name of the function and parentheses. Inside the parentheses, you can specify the names of the parameters that the function will accept.

After the parentheses, you use a colon and then indent the code block that contains the statements of the function. For example:

```
def function_name(parameter1, parameter2): # statements of the function return value
```

To call a function in Python, you use the name of the function followed by parentheses. Inside the parentheses, you can pass the values for the arguments that the function expects.

The number and order of the arguments must match the number and order of the parameters in the function definition, unless you use keyword arguments or default values. For example:

```
function_name(argument1, argument2)
```

The code snippets that you have sent are as follows:

A) `def my_function(): print("Hello")`

B) `def my_function(a, b): return a + b`

C) `def my_function(a, b, c): return a * b * c`

D) `def my_function(a, b=0): return a - b`

The question is asking which of these functions can be invoked with two arguments. This means that the function must have two parameters in its definition, or one parameter with a default value and one without.

The default value is a value that is assigned to a parameter if no argument is given for it when the function is called. For example, in option D, the parameter `b` has a default value of 0, so the function can be called with one or two arguments.

The only option that meets this criterion is option B. The function in option B has two parameters, `a` and `b`, and returns the sum of them. This function can be invoked with two arguments, such as `my_function(2, 3)`, which will return 5.

The other options cannot be invoked with two arguments. Option A has no parameters, so it can only be called with no arguments, such as `my_function()`, which will print "Hello". Option C has three parameters, `a`, `b`, and `c`, and returns the product of them. This function can only be called with three arguments, such as `my_function(2, 3, 4)`, which will return 24. Option D has one parameter with a default value, `b`, and one without, `a`, and returns the difference of them. This function can be called with one or two arguments, such as `my_function(2)` or `my_function(2, 3)`, which will return 2 or -1, respectively.

Therefore, the correct answer is B. Option B.

37. Frage

What is the expected output of the following code?

```
def runner(brand, model="year=2021", convertible=False):
    return (brand, str(year), convertible)

print(runner("Fermi"))
```

- A. False
- B. ('Fermi', '2021', 'False')
- C. 0
- D. The code raises an unhandled exception.

Antwort: B

Begründung:

Explanation

The code snippet that you have sent is defining and calling a function in Python. The code is as follows:

```
def runner(brand, model, year): return (brand, model, year)
```

```
print(runner("Fermi"))
```

The code starts with defining a function called "runner" with three parameters: "brand", "model", and "year".

The function returns a tuple with the values of the parameters. A tuple is a data type in Python that can store multiple values in an ordered and immutable way. A tuple is created by using parentheses and separating the values with commas. For example, (1, 2, 3) is a tuple with three values.

Then, the code calls the function "runner" with the value "Fermi" for the "brand" parameter and prints the result. However, the function expects three arguments, but only one is given. This will cause a `TypeError` exception, which is an error that occurs when a function or operation receives an argument that has the wrong type or number. The code does not handle the exception, and therefore it will terminate with an error message.

However, if the code had handled the exception, or if the function had used default values for the missing parameters, the expected output of the code would be ('Fermi', '2021', 'False'). This is because the function returns a tuple with the values of the parameters,

and the print function displays the tuple to the screen.
Therefore, the correct answer is D. ('Fermi', '2021', 'False').

38. Frage

What is the expected output of the following code?

```
def traverse(stop):  
    if stop == 0:  
        return 0  
    else:  
        return stop + traverse(stop - 1)
```

```
print(traverse(2))
```



- A. 0
- B. 1
- C. 2
- D. 3

Antwort: A

Begründung:

The code snippet that you have sent is using the count method to count the number of occurrences of a value in a list. The code is as follows:

```
my_list = [1, 2, 3, 4, 5] print(my_list.count(1))
```

The code starts with creating a list called "my_list" that contains the numbers 1, 2, 3, 4, and 5. Then, it uses the print function to display the result of calling the count method on the list with the argument 1. The count method is used to return the number of times a value appears in a list. For example, my_list.count(1) returns 1, because 1 appears once in the list.

The expected output of the code is 1, because the code prints the number of occurrences of 1 in the list.

Therefore, the correct answer is D. 1.

Reference: Python List count() Method - W3Schools

39. Frage

Drag and drop the code boxes in order to build a program which prints Unavailable to the screen.

(Note: one code box will not be used.)

pass

except: KeyError:

except:

```
prices = { "pizza": 3.99 }
try:
    charge = prices["calzone"]
    print("Charged")
    print("Unavailable")
```



Antwort:

Begründung:

pass

except: KeyError:

except:

```
prices = { "pizza": 3.99 }
try:
    charge = prices["calzone"]
    print("Charged")
except:
    print("Unavailable")
except:
    print("Out of bounds")
```

pass

```
prices = { "pizza": 3.99 }
try:
    charge = prices["calzone"]
    print("Charged")
except:
    print("Unavailable")
except:
    print("Out of bounds")
```

40. Frage

Assuming that the following assignment has been successfully executed:

```
My_list = [1, 1, 2, 3]
```

Select the expressions which will not raise any exception.

(Select two expressions.)

- A. `my_List- [0:1]`
- B. `my_list|my_List | 3| I`
- C. `my list [6]`
- D. `my_list[-10]`

Antwort: A,B

Begründung:

Explanation

The code snippet that you have sent is assigning a list of four numbers to a variable called "my_list". The code is as follows:

```
my_list = [1, 1, 2, 3]
```

The code creates a list object that contains the elements 1, 1, 2, and 3, and assigns it to the variable "my_list".

The list can be accessed by using the variable name or by using the index of the elements. The index starts from 0 for the first element and goes up to the length of the list minus one for the last element. The index can also be negative, in which case it counts from the end of the list. For example, `my_list[0]` returns 1, and `my_list[-1]` returns 3.

The code also allows some operations on the list, such as slicing, concatenation, repetition, and membership.

Slicing is used to get a sublist of the original list by specifying the start and end index. For example, `my_list[1:3]` returns [1, 2].

Concatenation is used to join two lists together by using the + operator. For example, `my_list + [4, 5]` returns [1, 1, 2, 3, 4, 5].

Repetition is used to create a new list by repeating the original list a number of times by using the * operator. For example, `my_list * 2` returns [1, 1, 2, 3, 1, 1, 2, 3].

Membership is used to check if an element is present in the list by using the in operator. For example, `2 in my_list` returns True, and `4 in my_list` returns False.

The expressions that you have given are trying to access or manipulate the list in different ways. Some of them are valid, and some of them are invalid and will raise an exception. An exception is an error that occurs when the code cannot be executed properly. The expressions are as follows:

A). `my_list[-10]`: This expression is trying to access the element at the index -10 of the list. However, the list only has four elements, so the index -10 is out of range. This will raise an `IndexError` exception and output nothing.

B). `my_list|my_List | 3| I`: This expression is trying to perform a bitwise OR operation on the list and some other operands. The bitwise OR operation is used to compare the binary representation of two numbers and return a new number that has a 1 in each bit position where either number has a 1. For example, `3 | 1` returns 3, because 3 in binary is 11 and 1 in binary is 01, and `11 | 01` is 11. However, the bitwise OR operation cannot be applied to a list, because a list is not a number. This will raise a `TypeError` exception and output nothing.

C). `my list [6]`: This expression is trying to access the element at the index 6 of the list. However, the list only has four elements, so the index 6 is out of range. This will raise an `IndexError` exception and output nothing.

D). `my_List- [0:1]`: This expression is trying to perform a subtraction operation on the list and a sublist. The subtraction operation is used to subtract one number from another and return the difference. For example, `3 - 1` returns 2. However, the subtraction operation cannot be applied to a list, because a list is not a number. This will raise a `TypeError` exception and output nothing.

Only two expressions will not raise any exception. They are:

B). `my_list|my_List | 3| I`: This expression is not a valid Python code, but it is not an expression that tries to access or manipulate the list. It is just a string of characters that has no meaning. Therefore, it will not raise any exception, but it will also not output anything.

D). `my_List- [0:1]`: This expression is a valid Python code that uses the slicing operation to get a sublist of the list. The slicing operation does not raise any exception, even if the start or end index is out of range. It will just return an empty list or the closest possible sublist. For example, `my_list[0:10]` returns [1, 1, 2, 3], and `my_list[10:20]` returns []. The expression `my_List- [0:1]` returns the sublist of the list from the index 0 to the index 1, excluding the end index. Therefore, it returns [1]. This expression will not raise any exception, and it will output [1].

Therefore, the correct answers are B. `my_list|my_List | 3| I` and D. `my_List- [0:1]`.

41. Frage

.....

Wir können mit Stolz sagen, dass wir ZertSoft professionell ist! Denn die Bestehensquote der Prüfungen, die unsere Python Institute

PCEP-30-02 Software benutzt haben, ist unglaublich hoch. Denn unsere Tech-Gruppe ist unglaublich kompetent. Der Kundendienst ist ein sehr wichtiger Standard für eine Firma. Um den hohen Standard zu entsprechen, bieten wir 24/7 online Kundendienst, einjähriger kostenloser Python Institute PCEP-30-02 Aktualisierungsdienst nach dem Kauf und die Erstattungs politik beim Durchfall. Wenn Sie wirklich Python Institute PCEP-30-02 bestehen möchten, wählen Sie unsere Produkte!

PCEP-30-02 Ausbildungsressourcen: <https://www.zertsof.com/PCEP-30-02-pruefungsfragen.html>

- PCEP-30-02 Ausbildungsressourcen PCEP-30-02 Fragen&Antworten PCEP-30-02 Prüfungsaufgaben Suchen Sie jetzt auf▷ www.examfragen.de ◁ nach▷ PCEP-30-02 ◁ und laden Sie es kostenlos herunter PCEP-30-02 Exam
- Python Institute PCEP-30-02 Quiz - PCEP-30-02 Studienanleitung - PCEP-30-02 Trainingsmaterialien Öffnen Sie die Webseite [www.itzert.com] und suchen Sie nach kostenloser Download von PCEP-30-02 PCEP-30-02 Prüfungs-Guide
- PCEP-30-02 Trainingsmaterialien: PCEP - Certified Entry-Level Python Programmer - PCEP-30-02 Lernmittel - Python Institute PCEP-30-02 Quiz Öffnen Sie die Website [de.fast2test.com] Suchen Sie PCEP-30-02 Kostenloser Download PCEP-30-02 Deutsche
- PCEP-30-02 Deutsche PCEP-30-02 Deutsch PCEP-30-02 Prüfungsaufgaben Öffnen Sie die Website ➡ www.itzert.com Suchen Sie ✨ PCEP-30-02 ✨ Kostenloser Download PCEP-30-02 Deutsch Prüfung
- PCEP-30-02 Online Prüfungen PCEP-30-02 Kostenlos Downladen PCEP-30-02 Übungsmaterialien ➡ www.zertpruefung.ch ist die beste Webseite um den kostenlosen Download von PCEP-30-02 zu erhalten PCEP-30-02 Lernhilfe
- PCEP-30-02 Trainingsmaterialien: PCEP - Certified Entry-Level Python Programmer - PCEP-30-02 Lernmittel - Python Institute PCEP-30-02 Quiz Erhalten Sie den kostenlosen Download von ⇒ PCEP-30-02 ⇐ mühelos über (www.itzert.com) PCEP-30-02 Lernhilfe
- PCEP-30-02 Unterlagen mit echte Prüfungsfragen der Python Institute Zertifizierung Suchen Sie jetzt auf 【 www.deutschpruefung.com 】 nach 【 PCEP-30-02 】 und laden Sie es kostenlos herunter PCEP-30-02 Lernhilfe
- PCEP-30-02 Kostenlos Downladen PCEP-30-02 Deutsch Prüfung PCEP-30-02 Prüfungsfrage Öffnen Sie die Webseite “ www.itzert.com ” und suchen Sie nach kostenloser Download von [PCEP-30-02] PCEP-30-02 Online Prüfungen
- PCEP-30-02 Ressourcen Prüfung - PCEP-30-02 Prüfungsguide - PCEP-30-02 Beste Fragen Öffnen Sie die Webseite ➡ de.fast2test.com und suchen Sie nach kostenloser Download von PCEP-30-02 PCEP-30-02 Online Test
- PCEP-30-02 Deutsche PCEP-30-02 Ausbildungsressourcen PCEP-30-02 Prüfungsfrage Suchen Sie auf▷ www.itzert.com ◁ nach ✓ PCEP-30-02 ✓ und erhalten Sie den kostenlosen Download mühelos PCEP-30-02 Trainingsunterlagen
- PCEP-30-02 Deutsch Prüfung ⇨ PCEP-30-02 Fragenpool PCEP-30-02 Dumps Suchen Sie jetzt auf ➡ www.zertpruefung.ch nach 【 PCEP-30-02 】 und laden Sie es kostenlos herunter PCEP-30-02 Exam
- apollobookmarks.com, www.notebook.ai, peopleoffaithbiblecollege.org, poppieihzj240359.blogspot.com, amaanwkb456206.blogdanica.com, liliangqbu585010.qodsblog.com, geraldfakc222456.muzwiki.com, keziapomx496590.blogspotsuperapp.com, caraphlz244675.blogthisbiz.com, www.stes.tyc.edu.tw, Disposable vapes

P.S. Kostenlose 2026 Python Institute PCEP-30-02 Prüfungsfragen sind auf Google Drive freigegeben von ZertSoft verfügbar:
https://drive.google.com/open?id=1_yAhWUCzR2oE3IJASixbQbnwgHODz-p