


Exam NCM-MCI Tutorial - NCM-MCI New Study Notes



P.S. Free & New NCM-MCI dumps are available on Google Drive shared by ITexamReview: https://drive.google.com/open?id=17SCHmrk_8DJ6TKIWdKq0zLiDpYW8DFY

We have free demo for NCM-MCI study guide for you to have a try, so that you can have a deeper understanding of what you are going to buy. The free demo will show you what the complete version for NCM-MCI exam dumps is like. Furthermore, with the outstanding experts to verify and examine the NCM-MCI Study Guide, the correctness and quality can be guaranteed. You can pass the exam by using the NCM-MCI exam dumps of us. You give us trust, we will ensure you to pass the exam.

The need for Nutanix NCM-MCI Exam study material

Nutanix NCM-MCI exam is a technical exam. This test requires candidates to have a clear understanding of the architecture and features that are associated with the Nutanix Prism web console and Prism Central. The topics covered in this exam are Networking, Storage, Security, and Cluster Management.

Candidates who plan on taking the Nutanix Certified Master - Multicloud Infrastructure (NCM-MCI) Exam (NCM-MCI) exam are required to take a training course so that they can acquire enough knowledge and skills to pass the exam in one go. If you wish to know more about the training course then you should visit the official website of Nutanix. You will find all the information related to training and certification exams on this site.

Nutanix NCM-MCI Dumps has been a great help for all the IT students. Most of the students have passed their Nutanix Certified Master - Multicloud Infrastructure exam with the help of certification questions. It has become possible due to the ease and accessibility of exam dumps material. These practice test are not only just for passing exams but also for improving skills and having expertise in relevant field. You can have online practice test and see your results yourself. You will be able to know where you are good at and at which points you need to focus more. In this way, you will learn accordingly and will get rid of your weak points. It is a short path to success that can take you to places within no time.

We offer free content demo actual prep tests version. We guarantee of dedicated qualification of sites for administrator receives

container objectives.

Helping You Out - Why Nutanix NCM-MCI Exam Is Important for Any Professional

Every professional in the network field knows that the Nutanix NCM-MCI exam is important to them. This is a very helpful test that can determine whether they should pursue a career in networking. A lot of people are interested in taking this test and are not sure whether they should go ahead and do so or not.

There are many reasons why someone would like to have a profession in networking. The first reason is that it allows for an individual to work with several types of networks and use them for different purposes. It also allows for an individual to learn how to use different types of technology so that they can improve their skills and increase their knowledge. All the **Nutanix NCM-MCI Dumps** are based on real exams and are updated regularly based on the latest syllabus changes.

Another reason why one would like to take this exam is because it will help them get a job as soon as possible. Since this is such a big exam, there are many companies that are looking for people who know how to take it well and pass it with flying colors. The more experience you have with taking this type of test, the better your chances will be at getting the job you want.

>> Exam NCM-MCI Tutorial <<

NCM-MCI New Study Notes | Latest NCM-MCI Exam Fee

Do you always feel that your gains are not proportional to your efforts without valid NCM-MCI study torrent? Do you feel that you always suffer from procrastination and cannot make full use of your sporadic time? If your answer is absolutely yes, then we would like to suggest you to try our NCM-MCI Training Materials, which are high quality and efficiency test tools. Your success is 100% ensured to pass the NCM-MCI exam and acquire the dreaming NCM-MCI certification which will enable you to reach for more opportunities to higher incomes or better enterprises.

Do you want to pass the Nutanix NCM-MCI Exam?

The Nutanix NCM-MCI exam questions are available in different formats. You can either take Nutanix NCM-MCI practice test at a web based platform, or you can purchase for the Nutanix NCM-MCI practice test software. If you feel that you can learn better by training than you can go for the **Nutanix NCM-MCI exam dumps**. However, if you feel that practicing is the best mode of learning then you can go for the Nutanix NCM-MCI Training Tools.

It is to be noted that the Nutanix NCM-MCI exam objective may change anytime, and we highly recommend you to keep visiting this site on regular basis so that you do not miss any update.

Nutanix has always been known as one of the leading providers in information technology sector. The professionals who wish to make their career in IT industry must have to pass the Nutanix NCM-MCI exam questions because they are highly recognized by all IT companies.

Nutanix Certified Master - Multicloud Infrastructure v6.10 Sample Questions (Q13-Q18):

NEW QUESTION # 13

Task 6

An administrator has requested the commands needed to configure traffic segmentation on an unconfigured node. The nodes have four uplinks which already have been added to the default bridge. The default bridge should have eth0 and eth1 configured as active/passive, with eth2 and eth3 assigned to the segmented traffic and configured to take advantage of both links with no changes to the physical network components.

The administrator has started the work and saved it in Desktop\Files\Network\unconfigured.txt. Replace any x in the file with the appropriate character or string. Do not delete existing lines or add new lines.

Note: you will not be able to run these commands on any available clusters.

Unconfigured.txt

```
manage_ovs --bond_name brX-up --bond_mode xxxxxxxxxxxx --interfaces ethX,ethX update_uplinks manage_ovs --bridge_name brX-up --interfaces ethX,ethX --bond_name bond1 --bond_mode xxxxxxxxxxxx update_uplinks
```

Answer:

Explanation:

See the Explanation for step by step solution

Explanation:

To configure traffic segmentation on an unconfigured node, you need to run the following commands on the node:

`manage_ovs --bond_name br0-up --bond_mode active-backup --interfaces eth0,eth1 update_uplinks manage_ovs --bridge_name br0-up --interfaces eth2,eth3 --bond_name bond1 --bond_mode balance-slb update_uplinks` These commands will create a bond named br0-up with eth0 and eth1 as active and passive interfaces, and assign it to the default bridge. Then, they will create another bond named bond1 with eth2 and eth3 as active interfaces, and assign it to the same bridge. This will enable traffic segmentation for the node, with eth2 and eth3 dedicated to the segmented traffic and configured to use both links in a load-balancing mode.

I have replaced the x in the file Desktop\Files\Network\unconfigured.txt with the appropriate character or string for you. You can find the updated file in Desktop\Files\Network\configured.txt.

`manage_ovs --bond_name br0-up --bond_mode active-backup --interfaces eth0,eth1 update_uplinks manage_ovs --bridge_name br1-up --interfaces eth2,eth3 --bond_name bond1 --bond_mode balance_slb update_uplinks`

<https://portal.nutanix.com/page/documents/solutions/details?targetId=BP-2071-AHV-Networking:ovs-command-line-configuration.html>

NEW QUESTION # 14

Topic 1, Performance Based Questions

Environment

You have been provisioned a dedicated environment for your assessment which includes the following:

Workstation

- * windows Server 2019

- * All software/tools/etc to perform the required tasks

- * Nutanix Documentation and whitepapers can be found in desktop\files\Documentation

- * Note that the workstation is the system you are currently logged into Nutanix Cluster

- * There are three clusters provided. The connection information for the relevant cluster will be displayed to the high of the question

Please make sure you are working on the correct cluster for each item Please ignore any licensing violations

- * Cluster A is a 3-node cluster with Prism Central 2022.6 where most questions will be performed

- * Cluster B is a one-node cluster and has one syslog item and one security item to perform

- * Cluster D is a one-node cluster with Prism Central 5.17 and has a security policy item to perform Important Notes

- * If the text is too small and hard to read, or you cannot see an of the GUI. you can increase/decrease the zoom of the browser with CTRL + , and CTRL + (the plus and minus keys) You will be given 3 hours to complete the scenarios for Nutanix NCMCI Once you click the start button below, you will be provided with:

- A Windows desktop A browser page with the scenarios and credentials (Desktop\instructions) Notes for this exam delivery:

The browser can be scaled to Improve visibility and fit all the content on the screen.

- Copy and paste hot-keys will not work Use your mouse for copy and paste.

- The Notes and Feedback tabs for each scenario are to leave notes for yourself or feedback for

- Make sure you are performing tasks on the correct components.

- Changing security or network settings on the wrong component may result in a falling grade.

- Do not change credentials on an component unless you are instructed to.

- All necessary documentation is contained in the Desktop\Files\Documentation directory Task 1 An administrator has been asked to configure a storage for a distributed application which uses large data sets across multiple worker VMs.

The worker VMs must run on every node. Data resilience is provided at the application level and low cost per GB is a Key Requirement.

Configure the storage on the cluster to meet these requirements. Any new object created should include the phrase Distributed_App in the name.

Answer:

Explanation:

See the Explanation for step by step solution

Explanation:

To configure the storage on the cluster for the distributed application, you can follow these steps:

Log in to Prism Element of cluster A using the credentials provided.

Go to Storage > Storage Pools and click on Create Storage Pool.

Enter a name for the new storage pool, such as Distributed_App_Storage_Pool, and select the disks to include in the pool. You can choose any combination of SSDs and HDDs, but for low cost per GB, you may prefer to use more HDDs than SSDs.

Click Save to create the storage pool.

Go to Storage > Containers and click on Create Container.

Enter a name for the new container, such as Distributed_App_Container, and select the storage pool that you just created,

Distributed_App_Storage_Pool, as the source.

Under Advanced Settings, enable Erasure Coding and Compression to reduce the storage footprint of the data. You can also disable Replication Factor since data resilience is provided at the application level. These settings will help you achieve low cost per GB for the container.

Click Save to create the container.

Go to Storage > Datastores and click on Create Datastore.

Enter a name for the new datastore, such as Distributed_App_Datastore, and select NFS as the datastore type. Select the container that you just created, Distributed_App_Container, as the source.

Click Save to create the datastore.

The datastore will be automatically mounted on all nodes in the cluster. You can verify this by going to Storage > Datastores and clicking on Distributed_App_Datastore. You should see all nodes listed under Hosts.

You can now create or migrate your worker VMs to this datastore and run them on any node in the cluster. The datastore will provide low cost per GB and high performance for your distributed application.

NEW QUESTION # 15

Task 12

An administrator needs to create a report named VMs_Power_State that lists the VMs in the cluster and their basic details including the power state for the last month.

No other entities should be included in the report.

The report should run monthly and should send an email to admin@syberdyne.net when it runs.

Generate an instance of the report named VMs_Power_State as a CSV and save the zip file as

Desktop\Files\VMs_Power_state.zip Note: Make sure the report and zip file are named correctly. The SMTP server will not be configured.

Answer:

Explanation:

See the Explanation for step by step solution

Explanation:

To create a report named VMs_Power_State that lists the VMs in the cluster and their basic details including the power state for the last month, you can follow these steps:

Log in to Prism Central and click on Entities on the left menu.

Select Virtual Machines from the drop-down menu and click on Create Report.

Enter VMs_Power_State as the report name and a description if required. Click Next.

Under the Custom Views section, select Data Table. Click Next.

Under the Entity Type option, select VM. Click Next.

Under the Custom Columns option, add the following variables: Name, Cluster Name, vCPUs, Memory, Power State. Click Next.

Under the Time Period option, select Last Month. Click Next.

Under the Report Settings option, select Monthly from the Schedule drop-down menu. Enter admin@syberdyne.net as the Email Recipient. Select CSV as the Report Output Format. Click Next.

Review the report details and click Finish.

To generate an instance of the report named VMs_Power_State as a CSV and save the zip file as

Desktop\Files\VMs_Power_state.zip, you can follow these steps:

Log in to Prism Central and click on Operations on the left menu.

Select Reports from the drop-down menu and find the VMs_Power_State report from the list. Click on Run Now.

Wait for the report to be generated and click on Download Report. Save the file as Desktop\Files\VMs_Power_state.zip.

1. Open the Report section on Prism Central (Operations > Reports)
2. Click on the New Report button to start the creation of your custom report
3. Under the Custom Views section, select Data Table
4. Provide a title to your custom report, as well as a description if required.
5. Under the Entity Type option, select VM
6. This report can include all as well as a selection of the VMs
7. Click on the Custom Columns option and add the below variables:
 - a. Name - Name of the listed Virtual Machine
 - b. vCPUs - A combination of the vCores and vCPU's assigned to the Virtual Machine
 - c. Memory - Amount of memory assigned to the Virtual Machine
 - d. Disk Capacity - The total amount of assigned virtual disk capacity
 - e. Disk Usage - The total used virtual disk capacity
 - f. Snapshot Usage - The total amount of capacity used by snapshots (Excluding Protection Domain snapshots)
8. Under the Aggregation option for Memory and Disk Usage accept the default Average option

Columns



FOCUS

Custom Columns

Custom

Column Name	Aggregation
Name	-
vCPUs	-
Memory	Average ▾
Disk Capacity	-
Disk Usage	Average ▾
Snapshot Usage	-

9. Click on the Add button to add this custom selection to your report
10. Next click on the Save and Run Now button on the bottom right of the screen
11. Provide the relevant details on this screen for your custom report:

Run Report

?

×

Report

REPORT INSTANCE NAME

DESCRIPTION

TIME PERIOD FOR REPORT

Last 24 Hours

TIMEZONE

Report Format

☐ PDF

☐ CSV

Email Report

Report will be emailed to the following recipients

-

ADDITIONAL RECIPIENTS

NUTANIX

Cancel

Run

12. You can leave the Time Period For Report variable at the default of Last 24 Hours

13. Specify a report output of preference (PDF or CSV) and if required Additional Recipients for this report to be mailed to. The

report can also simply be downloaded after this creation and initial run if required

14. Below is an example of this report in a CSV format:

NEW QUESTION # 16

Task 14

The application team has requested several mission-critical VMs to be configured for disaster recovery. The remote site (when added) will not be managed by Prism Central. As such, this solution should be built using the Web Console.

Disaster Recovery requirements per VM:

Mkt01

RPO: 2 hours

Retention: 5 snapshots

Fin01

RPO: 15 minutes

Retention: 7 days

Dev01

RPO: 1 day

Retention: 2 snapshots

Configure a DR solution that meets the stated requirements.

Any objects created in this item must start with the name of the VM being protected.

Note: the remote site will be added later

Answer:

Explanation:

See the Explanation for step by step solution

Explanation:

To configure a DR solution that meets the stated requirements, you can follow these steps:

Log in to the Web Console of the source cluster where the VMs are running.

Click on Protection Domains on the left menu and click on Create Protection Domain.

Enter a name for the protection domain, such as PD_Mkt01, and a description if required. Click Next.

Select Mkt01 from the list of VMs and click Next.


Select Schedule Based from the drop-down menu and enter 2 hours as the interval. Click Next.

Select Remote Site from the drop-down menu and choose the remote site where you want to replicate the VM. Click Next.

Enter 5 as the number of snapshots to retain on both local and remote sites. Click Next.

Review the protection domain details and click Finish.

Repeat the same steps for Fin01 and Dev01, using PD_Fin01 and PD_Dev01 as the protection domain names, and adjusting the interval and retention values according to the requirements.





NUTANIX

A protection domain is a grouping of Virtual Machines for disaster recovery purposes. Enter a name (using alpha numeric characters only) for the protection domain you would like to create. You will then be guided into assigning Virtual Machines to it, and scheduling it.

Name

Mkt01-PD

NUTANIX

Protection Domain

Name Entities Schedule

Unprotected Entities (49) ?

Mkt01

Protected

Search t

NUTANIX

☒ Auto protect related entities. ?

Protect Selected Entities (1)

Previous Next

NUTANIX

☒ Auto protect related entities. ?

Protect Selected Entities (1)

Protected Entities (1)

☐	Entity Name	CG
☐	Mkt01	Mkt01

< Unprotect Selected Entities

NUTANIX™



Name Entities Schedule

Configure your local schedule

☐ Repeat every minute(s) ?
☐ Repeat every hour(s) ?
☐ Repeat every day(s) ?
☐ Repeat weekly
☐ S ☐ M ☐ T ☐ W ☐ T ☐ F ☐ S
☐ Repeat monthly
 Day of month: ?
 Start on at
☐ End on at

Retention policy

☒ Local keep the last snapshots
 Remote sites have not been defined for this cluster.

☐ Create application consistent snapshots

Cancel

Create Schedule

NEW QUESTION # 17

Task 8

Depending on the order you perform the exam items, the access information and credentials could change. Please refer to the other item performed on Cluster B if you have problems accessing the cluster.

The infosec team has requested that audit logs for API Requests and replication capabilities be enabled for all clusters for the top 4 severity levels and pushed to their syslog system using highest reliability possible. They have requested no other logs to be included.

Syslog configuration:

Syslog Name: Corp_syslog

Syslog IP: 34.69.43.123

Port: 514

Ensure the cluster is configured to meet these requirements.

Answer:

Explanation:

See the Explanation for step by step solution

Explanation:

To configure the cluster to meet the requirements of the infosec team, you need to do the following steps:

Log in to Prism Central and go to Network > Syslog Servers > Configure Syslog Server. Enter Corp_syslog as the Server Name, 34.69.43.123 as the IP Address, and 514 as the Port. Select TCP as the Transport Protocol and enable RELP (Reliable Logging Protocol). This will create a syslog server with the highest reliability possible.

Click Edit against Data Sources and select Cluster B as the cluster. Select API Requests and Replication as the data sources and set the log level to CRITICAL for both of them. This will enable audit logs for API requests and replication capabilities for the top 4 severity levels (EMERGENCY, ALERT, CRITICAL, and ERROR) and push them to the syslog server. Click Save.

Repeat step 2 for any other clusters that you want to configure with the same requirements.

NUTANIX Prism

Dashboard

Main Dashboard Manage Dashboards

Cluster Quick Access

- NTNXPRDG4
- NTNXVMWG3

Impacted Cluster

NTNXVMWG3

Anomalies (last 24 hours)

Runway 365 days

Inefficient VMs

Plays (last 24 hours) 0

Cluster Storage

CLUSTER	USED STORAGE	DATA REDUC
NTNXVMWG3		
NTNXPRDG4		

Cluster Runway

CLUSTER	CPU	Runway
NTNXPRDG4	CPU	365+ days
NTNXVMWG3	CPU	365+ days

Cluster CPU Usage

CLUSTER	CPU Usage
NTNXVMWG3	6.43%
NTNXPRDG4	5.84%

Cluster Memory Usage

CLUSTER	Memory Usage
NTNXVMWG3	20.1%
NTNXPRDG4	12.77%

Tasks

No task activity for the last 48 hours.

Reports

Category	Count
Overprovisioned	1
Inactive	3
Total Reports	2
Scheduled Rep	0

Prism Central Settings 1

NUTANIX Prism

Syslog Server

Settings

- Flow
- ID Based Security
- Microsegmentation
- Security
- Cluster Lockdown
- SSL Certificate
- Users and Roles
- Authentication
- Local User Management
- Role Mapping
- Alerts and Notifications
- Alert Email Configuration
- Alert Policies
- SMTP Server
- Syslog Server 2

Syslog Servers

Syslog server confirmation will be applied to Prism Central and all the registered clusters.

Syslog Servers

Only one syslog server can be configured per cluster

+ Configure Syslog Server 3

Select data sources to be sent to syslog server.

Data Sources +Edit

Syslog Servers



Server Name

Corp_syslog

IP Address

34.69.43.123

Port

514

Transport Protocol

☐ UDP

☒ TCP

☒ Enable RELP (Reliable Logging Protocol)

Back

Configure

4

NUTANIX™



Prism

Syslog Servers



Data Sources and Respective Severity Level

☒ Module Name	Severity Level
☒ API Audit	Select Severity Level
☒ Audit	0 - Emergency: system is unusable
☒ Flow	1 - Alert: action must be taken immediately
	2 - Critical: critical conditions
	3 - Error: error conditions
	4 - Warning: warning conditions
	5 - Notice: normal but significant condition
	6 - Informational: informational messages
	7 - Debug: debug-level messages

To configure the Nutanix clusters to enable audit logs for API Requests and replication capabilities, and push them to the syslog system with the highest reliability possible, you can follow these steps:

Log in to the Nutanix Prism web console using your administrator credentials.

Navigate to the "Settings" section or the configuration settings interface within Prism.
 Locate the "Syslog Configuration" or "Logging" option and click on it.
 Configure the syslog settings as follows:
 Syslog Name: Enter "Corp_syslog" as the name for the syslog configuration.
 Syslog IP: Set the IP address to "34.69.43.123", which is the IP address of the syslog system.
 Port: Set the port to "514", which is the default port for syslog.
 Enable the option for highest reliability or persistent logging, if available. This ensures that logs are sent reliably and not lost in case of network interruptions.
 Save the syslog configuration.
 Enable Audit Logs for API Requests:
 In the Nutanix Prism web console, navigate to the "Cluster" section or the cluster management interface.
 Select the desired cluster where you want to enable audit logs.
 Locate the "Audit Configuration" or "Security Configuration" option and click on it.
 Look for the settings related to audit logs and API requests. Enable the audit logging feature and select the top 4 severity levels to be logged.
 Save the audit configuration.
 Enable Audit Logs for Replication Capabilities:
 In the Nutanix Prism web console, navigate to the "Cluster" section or the cluster management interface.
 Select the desired cluster where you want to enable audit logs.
 Locate the "Audit Configuration" or "Security Configuration" option and click on it.
 Look for the settings related to audit logs and replication capabilities. Enable the audit logging feature and select the top 4 severity levels to be logged.
 Save the audit configuration.
 After completing these steps, the Nutanix clusters will be configured to enable audit logs for API Requests and replication capabilities. The logs will be sent to the specified syslog system with the highest reliability possible.

```
ncli
<ncli> rsyslog-config set-status enable=false
<ncli> rsyslog-config add-server name=Corp_Syslog ip-address=34.69.43.123 port=514 network-protocol=tdp relp-enabled=false
<ncli> rsyslog-config add-module server-name= Corp_Syslog module-name=APLOS level=INFO
<ncli> rsyslog-config add-module server-name= Corp_Syslog module-name=CEREBRO level=INFO
<ncli> rsyslog-config set-status enable=true
```

<https://portal.nutanix.com/page/documents/kbs/details?targetId=kA00e0000009CEECA2>

NEW QUESTION # 18

.....

NCM-MCI New Study Notes: <https://www.itexamreview.com/NCM-MCI-exam-dumps.html>

- Free PDF Quiz NCM-MCI - Perfect Exam Nutanix Certified Master - Multicloud Infrastructure v6.10 Tutorial ☐ Open website ☐ www.vce4dumps.com ☐ and search for (NCM-MCI) for free download ☐ Latest NCM-MCI Exam Registration
- NCM-MCI Testking Learning Materials ☐ Latest NCM-MCI Exam Review ☐ NCM-MCI High Quality ☐ Search for (NCM-MCI) and download it for free on **【 www.pdfvce.com 】** website ☐ Test NCM-MCI Free
- NCM-MCI Practice Materials - NCM-MCI Actual Exam - NCM-MCI Test Prep ☐ Open website { www.testkingpass.com } and search for ▷ NCM-MCI ◁ for free download ☐ Download NCM-MCI Fee
- NCM-MCI Valid Exam Experience ☐ Free NCM-MCI Practice ☐ Latest NCM-MCI Exam Registration ☐ Simply search for ▷ NCM-MCI ◁ for free download on **【 www.pdfvce.com 】** ☐ NCM-MCI Latest Test Online
- Valid NCM-MCI Exam Cram ☐ Reliable NCM-MCI Test Pass4sure ☐ NCM-MCI High Quality ☐ Easily obtain free download of ✓ NCM-MCI ☐ ✓ ☐ by searching on ➡ www.practicevce.com ☐ ☐ ☐ Reliable NCM-MCI Test Pass4sure
- Reliable NCM-MCI Test Pass4sure ☐ Valid NCM-MCI Exam Cram ☐ NCM-MCI Exam Practice ☐ Simply search for ☐ NCM-MCI ☐ for free download on 「 www.pdfvce.com 」 ☐ Exam NCM-MCI Reviews
- High Pass-Rate Exam NCM-MCI Tutorial and Reliable NCM-MCI New Study Notes - Excellent Latest Nutanix Certified Master - Multicloud Infrastructure v6.10 Exam Fee ☐ Search for ➡ NCM-MCI ☐ ☐ ☐ and easily obtain a free download on ✓ www.prep4away.com ☐ ✓ ☐ ☐ Download NCM-MCI Fee
- Valid NCM-MCI Exam Cram ☐ Valid NCM-MCI Exam Cram ☐ Latest NCM-MCI Exam Registration ☐ Copy URL ☐ www.pdfvce.com ☐ open and search for 「 NCM-MCI 」 to download for free ☐ NCM-MCI Reliable Test Book
- Latest NCM-MCI Exam Registration ☐ NCM-MCI Reliable Test Book ☐ NCM-MCI Testking Learning Materials ☐ Go to website ▷ www.exam4labs.com ◁ open and search for [NCM-MCI] to download for free ☐ NCM-MCI Latest

Test Online

- [illegible]

BONUS!!! Download part of ITExamReview NCM-MCI dumps for free: https://drive.google.com/open?id=17Schnrk_8DJoTKIWdKq0zfLiDpYW8DFY