

実際的なAAPC-CPC合格資料 &合格スムーズAAPC-CPC合格問題 |素敵なAAPC-CPC真実試験

AAPC CPC Exam Study Guide Latest Version Updated 2023-2024 New Exam/ AAPC CPC Chapter 5 Questions and Answers

CASE 1

Reason for consult: Acute renal failure (Indication for the visit.)
HPI: The patient was followed in the past by my associate for CKD, with baseline creatinine of 1.8 two weeks ago. Found to have severe ARF this morning associated with acidosis and moderate hyperkalemia after presenting to the ER with complaint of dehydration. (These conditions were diagnosed by another physician in the emergency room.) The patient is admitted under observation status to the hospitalist service and the renal team is called for a consult.
ROS: Cardiovascular: Negative for CP/PND. GI: Negative for nausea, positive for diarrhea. GU: Negative for obstructive symptoms or documented exposure to nephrotoxins. All other systems reviewed and are negative.
PFSH: Negative family history of hereditary renal disease and negative history of tobacco or ETOH abuse.
EXAM: Constitutional: 99/52, 18, 102. NAD. Conversant. Eyes: anicteric sclera, no proptosis, PERRL. ENMT: Normal aside from somewhat dry mucus membranes.
Cardiovascular: RRR, no MRGs, no edema. Respiratory: Lungs CTA, normal respiratory effort. GI: NABS, no HSM. Skin: Warm and dry, decreased turgor.
Psychiatric: A&OX3 with appropriate affect.
Labs: BUN ----- Correct Answer ----- N17.9, E86.0, N18.3, I95.9

CASE 2

PROGRESS NOTE

Chief complaint: Multiple ulcers.

Subjective: The patient returns, accompanied by her caregiver who states that she believes the ulcers have gotten "about as good as they are going to." The edema of the leg seems to be controlled much better.

Objective: Exam reveals marked improvement of the edema (The edema is improving.) of both lower legs, the right is better than the left. All of the ulcers are now extremely superficial and seem to almost be partial thickness skin.(The ulcers are healing.) There is no cellulitis. The only uncomfortable area seems to be on the sole of the left foot where there are considerable bony abnormality and/or tophaceous deposits which have distorted the bottom of her foot dramatically. To relieve the left foot pain.(Location of the foot pain. Patient had foot pain likely due to tophaceous deposits which are an indication of gout. This is not a definitive diagnosis documented by the provider. Code the symptom.) a sole nerve block posterior to the lateral malleolus is carried out with a 50:50 mixture of 1% lidocaine with epinephrine and .5% marcaine. Following this, she gets good relief from the pain of the lateral posterior part of the foot ----- Correct Answer ----- L97.521, L97.511, R60.0, M79.672

P.S.CertJukenがGoogle Driveで共有している無料の2026 Medical Tests AAPC-CPCダウンロード: <https://drive.google.com/open?id=1MF8w95ZP04as-HIYNnxYxIzF9GVuY8UG>

理論の最新の発展に従って、AAPC-CPC練習教材が多くの専門家によって改訂されることを保証し、学生向けにカスタマイズされた学習コンテンツを専門的にCertJuken編集します。つまり、AAPC-CPC試験を簡単かつ効率的に見つけることができます集中し、良い学術的成果を得る。さらに、AAPC-CPC試験ガイドは、お客様にサプリメントサービスモックテストを提供します。これにより、お客様はAAPC-CPC試験問題を勉強することにより、一生懸命勉強し、欠陥をチェックできます。

AAPC-CPC試験に合格して証明書を取得する方法に関する質問を検討していますか？ 最良の答えは、AAPC-CPCクイズトレントをダウンロードして学習することです。AAPC-CPC試験の質問は、必要なものを短時間で取得するのに役立ちます。AAPC-CPCトレーニング準備を購入した後、ダウンロードしてインストールするのに少し時間が必要です。その後、学習するのに約20~30時間かかります。AAPC-CPC試験ガイドをご覧いただき、貴重な時間を割いていただければ幸いです。

>> AAPC-CPC合格資料 <<

AAPC-CPC合格問題、AAPC-CPC真実試験

一般的には、あなたは多くの時間と精力を利用してAAPC-CPC試験を準備する必要があります。悩んでいるなら、弊社のAAPC-CPC資料を利用して、あなたは試験に関する情報を了解することができます。我々の問題集の的中率は高いですから、CertJukenの資料を利用して試験を準備して、あなたの学習効率を高めることができます。

Medical Tests American Academy of Professional Coders: Certified Professional Coder 認定 AAPC-CPC 試験問題 (Q148-Q153):

質問 # 148

An established 27-year-old female patient is seen with complaints of fatigue and muscle aches that began 3 days ago. The physician draws two vials of blood, collects a urine sample, and performs a pregnancy test. The patient is instructed to drink 8 ounces of water daily, rest, and follow up in 3 days for her results. What CPT codes should be reported for this encounter?

- A. 99213, 81025, 36410, 81005
- B. 99212, 81025, 36410x2, 99000, 81020
- C. 99213, 81025, 36415, 81002
- D. 99212, 81025, 36416, 81007

正解: C

解説:

The documentation demonstrates that the number and complexity of problems addressed is low (fatigue and muscle aches are self-limited problems), the amount or complexity of data to be reviewed and analyzed is moderate (three unique tests), and the risk of complications, morbidity, or mortality of patient management is minimal (the patient was advised to drink more water). (To determine the final level of medical decision making, choose the lowest of the highest two elements. In this scenario, the final level of medical decision making is low, and the CPT code is

99213. When reporting a routine venipuncture, use CPT code 36415. CPT code 36410(a) is reported when it is medically necessary for the physician to draw a patient's blood, and 36416 describes capillary blood collected through a skin prick—certainly not enough to fill two vials. CPT code 99000 can be used to report a specimen being transported to an outside laboratory, but that is unknown in this scenario. A generic urinalysis is reported with CPT code 81002 unless specifically stated that an automated analyzer (81005), a commercial kit (81007), and/or an agar test (81020) was utilized.

質問 # 149

An 8-year-old female is seen by her pediatrician for an allergic reaction to a bee sting. The pediatrician administers 0.3 mg of epinephrine intramuscularly. Which code(s) should be reported?

- A. 10171 (3 units)
- B. 99212, J0171
- C. 96372, 10171 (3 units)
- D. 99213-25, 96372, (3 units)

正解: C

解説:

Epinephrine is listed in alphabetical order in the HCPC book under "Table of Common Drugs." The documentation reflects a dosage of 0.3 mg, so three units of 0.1 mg epinephrine (10171) should be reported. The injection of the medication is reported with CPT code 96372 and includes an inherent E/M component unless the provider goes beyond the normal assessment of the patient prior and/or after administration of a drug.

質問 # 150

Alzheimer's disease with early onset usually presents itself in which age group?

- A. 40-50 years old
- B. 50-60 years old
- C. 30-40 years old
- D. 60-70 years old

正解: A

解説:

According to CPT, the rarest form of Alzheimer's disease occurs before 30 years of age.

Early onset Alzheimer's disease usually affects those between the age of 40 and 50 years old. The most common form of Alzheimer's disease occurs after the age of 65 and is largely contributed to a combination of environmental and genetic factors.

質問 # 151

A female patient presents to her obstetrical office 32 -weeks pregnant for a bi-weekly ultrasound. Code the following technician's report:

Fetal views obtained via transabdominal ultrasound as follows:

BPD: 32 mm

Femur Length: 63 mm

Head Circumference: 288 mm

Abdominal Circumference: 270 mm

BPP 8/8

NST from 11:15 to 12:17, showing 160 BPM and positive movement activity Doppler shows adequate systolic and diastolic flow velocities of the fetal umbilical artery.

- A. 76816, 76818, 76820
- B. 76815, 78819, 76820
- C. 76815-TC, 76819-TC, 76820-TC
- D. 76816-TC, 76816-TC, 76820-TC

正解: A

解説:

CPT 76815 is a limited ultrasound, in which only the fetal heartbeat, position, placental location, and/or volume of amniotic fluid are evaluated. In this scenario, much more was done than a limited study. The ultrasound technician documented age-appropriate fetal measurements, which are supported by CPT 76816. A biophysical profile (BPP) was also done, which monitors the fetus's movements, tone, and breathing as well as evaluates the volume of amniotic fluid. Each of these elements counts as 2 units of grading to evaluate the general well-being of the fetus. The desired score of a BPP is 8/8. Because a fetal nonstress test (NST) was completed in conjunction with a BPP, report CPT 76818 instead of CPT 76819. Modifier TC is used to reflect that only a technical component of the procedure was completed. However, because the patient received these services in an obstetrical office that employs the physicians providing prenatal care and owns the ultrasound equipment the code should be submitted without modifiers TC or 26 to receive 100% reimbursement.

質問 # 152

Which patient is receiving critical care services?

- A. A 93 -year-old male is admitted to the intensive care unit for monitoring after a coronary angioplasty procedure that was performed to relieve symptoms of atherosclerosis.
- B. A 47 -year-old female with a history of unrepaired chronic heart disease and anemia has an oxygen saturation level of 80. She is put on a nasal cannula and given a blood transfusion to improve her oxygen-carrying capacity and oxygen saturation level.
- C. A 67 -year-old female receives chronic ventilator therapy after a cerebral infarction that caused hemorrhage in the brain.
- D. A 60-year-old male is admitted with an acute chronic heart failure exacerbation causing hypoxic respiratory failure. The patient is intubated, sedated, and started on 50 mg ofertapenem for a potential lung infection.

正解: D

解説:

CPT guidelines define critical care as an illness or injury that acutely impairs one or more vital organ systems, where there is a high probability of imminent or life-threatening deterioration in the patient's condition. Additionally, to report a critical care service, the documentation should provide evidence of high-complexity medical decision-making (e.g. endotracheal tube insertion, defibrillation, fluid administration for shock, Narcan, etc.). Answer B is the only option listed that contains documentation to support critical care services.

This male patient has Vyvo life-threatening conditions, in which emergent intervention is provided to prevent further deterioration. In answer A the female patient may have a life-threatening condition; however, administering oxygen via a nasal cannula and/or transfusing blood does not qualify as critical care. Management of a patient who receives chronic ventilator therapy is also not considered critical care because the medical decision-making involved in the therapy is quite low.

The care a patient receives after having surgery would be considered routine and postoperative, regardless of where they are sent, unless a complication arises in which one or more of the vital organ systems begins to deteriorate in a fashion that poses a threat to life.

質問 # 153

……

優れたAAPC-CPC試験問題を使用すると、AAPC-CPC認定資格を取得して自分自身を向上させ、より良い未来とより良い未来を実現することができます。AAPC-CPCトレーニングガイドを使用すると、職業で認められます。AAPC-CPC試験のブレンダンプは、より大きな会社に注目させる能力を証明できます。その後、より良い仕事を取得し、適切な職場に行くための選択肢があります。AAPC-CPC試験問題を試してみたいかがですか。AAPC-CPC試験問題が最高の準備資料であることに驚かれることでしょう。

AAPC-CPC合格問題: <https://www.certjuken.com/AAPC-CPC-exam.html>

復習も大変でしょう、Medical Tests AAPC-CPC合格資料 そして即時ダウンロードして勉強します、関連するAAPC-CPC認定資格を取得するためにCertJuken試験の準備をしている場合、ここMedical Testsで良い知らせがあります、それはあなたの学習中であなたのパートナーとしてAAPC-CPC合格問題最新研究ノートを選択する最も良い選択です、Medical Tests AAPC-CPC合格資料 被験者は定期的に計画を立て、自分の状況に応じて目標を設定し、研究を監視および評価することにより、学習者のプロフィールを充実させる必要があります、通常、購入後数分でAAPC-CPC合格問題 - American Academy of Professional Coders: Certified Professional Coder練習問題を効率よく取得できます。

でも虚言症の人の嘘というのは多くの場合罪のない種類のものだし、まわりの人にもAAPC-CPC合格問題だいたいわかっちゃうものなのよ、仰向けになった愛実の身体—その下方へと、彼の指が伸ばされていく、復習も大変でしょう、そして即時ダウンロードして勉強します。

AAPC-CPC合格資料 | American Academy of Professional Coders: Certified Professional Coderに有効

関連するAAPC-CPC認定資格を取得するためにCertJuken試験の準備をしている場合、ここMedical Testsで良い知らせがあります、それはあなたの学習中であなたのパートナーとしてMedical Certification最新研究ノートを選択する最も良い選択です。

被験者は定期的に計画を立て、自分の状況に応じて目AAPC-CPC標を設定し、研究を監視および評価することにより、学習者のプロフィールを充実させる必要があります。

- 100%合格率のAAPC-CPC合格資料一回合格-高品質なAAPC-CPC合格問題 □ 時間限定無料で使える ▶ AAPC-CPC □の試験問題は □ www.mogixam.com □サイトで検索AAPC-CPC問題トレーニング
- AAPC-CPCサンプル問題集 □ AAPC-CPC勉強資料 □ AAPC-CPC資格勉強 □ 今すぐ ▶ www.goshiken.com □で▶ AAPC-CPC ◀を検索して、無料でダウンロードしてくださいAAPC-CPC模擬体験
- ユニークなAAPC-CPC合格資料 - 合格スムーズAAPC-CPC合格問題 | 権威のあるAAPC-CPC真実試験 American Academy of Professional Coders: Certified Professional Coder □ [AAPC-CPC]を無料でダウンロード ▶ www.mogixam.com □ウェブサイトを入力するだけAAPC-CPCサンプル問題集
- AAPC-CPC試験の準備方法 | 最新のAAPC-CPC合格資料試験 | 便利なAmerican Academy of Professional Coders: Certified Professional Coder合格問題 □ 今すぐ ▶ www.goshiken.com □で▶ AAPC-CPC ◀を検索して、無料でダウンロードしてくださいAAPC-CPC問題トレーニング
- AAPC-CPC問題トレーニング □ AAPC-CPC認定資格 □ AAPC-CPC勉強資料 □ 時間限定無料で使える ▶ AAPC-CPC □の試験問題は □ www.xhs1991.com □サイトで検索AAPC-CPC資格勉強
- AAPC-CPC試験の準備方法 | 実際的なAAPC-CPC合格資料試験 | 検証するAmerican Academy of Professional Coders: Certified Professional Coder合格問題 □ 検索するだけで▶ www.goshiken.com □から▶ AAPC-CPC □を無料でダウンロードAAPC-CPC難易度受験料
- AAPC-CPC勉強資料 □ AAPC-CPC問題トレーニング □ AAPC-CPC勉強資料 □ サイト[www.mogixam.com]で▶ AAPC-CPC □問題集をダウンロードAAPC-CPCトレーニングサンプル
- AAPC-CPC試験の準備方法 | 素敵なAAPC-CPC合格資料試験 | 検証するAmerican Academy of Professional Coders: Certified Professional Coder合格問題 □ 今すぐ (www.goshiken.com) で { AAPC-CPC }を検索し、無料でダウンロードしてくださいAAPC-CPC合格体験記
- AAPC-CPC関連復習問題集 □ AAPC-CPC PDF問題サンプル □ AAPC-CPC資格勉強 □ 《 www.passtest.jp 》を開いて▶ AAPC-CPC □を検索し、試験資料を無料でダウンロードしてくださいAAPC-CPC模擬試験

