


HPE7-A07인증 시험인기덤프자료 시험준비에가장좋은 인기시험덤프



참고: ExamPassdump에서 Google Drive로 공유하는 무료 2026 HP HPE7-A07 시험 문제집이 있습니다:
<https://drive.google.com/open?id=1iLsUmPeyVqZEahu0ui96UJNlm86HptSj>

ExamPassdump의 HP인증 HPE7-A07덤프를 구매하여 공부한지 일주일만에 바로 시험을 보았는데 고득점으로 시험을 패스했습니다. 이는 ExamPassdump의 HP인증 HPE7-A07덤프를 구매한 분이 전해온 희소식입니다. 다른 자료 필요 없이 단지 저희HP인증 HPE7-A07덤프로 이렇게 어려운 시험을 일주일만에 패스하고 자격증을 취득할 수 있습니다. 덤프가격도 다른 사이트보다 만만하여 부담없이 덤프마련이 가능합니다. 구매전 무료샘플을 다운받아 보시면 믿음을 느낄것입니다.

HP HPE7-A07 시험요강:

주제	소개
주제 1	• WLAN: This HP HPE7-A07 exam topic tests the ability of a senior RF network engineer to design and troubleshoot RF attributes and wireless functions. It also includes building and troubleshooting wireless configurations, critical for optimizing WLAN performance in enterprise environments.
주제 2	• Security: This topic evaluates the ability of a senior HP RF network engineer to design and troubleshoot security implementations, focusing on wireless SSID with EAP-TLS and GBP. It ensures the network is secure from unauthorized access and threats.
주제 3	• Connectivity: The topic covers developing configurations, applying advanced networking technologies, and identifying design flaws. It tests the skills of a senior HP RF network engineer in creating reliable, high-performing networks tailored to specific customer needs.
주제 4	• Switching: Senior HP RF network engineers must demonstrate proficiency in implementing and troubleshooting Layer 2 • 3 switching, including broadcast domains and interconnection technologies. This ensures seamless and efficient data flow across network segments.
주제 5	• Network Stack: This topic of the HP HPE7-A07 exam evaluates the ability of a senior HP RF network engineer to analyze and troubleshoot network solutions based on customer issues. Mastery of this ensures effective problem resolution in complex network environments.
주제 6	• Performance Optimization: The Aruba Certified Campus Access Mobility Expert Written exam focuses on analyzing and remediating performance issues within a network. It measures the ability of a senior RF network engineer to fine-tune network operations for maximum efficiency and speed.

주제 7	• Troubleshooting: This topic of the HP HPE7-A07 exam assesses skills of a senior HP RF network engineer in troubleshooting. It also assesses the ability to remediate issues in campus networks. It is vital for ensuring network reliability and minimizing downtime in critical environments.
------	--

>> HPE7-A07인증시험 인기 덤프자료 <<

HP HPE7-A07덤프문제은행 & HPE7-A07퍼펙트 덤프 샘플문제 다운

안심하시고ExamPassdump 를 선택하게 하기 위하여, ExamPassdump에서는 이미HP HPE7-A07인증시험의 일부 문제와 답을 사이트에 올려놨으니 체험해보실 수 있습니다. 그러면 저희한테 신뢰가 갈 것이며 또 망설임 없이 선택하게 될 것입니다. 저희 덤프로 여러분은 한번에 시험을 패스할 수 있으며 또 개인시간도 절약하고 무엇보다도 금전상으로 절약이 제일 크다고 봅니다. ExamPassdump는 여러분들한테 최고의HP HPE7-A07문제와 답을 제공함으로 100%로의 보장 도를 자랑합니다, 여러분은HP HPE7-A07인증시험의 패스로 IT업계여서도 또 직장에서도 한층 업그레이드될 수 있습니다. 여러분의 미래는 더욱더 아름다울 것입니다.

최신 Aruba Certified Professional HPE7-A07 무료샘플문제 (Q106-Q111):

질문 # 106

You want to configure an MTU of 9198 for a routed lag interface on a CX 6300 switch. Which configuration achieves this?

- A.

```
interface lag 11
no shutdown
ip mtu 9198
ip address 10.1.1.1/24
lACP mode active
exit
!
interface 1/1/11
mtu 9198
lag 11
exit
!
interface 1/1/12
mtu 9198
lag 11
exit
```
- B.

```
interface lag 11
no shutdown
ip address 10.1.1.1/24
lACP mode active
exit
!
interface 1/1/11
mtu 9198
lag 11
exit
!
interface 1/1/12
mtu 9198
lag 11
exit
```
- C.

```
interface lag 11 multi-chassis
lACP mode act
exit
!
interface 1/1/11
mtu 9198
lag 11
exit
!
interface 1/1/12
mtu 9198
```
- D.

```
interface lag 11 multi-chassis
no shutdown
ip mtu 9198
ip address 10.1.1.1/24
lACP mode active
exit
!
interface 1/1/11
mtu 9198
lag 11
exit
!
interface 1/1/12
mtu 9198
lag 11
exit
```

정답: D

설명:

In the context of ArubaOS-CX, particularly with the 6300 series switches, setting the MTU on a routed Link Aggregation Group (LAG) interface requires the interface lag id command in the configuration, specifying the LAG interface you're configuring. The ip mtu command is then used to set the desired MTU size for that LAG. Option A correctly shows this configuration process, where

the MTU is set to 9198 for the LAG interface, in line with the requirements for routing larger frames, which could be necessary for certain applications or data flows that require jumbo frames.

The information related to the configuration of Aruba switches is consistent with the principles and guidelines found in the technical documentation for the ArubaOS-CX 6300 series switches, which emphasizes the importance of correct MTU settings for network performance and stability.

질문 # 107

Throughput	1,905 Mpps	2,000 Mpps	2,607 Mpps	up to 7,142 Bpps
Switching Capacity	2.5 Tbps	6.4 Tbs	4.8Tbs	up to 19.20 Tbps
Routing Table Size	131,072 entries (IPv4), 32,732 entries (IPv6)	131,072 entries (IPv4), 32,732 entries (IPv6)	606,977 entries (IPv4), 630,784 entries (IPv6)	1,011,712 entries (IPv4), 524,288 entries (IPv6)
MAC Address Table Size	96K	98,304	212,992	768,000 entries
MACsec Capable Hardware	No	No	On first 4 ports + last 2x40/100G ports	JL363A (32x10G SFP+)
MACsec Software Support	No	No	Yes	No
MACsec with EAP-TLS	No	No	On first 4 ports + last 2x40/100G ports	No
MACsec Capable Uplink Ports	No	No	No	No

The ACME company has CX 8320 switches at the Services-Aggregation layer and CX 6200 switches at the Wired Access Layer. WiFi WLANs are deployed in an L2 model. After implementing IPv6 for wireless clients alongside IPv4, connectivity problems have increased.

What is the most efficient step to resolve this problem?

- A. Replace the CX 8320 with CX 8360 switches
- B. Migrate to the GW supercluster with two service aggregation layers
- C. Change the CX 8320 profile from L3-Agg to L3-Core
- D. Replace the CX 8320 with CX 8325 switches

정답: A

설명:

The CX 8320 has significantly smaller control-plane scale for route tables-especially IPv6-compared to newer CX platforms. When dual-stacking WLAN clients (adding IPv6 alongside IPv4), the number of routes /neighbor entries increases markedly. HPE Aruba platform guidance shows:

* CX 8320/CX 8325 class: ~131K IPv4 and ~32K IPv6 routes.

References: HPE Aruba CX Platform Data-routing table scale by platform (8320 vs 8360); AOS-CX deployment guidance on dual-stack scale at aggregation.

질문 # 108

You are testing the use of the automated port-access role configuration process using RadSec authentication over VXLAN. During your testing you observed that the RadSec connection will fail during the digital certificate exchange. What would be the cause of this issue?

- A. The RADIUS TCP packets are being dropped and the TLS tunnel is not established.
- B. The switch is configured to establish a TLS connection with a proxy server, not the radius server.
- C. The RadSec server was defined on the switch using an IPv6 address that was unreachable
- D. Tracking mode was set to "dead-only", and the RadSec server was marked as unreachable.

정답: A

설명:

During the testing of RadSec authentication over VXLAN, if the RadSec connection fails during the digital certificate exchange, it typically indicates an issue with the establishment of the TLS tunnel, which is required for RadSec's secure communication. The failure of TLS tunnel establishment can occur due to RADIUS TCP packets being dropped, preventing the secure exchange of digital certificates necessary for RadSec authentication. The other options, such as IPv6 address reachability, tracking mode settings, and proxy server misconfiguration, are not directly related to the failure of the TLS tunnel establishment during the certificate exchange process.

질문 # 109

Exhibit.

as it allows multicast traffic to be transmitted at higher data rates by converting multicast streams into unicast streams for the clients that need them.


질문 # 110

A network administrator accesses HPE Aruba Networking Central and notices that visitors consume too much internet bandwidth starving employee traffic when accessing an external service. Therefore, the administrator wants to limit wireless bandwidth to 60 Mbps in both directions among all users in the voice role and no more than 10 Mbps in both directions for YouTube traffic. Deep packet inspection, web content classification, and firewall visibility are enabled. Which configurations are required to accomplish this task? (Select two.)

- A.
- B.



- C.



- D.



정답: B,D

설명:

To achieve the bandwidth limits set by the network administrator, both per-application and total limits need to be configured. Option B shows the configuration for setting a per-application bandwidth limit, which can restrict YouTube traffic to 10 Mbps in both directions. Option D shows the configuration for setting a total bandwidth limit for all users within the voice role to 50000 Kbps (or 50 Mbps), satisfying the requirement to restrict total wireless bandwidth. By applying these configurations in HPE Aruba Networking Central, the administrator will successfully implement the necessary controls to ensure that visitor traffic does not impede the network performance for employee traffic, aligning with the capabilities of Aruba solutions to manage and prioritize network resources effectively.

질문 # 111

.....

HP인증 HPE7-A07시험을 통과하여 자격증을 취득하여 IT 업계에서의 자신의 자리를 지키려면 많은 노력이 필요합니다. 회사일도 바쁘는데 시험공부까지 스트레스가 장난아니게 싸이고 몸도 많이 상하겠죠. ExamPassdump는 여러분을 위해 최신HP인증 HPE7-A07시험에 대비한HP인증 HPE7-A07덤프를 발췌하였습니다. HP인증 HPE7-A07덤프는 HP인증 HPE7-A07시험의 기출문제와 예상문제가 묶여져 있어 시험적중율이 굉장히 높습니다. 쉽게 시험을 통과하려면ExamPassdump의 HP인증 HPE7-A07덤프를 추천합니다.

HPE7-A07덤프문제은행 : https://www.exampassdump.com/HPE7-A07_valid-braindumps.html

- [illegible]

BONUS!!! ExamPassdump HPE7-A07 시험 문제집 전체 버전을 무료로 다운로드하세요: <https://drive.google.com/open?id=1iLsUmPeyVqZEahu0u96UJNlm86HptSj>