


Fortinet FCSS_SDW_AR-7.4日本語版試験解答、FCSS_SDW_AR-7.4模擬解説集



さらに、JPTestKing FCSS_SDW_AR-7.4ダンプの一部が現在無料で提供されています: https://drive.google.com/open?id=1UuK6TBEh-s-MSuLgGH6db5_ZIA93JCp2

私たちのウェブサイトから見ると、FCSS_SDW_AR-7.4学習教材は3つのバージョンがあります。PDF、ソフトウェアとオンライン版です。PDF版は印刷できます。ソフトウェアとオンライン版はコンピュータで使用できます。コンピュータで学ぶことが難しい場合は、FCSS_SDW_AR-7.4学習教材の印刷資料で勉強できます。また、FCSS_SDW_AR-7.4学習教材の価格は合理的に設定されています。

JPTestKingには、FCSS_SDW_AR-7.4学習教材にお金を使った場合に快適な学習を保証する義務があります。ホットラインはありません。FCSS_SDW_AR-7.4の合格率は98%以上です。また、FCSS_SDW_AR-7.4試験問題に関する相当なサービスをお楽しみいただけます。そのため、メールアドレスにメールを送信することをお勧めします。他のメールの受信トレイに送信する場合は、事前にアドレスを慎重に確認してください。ウェブサイトのアフターサービスは、実践のテストに耐えることができます。当社のFCSS_SDW_AR-7.4試験トレントを信頼すると、このような優れたサービスもお楽しみいただけます。

>> Fortinet FCSS_SDW_AR-7.4日本語版試験解答 <<

ハイパスレートFortinet FCSS_SDW_AR-7.4日本語版試験解答 & 信頼できるJPTestKing - 資格試験のリーダープロバイダー

弊社はお客様の皆様の利益を保証するために、あなたに高いクオリティのサービスを提供できて努力しています。今まで、弊社のJPTestKingのFCSS_SDW_AR-7.4問題集はそのスローガンに沿って協力します。弊社の信頼できるFCSS_SDW_AR-7.4問題集を使用したお客様はほとんど試験に合格しました。

Fortinet FCSS_SDW_AR-7.4 認定試験の出題範囲:

トピック	出題範囲
トピック 1	SD-WAN トラブルシューティング: このパートでは、ネットワークサポートスペシャリストのトラブルシューティングスキルを評価します。受験者は、SD-WAN ルール、セッションの動作、ルーティングの不整合、ADVPN 接続の問題などに関連する問題を診断し、解決して、シームレスなネットワーク運用を維持する必要があります。
トピック 2	パフォーマンスSLAの設定: ネットワーク管理者向けに設計されたこのパートでは、SD-WAN環境におけるパフォーマンスSLA（サービスレベル契約）の設定に焦点を当てています。受験者は、ネットワークのパフォーマンスと信頼性を監視および維持するための基準を定義する能力を示す必要があります。

トピック 3	SD-WAN 構成: このセクションでは、ネットワークエンジニアのスキルを評価し、基本的な SD-WAN 構成を網羅します。受験者は、SD-WAN メンバーとゾーンを効果的に定義し、基本的なネットワークセグメンテーションと管理を確実に行う能力を示すことが求められます。
トピック 4	上級IPsec: セキュリティエンジニア向けのこのセクションでは、ハブアンドスポークモデル、ADVPN構成、複雑なマルチハブまたはマルチリージョン展開など、SD-WAN向けの高度なIPsecトポロジの導入について解説します。受験者は、IPsecテクノロジーを用いた広域ネットワークのセキュリティ確保に関する専門知識を証明する必要があります。
トピック 5	集中管理: このドメインでは、FortiManagerを使用してSD-WAN構成を集中的に導入・管理するネットワーク管理者の能力を評価します。これには、ブランチ構成の実装やオーバーレイテンプレートの活用によるネットワーク管理の効率化などのタスクが含まれます。

Fortinet FCSS - SD-WAN 7.4 Architect 認定 FCSS_SDW_AR-7.4 試験問題 (Q26-Q31):

質問 # 26

Refer to the exhibit. Which action will FortiGate take if it detects SD-WAN members as dead?

```

config system sdwan
    set fail-detect enable
    set fail-alert-interfaces "port5"
    config health-check
        edit "Level3_DNS"
            set update-cascade-interface enable
            set members 1 2
        next
        edit "HQ"
            set update-cascade-interface enable
            set members 3
        next
    end
end

```

- A. FortiGate fails over to the secondary device after it detects port5 as dead.
- B. FortiGate sends alert messages through port5 when it detects all SD-WAN members as dead.
- C. FortiGate bounces port5 after it detects all SD-WAN members as dead.
- **D. FortiGate brings down port5 after it detects all SD-WAN members as dead.**

正解: D

解説:

Member State Change Actions—Cascade Interfaces

- Shut down alert interfaces, if all members are dead
- Bring up alert interfaces, if at least one member is alive
- Use case: Force the LAN to use an alternative path

- For each SD-WAN instance

SD-WAN > Advanced Options

fail-alert-interfaces

fail-detect ☐

For each performance SLA

SD-WAN > Performance SLA


Action When Inactive

Update Static Route ☐

Cascade Interfaces ☐

Configure one or more alert interfaces

```
config system sdwan
set fail-detect enable
set fail-alert-interfaces "port5"
config health-check
edit "Corp HC"
set update-cascade-interface enable
set members 1 2
next
edit "HO"
set update-cascade-interface enable
set members 3
next
...
```



When you enable **Cascade Interfaces** and configure one or more alert interfaces, one of the following events occurs:

- FortiGate shuts down the alert interfaces, if all members are dead, for example, because of degraded performances.
- FortiGate brings up the alert interfaces, if at least one member is alive.

Cascade Interfaces is useful to force the traffic from networks behind the alert interfaces to be routed through a different device, if all SD-WAN members are dead, which could mean that FortiGate is unable to forward traffic to the WAN.

質問 # 27

You are planning a large SD-WAN deployment with approximately 1000 spokes and want to allow ADVPN between the spokes. Some remote sites use FortiSASE to connect to the company's SD-WAN hub. Which overlay routing configuration should you use?

- A. BGP on loopback with IPsec phase2 selectors for ADVPN shortcut routing.
- B. BGP on loopback with dynamic BGP for ADVPN shortcut routing.
- C. BGP per overlay with BGP next-hop convergence for ADVPN shortcut routing.
- D. BGP per overlay with dynamic BGP for ADVPN shortcut routing.

正解: B

質問 # 28

Which two statements are correct when traffic matches the implicit SD-WAN rule? (Choose two.)

- A. Traffic does not match any of the entries in the policy route table.
- B. Traffic is load balanced using the algorithm set for the v4-ecmp-mode setting.
- C. All SD-WAN rules have the default and gateway setting enabled.
- D. The session information output displays no SD-WAN-specific details.

正解: A、D

質問 # 29

You manage an SD-WAN topology. You will soon deploy 50 new branches. Which three tasks can you do in advance to simplify this deployment? (Choose three.)

- A. Create policy blueprint.
- B. Create a ZTP template.
- C. Define metadata variables value for each device.
- D. Update the DHCP server configuration.
- E. Create model devices.

正解: A、B、E

質問 # 30

Which three factors about SLA targets and SD-WAN rules should you consider when configuring SD-WAN rules? (Choose three.)

- A. When configuring an SD-WAN rule, you can select multiple SLA targets from different performance SLAs.
- B. Member metrics are measured only if a rule uses the SLA target.
- C. When configuring an SD-WAN rule, you can select multiple SLA targets if they are from the same performance SLA.
- D. SLA targets are used only by SD-WAN rules that are configured with a Lowest Cost (SLA) strategy.
- E. SD-WAN rules can use SLA targets to check whether the preferred members meet the SLA requirements.

正解: A、D、E

解説:

The use of SLA targets is specific to certain SD-WAN strategies. The "Lowest Cost (SLA)" and "Maximize Bandwidth (SLA)" strategies are explicitly designed to use the configured SLA targets to make routing decisions. The "Best Quality" strategy uses performance metrics but does not necessarily require or reference SLA targets in the same way, while "Manual" does not use metrics at all for path selection.

This is a core function of SD-WAN rules with SLA targets. The purpose of configuring an SLA target with specific thresholds for latency, jitter, and packet loss is to define what is considered

"acceptable" performance for an application. SD-WAN rules then use these targets to check if the members (interfaces) meet these requirements before a flow is steered over them, ensuring that a preferred path still offers a good user experience.

FortiGate allows for a single SD-WAN rule to reference multiple, different performance SLAs. This is crucial for complex deployments where a single SD-WAN rule needs to handle traffic for multiple applications that have distinct performance requirements. For example, a single rule might direct VoIP traffic based on one performance SLA with strict latency/jitter targets, while simultaneously handling general web traffic using another performance SLA with more lenient requirements.

質問 # 31

.....

最も早い時間で気楽にFortinetのFCSS_SDW_AR-7.4認定試験に合格したいなら、JPTestKingを選んだ方が良いでしょう。あなたはJPTestKingの学習教材を購入した後、私たちは一年間で無料更新サービスを提供することができます。あなたは最新のFortinetのFCSS_SDW_AR-7.4試験トレーニング資料を手に入れることが保証します。もしうちの学習教材を購入した後、試験に不合格になる場合は、私たちが全額返金することを保証いたします。

FCSS_SDW_AR-7.4模擬解説集: https://www.jpctestking.com/FCSS_SDW_AR-7.4-exam.html

- 真実的なFCSS_SDW_AR-7.4日本語版試験解答 - 合格スムーズFCSS_SDW_AR-7.4模擬解説集 | 信頼的なFCSS_SDW_AR-7.4問題例 □ ➡ www.passtest.jp □ の無料ダウンロード ✨ FCSS_SDW_AR-7.4 □ ✨ □ ページが開きますFCSS_SDW_AR-7.4認定試験トレーニング
- FCSS_SDW_AR-7.4日本語認定対策 □ FCSS_SDW_AR-7.4資格難易度 □ FCSS_SDW_AR-7.4専門知識 □ □ 最新 ➡ FCSS_SDW_AR-7.4 □ 問題集ファイルは □ www.goshiken.com □ にて検索FCSS_SDW_AR-7.4資格難易度
- FCSS_SDW_AR-7.4日本語学習内容 □ FCSS_SDW_AR-7.4試験時間 □ FCSS_SDW_AR-7.4資格トレーニング □ 【 jp.fast2test.com 】 で ⇒ FCSS_SDW_AR-7.4 ⇐ を検索し、無料でダウンロードしてくださいFCSS_SDW_AR-7.4日本語認定対策
- FCSS_SDW_AR-7.4模擬対策 □ FCSS_SDW_AR-7.4ソフトウェア □ FCSS_SDW_AR-7.4ダウンロード □ □ ➡ www.goshiken.com □ に移動し、 ➡ FCSS_SDW_AR-7.4 □ を検索して、無料でダウンロード可能な試験資料を探しますFCSS_SDW_AR-7.4技術試験

- 更新するFCSS_SDW_AR-7.4日本語版試験解答 - 合格スムーズFCSS_SDW_AR-7.4模擬解説集 | 高品質なFCSS_SDW_AR-7.4問題例 □ ✓ www.it-passports.com □ ✓ の無料ダウンロード □ FCSS_SDW_AR-7.4 □ ページが開きますFCSS_SDW_AR-7.4資格練習
- FCSS_SDW_AR-7.4ソフトウェア □ FCSS_SDW_AR-7.4受験資料更新版 □ FCSS_SDW_AR-7.4ソフトウェア □ ウェブサイト ➡ www.goshiken.com □ を開き、☀ FCSS_SDW_AR-7.4 □ ☀ □ を検索して無料でダウンロードしてくださいFCSS_SDW_AR-7.4日本語認定
- FCSS_SDW_AR-7.4資料勉強 □ FCSS_SDW_AR-7.4ソフトウェア □ FCSS_SDW_AR-7.4日本語サンプル □ 検索するだけで《www.shikenpass.com》から➤ FCSS_SDW_AR-7.4 □ を無料でダウンロードFCSS_SDW_AR-7.4資格難易度
- FCSS_SDW_AR-7.4技術試験 □ FCSS_SDW_AR-7.4試験時間 □ FCSS_SDW_AR-7.4専門知識 □ ⇒ www.goshiken.com ⇨ ▷ FCSS_SDW_AR-7.4 ◁ を検索して、無料でダウンロードしてくださいFCSS_SDW_AR-7.4技術試験
- 試験の準備方法-素敵なFCSS_SDW_AR-7.4日本語版試験解答試験-認定するFCSS_SDW_AR-7.4模擬解説集 □ 今すぐ“www.goshiken.com”で□ FCSS_SDW_AR-7.4 □ を検索して、無料でダウンロードしてくださいFCSS_SDW_AR-7.4受験資料更新版
- 試験の準備方法-素敵なFCSS_SDW_AR-7.4日本語版試験解答試験-認定するFCSS_SDW_AR-7.4模擬解説集 ⇨ ➤ www.goshiken.com □ には無料の➤ FCSS_SDW_AR-7.4 □ 問題集がありますFCSS_SDW_AR-7.4復習教材
- 認定するFCSS_SDW_AR-7.4日本語版試験解答 - 合格スムーズFCSS_SDW_AR-7.4模擬解説集 | 100%合格率のFCSS_SDW_AR-7.4問題例 □ ☀ www.mogixam.com □ ☀ □ で ➡ FCSS_SDW_AR-7.4 □ を検索して、無料でダウンロードしてくださいFCSS_SDW_AR-7.4専門知識訓練
- www.stes.tyc.edu.tw, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, www.nuhvo.com, elearning.eauquardho.edu.so, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, ghrcn.com, bbs.t-firefly.com, stackblitz.com, ncon.edu.sa, building.lv, Disposable vapes

ちなみに、JPTestKing FCSS_SDW_AR-7.4の一部をクラウドストレージからダウンロードできます：https://drive.google.com/open?id=1UuK6TBEh-s-MSuLgGH6db5_ZIA93JCp2