

F5CAB4 Download Pdf - F5CAB4 Instant Access

Score Report



F5CAB4 - BIG-IP Administration Control Plane Administration

Exam Score Report

Date Tested: 12/10/2025

Candidate: [REDACTED]

Thank you for completing the F5CAB4 - BIG-IP Administration Control Plane Administration exam. Based on preliminary exam scoring, you have **Passed**.

This is a preliminary result. Your exam results can be found in the Education Services Portal within 24 hours.

Now we can say that BIG-IP Administration Control Plane Administration (F5CAB4) exam questions are real and top-notch F5 F5CAB4 exam questions that you can expect in the upcoming BIG-IP Administration Control Plane Administration (F5CAB4) exam. In this way, you can easily pass the F5 F5CAB4 exam with good scores. The countless F5 F5CAB4 Exam candidates have passed their dream F5 F5CAB4 certification exam and they all got help from real, valid, and updated F5CAB4 practice questions. You can also trust on VerifiedDumps and start preparation with confidence.

F5 F5CAB4 Exam Syllabus Topics:

Topic	Details
Topic 1	<ul style="list-style-type: none">Apply procedural concepts required to create, manage, and restore a UCS archive: This domain covers UCS backup and restore procedures, understanding backup use cases, proper storage practices, and UCS file contents including private keys.
Topic 2	<ul style="list-style-type: none">Identify configured system services: This domain covers verifying proper configuration of essential services including DNS, NTP, SNMP, and syslog.
Topic 3	<ul style="list-style-type: none">Explain config sync: This section focuses on configuration synchronization procedures, identifying sync errors, determining sync necessity, checking sync status, and comparing configuration timestamps.
Topic 4	<ul style="list-style-type: none">Identify and report current device status: This domain covers monitoring BIG-IP operational status through LCD panels, dashboards, Network Map, GUITMsh commands, and checking high availability states.
Topic 5	<ul style="list-style-type: none">Identify management connectivity configurations: This section focuses on understanding management access configurations, including management IP addresses, port lockdown settings, remote connectivity verification, and troubleshooting access issues.
Topic 6	<ul style="list-style-type: none">List which log files could be used to find events andor hardware issues: This section teaches identification of key log files (varlogltm, secure, audit), understanding event severity levels, and interpreting log messages.
Topic 7	<ul style="list-style-type: none">Explain authentication methods: This section focuses on user management including creatingmodifying users, configuring remote authentication providers, and implementing group-based access control.
Topic 8	<ul style="list-style-type: none">Apply procedural concepts required to manage the state of a high availability pair: This domain covers controlling and monitoring failover states in high availability pairs, including forcing standbyoffline modes, reporting failover status, and verifying device trust.

>> F5CAB4 Download Pdf <<

F5CAB4 Instant Access & Latest F5CAB4 Exam Simulator

If you want our F5CAB4 study materials to download and print, the PDF version is perfect for you since it has the function of being printable. And the PDF version of our F5CAB4 exam questions can be noted when you want to memory something as well as to indicate the keypoints. Also, our F5CAB4 Preparation exam is unlimited in number of devices, making it easy for you to learn anytime, anywhere.

F5 BIG-IP Administration Control Plane Administration Sample Questions (Q34-Q39):

NEW QUESTION # 34

When looking at this BIG-IP prompt: root@virtual-bigip1] Peer Time Out of Sync What does the message indicate? (Choose one answer)

- A. That the local time is correct, but the remote time is incorrect
- B. That the peer BIG-IP is unreachable for the device group
- C. That one of the NTP sources has a skewed clock
- D. That there was a time synchronization issue between the BIG-IP device and its peer

Answer: D

Explanation:

Comprehensive and Detailed Explanation From BIG-IP Administration Control Plane Administration documents:

On BIG-IP systems that participate in a Device Service Cluster (DSC), each device compares the remote device's system time to its own system time. If the difference is outside the ConfigSync time threshold (commonly referenced as 3 seconds by default), BIG-IP updates the shell prompt to show "Peer Time Out of Sync", and ConfigSync operations may fail until time is corrected (typically by fixing NTP reachability/configuration, or in some cases adjusting the threshold). (cdn.studio.f5.com) This message is specifically about time drift between peers in the trust domain/DSC-not basic reachability (so B is not what it means), and it does not prove which side is "correct" (so C is too specific). It also doesn't directly mean an NTP source is "skewed" (A can be a cause, but the prompt message itself indicates the peer-to-peer time mismatch condition). (cdn.studio.f5.com)

NEW QUESTION # 35

An organization is performing a major release upgrade to its BIG-IP system. The system is under medium load and has enough disk space to perform the upgrade.

Which pre-upgrade task is disruptive to regular system performance and should be performed during a maintenance window? (Choose one answer)

- A. Reactivate the license
- B. Create a QKView
- C. Generate a UCS
- D. tmsh save sys config

Answer: A

Explanation:

Comprehensive and Detailed Explanation From BIG-IP Administration Control Plane Administration documents:

Reactivating a BIG-IP license is a traffic-disruptive operation. During the license reactivation process, the BIG-IP system performs a configuration reload, which results in a temporary interruption of all traffic processing. Because traffic handling is affected, F5 explicitly recommends scheduling license updates during a maintenance window.

This behavior is documented in F5 Knowledge Base articles, which state that license reactivation impacts traffic and must be planned accordingly during upgrades or system changes.

The other options are not considered disruptive:

Creating a QKView is primarily a diagnostic task and does not interrupt traffic.

Running tmsh save sys config only saves the running configuration to disk.

Generating a UCS is resource-intensive but does not reload configuration or interrupt traffic processing.

NEW QUESTION # 36

What is the tmsh command to list the IP ranges that can access the management interface via SSH? (Choose one answer)

- A. tmsh list /sys sshd /etc/hosts.allow
- B. tmsh show /sys sshd /etc/hosts.allow
- C. tmsh show /sys sshd allow
- D. tmsh list /sys sshd allow

Answer: D

Explanation:

Comprehensive and Detailed Explanation From BIG-IP Administration Control Plane Administration documents:

On BIG-IP systems, SSH access restrictions are configured under the /sys sshd object. The allow property defines the IP addresses or networks permitted to connect to the management interface using SSH.

The list command is used to display the current configuration settings.

Therefore, tmsh list /sys sshd allow correctly displays the configured allowed IP ranges.

Why the other options are incorrect:

A (show) displays runtime or statistical information, not configuration values.

C and D incorrectly reference /etc/hosts.allow; BIG-IP manages SSH access through TMSH objects, not by directly listing host files in this context.

NEW QUESTION # 37

The BIG-IP Administrator generates a qkview using "qkview -s0" and needs to transfer the output file via SCP. Which directory contains the output file?

- A. /var/tmp
- B. /var/log
- C. /var/local
- D. /var/config

Answer: A

Explanation:

A QKView is a comprehensive snapshot of the device's Control Plane state, configuration, and logs used for troubleshooting. By default, the qkview utility stores its generated output file in the /var/tmp/ directory.

Administrators must know this path to retrieve the file for upload to F5 iHealth or Support.

NEW QUESTION # 38

A BIG-IP Administrator is setting up a new BIG-IP device. The network administrator reports that the interface has an incompatible media speed. The BIG-IP Administrator needs to change this setting manually.

From which location should the BIG-IP Administrator perform this task?14

- A. On the Front Console15
- B. In the Configuration Utility, Network > Interface17
- C. In the Configuration Utility, System > Configuration18
- D. In the TMOS Shell Command line16

Answer: B

Explanation:

Comprehensive and Detailed Explanation From BIG-IP Administration20 Control Plane Administration documents: Connectivity management involves ensuring that the physical layer matches the networking environment. Interface properties, including media speed, duplex settings, and MTU, are managed at the Control Plane level under the Network menu. To resolve a mismatch with an upstream switch, the administrator must navigate to Network > Interfaces to manually override auto-negotiation settings.

NEW QUESTION # 39

.....

It is known that our F5CAB4 valid study guide materials have dominated the leading position in the global market with the decades of painstaking efforts of our experts and professors. There are many special functions about F5CAB4 study materials to help a lot of people to reduce the heavy burdens when they are preparing for the F5CAB4 Exams for the F5CAB4 study practice question from

our company can help all customers to make full use of their sporadic time. Just buy our F5CAB4 exam questions, you will be able to pass the F5CAB4 exam easily.

F5CAB4 Instant Access: <https://www.verifieddumps.com/F5CAB4-valid-exam-braindumps.html>