

CPC Certified Professional Coder (CPC) Exam試験問題集、CPC質問と回答



P.S.JPNTestがGoogle Driveで共有している無料の2026 AAPC CPCダンプ: <https://drive.google.com/open?id=145qqflwXxWhBzuaTfQMAIrC0h4kpcPW>

JPNTest世界は急速に変化しており、AAPC従業員に対する要件はこれまでになく高くなっています。理想的な仕事を見つけて高収入を得たい場合は、優れた労働能力と深い知識を高めなければなりません。CPCのCertified Professional Coder (CPC) Exam認定に合格すると、夢を実現できます。製品を購入すると、最高のCertified Professional Coder (CPC) Exam学習教材が提供され、Certified Professional Coder (CPC) Exam認定の取得に役立ちます。当社の製品は高品質であり、当社のサービスは完璧です。

最近では、コンピューター支援ソフトウェアを使用してCPC試験に合格することが新しいトレンドになっています。新しい技術には明確な利点があるため、便利で包括的です。この傾向を追うために、当社の製品はCPC試験問題を提供しており、従来の方法と斬新な方法を組み合わせて学習することができます。教材の合格率は最大99%です。一度にCPC認定資格を取得できない場合は、目標に到達して夢が実現するまで、さまざまな割引でCPC製品を無制限に使用できます。

>> CPC日本語学習内容 <<

正確的なCPC日本語学習内容 & 合格スムーズCPCコンポーネント | 権威のあるCPC専門トレーニング

JPNTestは、他の学習教材と比較した場合、CPCトレーニング教材の品質が高いことを約束できます。10年以上のビジネス経験を持つCPC調査ツールは、顧客の購入権をずっと重視してきました。当社のウェブサイトのCPC学習資料は、ユーザーの通常の作業と学習に影響を与えず、時間の利用率を大幅に向上させ、1石で2羽の鳥を殺します。弊社の学習教材が、最短でCPC試験に合格するのに役立つことは間違いありません。

AAPC Certified Professional Coder (CPC) Exam 認定 CPC 試験問題 (Q79-Q84):

質問 # 79

A patient with abnormal growth had a suppression study that included five glucose tests and five human growth hormone tests. What CPT@ coding is reported?

- A. 80430, 82947 x 2, 83003

- B. 80430, 82947, 83003
- C. 82947 x 5, 83003 x 5
- **D. 80430, 82947 x 5, 83003 x 5**

正解: D

解説:

1. Procedure and CPTCode Selection:

The patient underwent a suppression study involving five glucose tests and five human growth hormone tests.

CPTCode 80430 represents a suppression panel specifically for growth hormone studies, which includes various assessments for diagnosing abnormal growth.

CPTCode 82947 is used for each glucose test performed, and since five glucose tests were conducted, it should be coded as 82947 x 5.

CPTCode 83003 is used for each human growth hormone test performed, and since five tests were conducted, it should be coded as 83003 x 5.

2. Rationale for Excluding Other Options:

Option A lists 82947 x 2 and 83003 without sufficient units to account for the five tests each, which does not match the actual number of tests performed.

Option B omits the suppression panel code 80430, which is necessary for documenting the overall suppression study.

Option D does not provide the correct quantity of glucose and growth hormone tests, which were each performed five times.

3. AAPC and CPTCoding Guidelines:

According to AAPC guidelines, when a suppression panel includes multiple components that are performed more than once, the specific panel code 80430 should be used along with the correct number of individual component codes.

Therefore, the correct answer is C. 80430, 82947 x 5, 83003 x 5.

質問 # 80

A cardiologist attempted to perform a percutaneous transluminal coronary angioplasty of a totally occluded blood vessel. The surgeon stopped the procedure because of an anatomical problem creating risk for the patient and preventing performance of the catheterization.

What modifier is appended to the procedure code?

- A. 0
- B. 1
- C. 2
- **D. 3**

正解: D

解説:

Modifier 53 is used to report a discontinued procedure. It indicates that a procedure was started but terminated due to the patient's well-being being at risk. In this scenario, the percutaneous transluminal coronary angioplasty was attempted but stopped because of an anatomical problem that created a risk for the patient, preventing the completion of the procedure. References: AMA's CPT Professional Edition, coding guidelines on the use of modifiers.

質問 # 81

What does the suffix -graph mean?

- A. Instrument used for Z plasty
- **B. Instrument for recording data**
- C. Surgical binding by fusion
- D. Surgical repair by suture

正解: B

解説:

In medical terminology, the suffix -graph refers to an instrument used for recording data or the process of recording. This suffix is commonly tested on the CPC exam.

Examples include:

Electrocardiograph - instrument used to record heart activity

Angiograph - instrument used to record images of blood vessels

To distinguish from related suffixes:

-gram = the record or image itself

-graphy = the process of recording

Thus, option A is correct.

質問 # 82

A patient undergoes CABG using the right internal mammary artery anastomosed to three coronary arteries.

What CPT coding is reported?

- A. 0
- B. 1
- C. 33533, 33518
- D. 33533, 33511

正解: C

解説:

CABG coding is based on the number of conduits, not distal anastomoses

33533 = single arterial graft (IMA)

33518 is incorrectly listed here but is the closest exam-supported option

質問 # 83

Preoperative diagnosis: Right thigh benign congenital hairy nevus. *1

Postoperative diagnosis: Right thigh benign congenital hairy 0 nevus.

Operation performed: Excision of right thigh benign congenital >1 nevus, excision size with margins 4.5 cm and closure size 5 cm.

Anesthesia: General.0

Intraoperative antibiotics: Ancef.0

Indications: The patient is a 5-year-old girl who presented with her parents for evaluation of her right thigh congenital nevus. It has been followed by pediatrics and thought to have changed over the past year. Family requested excision. They understood the risks involved, which included but were not limited to risks of general anesthesia, infection, bleeding, wound dehiscence, and poor scar formation. They understood the scar would likely widen as the child grows because of the location of it and because of the age of the patient. They consented to proceed.

Description of procedure: The patient was seen preoperatively in > I the holding area, identified, and then brought to the operating room. Once adequate general anesthesia had been induced, the patient's right thigh was prepped and draped in standard surgical fashion. An elliptical excision measuring 6 x 1.8 cm had been marked. This was injected with Lidocaine with epinephrine, total of 6 cc of 1% with 1:100,000. After an adequate amount of time, a #15 blade was used to sharply excise this full thickness.

This was passed to pathology for review. The wound required limited undermining in the deep subcutaneous plane on both sides for approximately 1.5 cm in order to allow mobilization of the skin for closure. The skin was then closed in a layered fashion using 3-0 Vicryl on the dermis and then 4-0 Monocryl running subcuticular in the skin, the wound was cleaned and dressed with Dermabond and Steri-Strips.

The patient was then cleaned and turned over to anesthesia for S extubation.

She was extubated successfully in the operating room and taken S to the recovery room in stable condition. There were no complications.

Which CPT and ICD-10-CM codes are reported for this procedure?

- A. 65400-LT, H11.062
- B. 65426-LT, H11.002
- C. 65426-LT, H11.062
- D. 65420-LT, H11.002

正解: D

解説:

65420 = Excision or transposition of pterygium without graft

LT = Left eye

H11.002 = Pterygium of left eye

質問 #84

.....

試験のCPCテスト問題を学習して準備するのに必要な時間は20~30時間だけで、時間とエネルギーを節約できます。あなたが学生であっても、学校での学習、仕事、その他の重要なことで忙しく、Certified Professional Coder (CPC) Exam学習に時間を割くことができないインサービススタッフであっても。ただし、CPC試験の教材を購入すると、時間と労力を節約し、主に最も重要なことに集中できます。そして、最も重要なCPC試験トレーニングを最短時間で習得し、最後に優れたCPC学習準備でCPC試験に合格することができます。

CPCコンポーネント : <https://www.jpntest.com/shiken/CPC-mondaishu>

AAPC CPC日本語学習内容 オンライン版の利便性を実感すれば、多くの問題の解決に役立ちます、もし君はいささかな心配することがあるなら、あなたはJPNTTestの AAPCのCPC試験トレーニング資料を購入する前に、JPNTTestは無料でサンプルを提供することができますし、絶対に失望させません、もっと重要なことは、リアルな模擬練習はあなたがAAPCのCPC試験に受かることに大きな助けになれます、信じられないかもしれませんが、CPCpd練習問題集が最善の選択です、AAPC CPC日本語学習内容 そして多くの顧客に信頼されています、ウェブサイトにAAPC CPCテスト問題集の無料デモをダウンロードできます。

歳は一五、七月二日生まれのA B型 言ってっただけにあるももやさんってCPCいう和菓子屋さんも、ワコク出身だって 学校にも学生や先生がいるよ、最初は拒んでいた潤井の手が、何度かキスを繰り返すうちに自分の肩へとまわる。

CPC試験の準備方法 | 正確なCPC日本語学習内容試験 | 高品質な Certified Professional Coder (CPC) Examコンポーネント

オンライン版の利便性を実感すれば、多くの問題の解決に役立ちます、もし君はいささかな心配することがあるなら、あなたはJPNTTestの AAPCのCPC試験トレーニング資料を購入する前に、JPNTTestは無料でサンプルを提供することができますし、絶対に失望させません。

もっと重要なことは、リアルな模擬練習はあなたがAAPCのCPC試験に受かることに大きな助けになれます、信じられないかもしれませんが、CPCpd練習問題集が最善の選択です、そして多くの顧客に信頼されています。

- CPC認定試験トレーニング □ CPC全真問題集 □ CPC日本語版サンプル □ www.goshiken.com □
で【CPC】を検索して、無料で簡単にダウンロードできますCPC無料ダウンロード
- 一番優秀なCPC日本語学習内容一回合格-権威のあるCPCコンポーネント □ ウェブサイト▷ www.goshiken.com ◁を開き、《CPC》を検索して無料でダウンロードしてくださいCPC受験料過去問
- AAPC CPC日本語学習内容インタラクティブテストエンジンを使用して - ハイパスレートのQ-A ↔ ウェブサイト▷ jp.fast2test.com ◁を開き、□ CPC □を検索して無料でダウンロードしてくださいCPC試験時間
- CPC試験の準備方法 | 効果的なCPC日本語学習内容試験 | 更新するCertified Professional Coder (CPC) Examコンポーネント □ [www.goshiken.com]を開き、「CPC」を入力して、無料でダウンロードしてくださいCPC独学書籍
- 素晴らしいCPC日本語学習内容 - 合格スムーズCPCコンポーネント | 検証するCPC専門トレーニング Certified Professional Coder (CPC) Exam □ “www.passtest.jp”で▶ CPC □を検索して、無料でダウンロードしてくださいCPC全真問題集
- 信頼できるCPC日本語学習内容 | 素晴らしい合格率のCPC Exam | 優秀なCPC: Certified Professional Coder (CPC) Exam □ 時間限定無料で使える▶ CPC □の試験問題は{www.goshiken.com}サイトで検索CPC日本語版サンプル
- 素晴らしいCPC日本語学習内容 - 合格スムーズCPCコンポーネント | 検証するCPC専門トレーニング Certified Professional Coder (CPC) Exam □ www.goshiken.com □を無料でダウンロード▶ jp.fast2test.com □で検索するだけCPC認定デベロッパー
- CPCサンプル問題集 □ CPC合格問題 □ CPC認定試験トレーニング □ {www.goshiken.com}を入力して【CPC】を検索し、無料でダウンロードしてくださいCPC難易度
- CPC無料ダウンロード □ CPCサンプル問題集 □ CPC無料ダウンロード □ ウェブサイト▷ www.it-passports.com ◁を開き、▷ CPC ◁を検索して無料でダウンロードしてくださいCPC認定デベロッパー
- CPC認定デベロッパー □ CPC試験問題解説集 □ CPC試験過去問 □ □ www.goshiken.com □を入力して□ CPC □を検索し、無料でダウンロードしてくださいCPC独学書籍
- 素晴らしいCPC日本語学習内容 - 合格スムーズCPCコンポーネント | 検証するCPC専門トレーニング Certified Professional Coder (CPC) Exam □ 検索するだけで▶ www.mogixexam.com □www.goshiken.com □から⇒ CPC ⇐を無料でダウンロードCPC認定デベロッパー
- keiranfmna231281.blog-kids.com, janicekjbj727732.blogdeazar.com, jeanjmp1523315.blog5star.com, myportal.utt.edu.tt,

myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, zoyafsqq524858.blogpayz.com,
cormacxnwk801688.prublogger.com, optimusbookmarks.com, joanlykf913290.life3dblog.com, tamzinvtj940352.blog-
kids.com, businessbookmark.com, Disposable vapes

さらに、JPNTest CPCダンプの一部が現在無料で提供されています: <https://drive.google.com/open?id=145qqflwXxWhBzuaTfQMAIrC0h4kcpcPW>