

NCM-MCI Prüfungsfragen, NCM-MCI Fragen und Antworten, Nutanix Certified Master - Multicloud Infrastructure v6.10



Mit den Schulungsunterlagen zur Nutanix NCM-MCI Zertifizierungsprüfung von It-Pruefung würden Sie eine glänzende Zukunft haben und Erfolg erzielen. Sie werden Sie nicht nur zum Erfolg führen, sondern auch Ihre Fähigkeiten in der IT-Branche effizient entfalten. Sie umfassen zahlreiche Wissensgebiete und können Ihre Kenntnisse verbessern. Wenn Sie noch warten oder zögern, denn Sie wissen nicht, wie man die Nutanix NCM-MCI Zertifizierungsprüfung bestehen kann, keine Sorge. Die Schulungsunterlagen zur Nutanix NCM-MCI Zertifizierungsprüfung von It-Pruefung wird alle Ihren Probleme lösen.

Die Zertifizierungsantworten zur Nutanix NCM-MCI Zertifizierungsprüfung von It-Pruefung sind die Grundbedarfsgüter der Kandidaten, mit deren Sie sich ausreichend auf die Nutanix NCM-MCI Prüfung vorbereiten und selbstsicherer die Prüfung machen können. Sie sind sehr zielgerichtet und von guter Qualität. Nur It-Pruefung könnte so perfekt sein.

>> NCM-MCI Online Test <<

100% Garantie NCM-MCI Prüfungserfolg

Fühlen Sie sich nicht selbstbewusst, die Nutanix NCM-MCI Zertifizierungsprüfung zu bestehen? Fürchten Sie bitte nicht, weil wir It-Pruefung die beste Prüfungsunterlagen anbieten können. Die Nutanix NCM-MCI Dumps von It-Pruefung sind die neuesten und vollständigsten Prüfungsunterlagen in dem Markt. Damit können Sie mehr selbstbewusst werden. Das sind von vielen Leuten geprüft.

Nutanix NCM-MCI Prüfungsplan:

Thema	Einzelheiten
Thema 1	Advanced Configuration and Troubleshooting: This topic covers sub-topics of executing API calls, configuring third-party integrations, analyzing AOS security posture, and translate business needs into technical solutions. Lastly, it discusses troubleshooting Nutanix services as well.

Thema 2	• Business Continuity: The topic of business continuity measures knowledge about analyzing BCDR plans for compliance and evaluating BCDR plans for specific workloads.
Thema 3	• Analyze and Optimize VM Performance: Manipulation of VM configuration for resource utilization is discussed in this topic. It also explains interpreting VM, node, and cluster metrics.
Thema 4	• Analyze and Optimize Network Performance: Focal points of this topic are overlay networking, physical networks, virtual networks, network configurations, and flow policies. Moreover, questions about configurations also appear.
Thema 5	• Analyze and Optimize Storage Performance: It covers storage settings, workload requirements, and storage internals.

Nutanix Certified Master - Multicloud Infrastructure v6.10 NCM-MCI Prüfungsfragen mit Lösungen (Q10-Q15):

10. Frage

Task 2

An administrator needs to configure storage for a Citrix-based Virtual Desktop infrastructure.

Two VDI pools will be created

Non-persistent pool named MCS_Pool for tasks users using MCS Microsoft Windows 10 virtual Delivery Agents (VDAs)

Persistent pool named Persist_Pool with full-clone Microsoft Windows 10 VDAs for power users

20 GiB capacity must be guaranteed at the storage container level for all power user VDAs The power user container should not be able to use more than 100 GiB Storage capacity should be optimized for each desktop pool.

Configure the storage to meet these requirements. Any new object created should include the name of the pool(s) (MCS and/or Persist) that will use the object.

Do not include the pool name if the object will not be used by that pool.

Any additional licenses required by the solution will be added later.

Antwort:

Begründung:

See the Explanation for step by step solution

Explanation:

To configure the storage for the Citrix-based VDI, you can follow these steps:

Log in to Prism Central using the credentials provided.

Go to Storage > Storage Pools and click on Create Storage Pool.

Enter a name for the new storage pool, such as VDI_Storage_Pool, and select the disks to include in the pool. You can choose any combination of SSDs and HDDs, but for optimal performance, you may prefer to use more SSDs than HDDs.

Click Save to create the storage pool.

Go to Storage > Containers and click on Create Container.

Enter a name for the new container for the non-persistent pool, such as MCS_Pool_Container, and select the storage pool that you just created, VDI_Storage_Pool, as the source.

Under Advanced Settings, enable Deduplication and Compression to reduce the storage footprint of the non-persistent desktops.

You can also enable Erasure Coding if you have enough nodes in your cluster and want to save more space. These settings will help you optimize the storage capacity for the non-persistent pool.

Click Save to create the container.

Go to Storage > Containers and click on Create Container again.

Enter a name for the new container for the persistent pool, such as Persist_Pool_Container, and select the same storage pool, VDI_Storage_Pool, as the source.

Under Advanced Settings, enable Capacity Reservation and enter 20 GiB as the reserved capacity. This will guarantee that 20 GiB of space is always available for the persistent desktops. You can also enter 100 GiB as the advertised capacity to limit the maximum space that this container can use. These settings will help you control the storage allocation for the persistent pool.

Click Save to create the container.

Go to Storage > Datastores and click on Create Datastore.

Enter a name for the new datastore for the non-persistent pool, such as MCS_Pool_Datastore, and select NFS as the datastore type. Select the container that you just created, MCS_Pool_Container, as the source.

Click Save to create the datastore.

Go to Storage > Datastores and click on Create Datastore again.

Enter a name for the new datastore for the persistent pool, such as Persist_Pool_Datastore, and select NFS as the datastore type. Select the container that you just created, Persist_Pool_Container, as the source.

Click Save to create the datastore.

The datastores will be automatically mounted on all nodes in the cluster. You can verify this by going to Storage > Datastores and clicking on each datastore. You should see all nodes listed under Hosts.

You can now use Citrix Studio to create your VDI pools using MCS or full clones on these datastores. For more information on how to use Citrix Studio with Nutanix Acropolis, see Citrix Virtual Apps and Desktops on Nutanix or Nutanix virtualization environments.

<https://portal.nutanix.com/page/documents/solutions/details?targetId=BP-2079-Citrix-Virtual-Apps-and-Desktops:bp-nutanix-storage-configuration.html>

11. Frage

Task 13

The application team is reporting performance degradation for a business-critical application that runs processes all day on Saturdays.

The team is requesting monitoring of processor, memory and storage utilization for the three VMs that make up the database cluster for the application: ORA01, ORA02 and ORA03.

The report should contain tables for the following:

At the cluster level, only for the current cluster:

The maximum percentage of CPU used

At the VM level, including any future VM with the prefix ORA:

The maximum time taken to process I/O Read requests

The Maximum percentage of time a VM waits to use physical CPU, out of the local CPU time allotted to the VM.

The report should run on Sundays at 12:00 AM for the previous 24 hours. The report should be emailed to appdev@cyberdyne.net when completed.

Create a report named Weekends that meets these requirements

Note: You must name the report Weekends to receive any credit. Any other objects needed can be named as you see fit. SMTP is not configured.

A: Click Next.

Click on Add to add this custom view to your report. Click Next.

Under the Report Settings option, select Weekly from the Schedule drop-down menu and choose Sunday as the day of week. Enter 12:00 AM as the time of day. Enter appdev@cyberdyne.net as the Email Recipient. Select CSV as the Report Output Format.

Click Next.

Review the report details and click Finish.

Antwort:

Begründung:

See the Explanation for step by step solution

Explanation:

To create a report named Weekends that meets the requirements, you can follow these steps:

Log in to Prism Central and click on Entities on the left menu.

Select Virtual Machines from the drop-down menu and click on Create Report.

Enter Weekends as the report name and a description if required. Click Next.

Under the Custom Views section, select Data Table. Click Next.

Under the Entity Type option, select Cluster. Click Next.

Under the Custom Columns option, add the following variable: CPU Usage (%). Click Next.

Under the Aggregation option for CPU Usage (%), select Max. Click Next.

Under the Filter option, select Current Cluster from the drop-down menu. Click Next.

Click on Add to add this custom view to your report. Click Next.

Under the Custom Views section, select Data Table again. Click Next.

Under the Entity Type option, select VM. Click Next.

Under the Custom Columns option, add the following variables: Name, I/O Read Latency (ms), VM Ready Time (%). Click Next.

Under the Aggregation option for I/O Read Latency (ms) and VM Ready Time (%), select Max. Click Next.

Under the Filter option, enter ORA* in the Name field. This will include any future VM with the prefix OR

12. Frage

TASK2

The security team has provided some new security requirements for cluster level security on Cluster 2.

Security requirements:

Update the password for the root user on the Cluster 2 node to match the admin user password.

Note: The 192.168.x.x network is not available. To access a node use the host IP (172.30.0.x) from the CVM.

Output the cluster-wide configuration of the SCMA policy to desktop\output.txt before changes are made.

Enable the Advanced Intrusion Detection Environment (AIDE) to run on a weekly basis for the hypervisor and cvms for Cluster 2.

Enable high-strength password policies for the hypervisor and cluster.

Ensure CVMs require SSH keys for login instead of passwords. (SSH keys are located in the desktop\Files\SSH folder.) Ensure the cluster meets these requirements. Do not reboot any cluster components.

Note: Please ensure you are modifying the correct components.

Antwort:

Begründung:

See the Explanation

Explanation:

This task focuses on Security Technical Implementation Guides (STIGs) and general hardening of the Nutanix cluster. Most of these tasks are best performed via the Nutanix Command Line Interface (ncli) on the CVM, though the SSH key requirement is often easier to handle via the Prism GUI.

Here is the step-by-step procedure to complete Task 2.

Prerequisites: Connection

Open PuTTY (or the available terminal) from the provided Windows Desktop.

SSH into the Cluster 2 CVM. (If the Virtual IP is unknown, check Prism Element for the CVM IP).

Log in using the provided credentials (usually nutanix / nutanix/4u or the admin password provided in your instructions).

Step 1: Output SCMA Policy (Do this FIRST)

Requirement: Output the cluster-wide configuration of the SCMA policy to desktop\output.txt before changes are made.

In the SSH session on the CVM, run:

Bash

```
ncli cluster get-software-config-management-policy
```

Copy the output from the terminal window.

Open Notepad on the Windows Desktop.

Paste the output.

Save the file as output.txt on the Desktop.

Step 2: Enable AIDE (Weekly)

Requirement: Enable the Advanced Intrusion Detection Environment (AIDE) to run on a weekly basis for the hypervisor and CVMs.

In the same CVM SSH session, run the following command to modify the SCMA policy:

Bash

```
ncli cluster edit-software-config-management-policy enable-aide=true schedule-interval=WEEKLY (Note: This single command applies the policy to both Hypervisor and CVMs by default in most versions).
```

Step 3: Enable High-Strength Password Policies

Requirement: Enable high-strength password policies for the hypervisor and cluster.

Run the following command:

Bash

```
ncli cluster set-high-strength-password-policy enable=true
```

Step 4: Update Root Password for Cluster Nodes

Requirement: Update the password for the root user on the Cluster 2 node to match the admin user password.

Method A: The Automated Way (Recommended)

Use ncli to set the password for all hypervisor nodes at once without needing to SSH into them individually.

Run:

Bash

```
ncli cluster set-hypervisor-password
```

When prompted, enter the current admin password (this becomes the new root password).

Method B: The Manual Way (If NCLI fails or manual access is required)

Note: Use this if the exam specifically wants you to touch the node via the 172.x network.

From the CVM, SSH to the host using the internal IP:

Bash

```
ssh root@172.30.0.x (Replace x with the host ID, e.g., 4 or 5)
```

Run the password change command:

Bash

passwd

Enter the admin password twice.

Repeat for other nodes in Cluster 2.

Step 5: Cluster Lockdown (SSH Keys)

Requirement: Ensure CVMs require SSH keys for login instead of passwords.

It is safest to do this via the Prism Element GUI to prevent locking yourself out.

Open Prism Element for Cluster 2 in the browser.

Click the Gear Icon (Settings) -> Cluster Lockdown.

Uncheck the box "Enable Remote Login with Password".

Click New Public Key (or Add Key).

Open the folder Desktop\Files\SSH on the Windows desktop.

Open the public key file (usually ends in .pub) in Notepad and copy the contents.

Paste the key into the Prism "Key" box.

Click Save.

Note: Do not reboot the cluster. The SCMA and Password policies take effect immediately without a reboot.

13. Frage

Task 14

The application team has requested several mission-critical VMs to be configured for disaster recovery. The remote site (when added) will not be managed by Prism Central. As such, this solution should be built using the Web Console.

Disaster Recovery requirements per VM:

Mkt01

RPO: 2 hours

Retention: 5 snapshots

Fin01

RPO: 15 minutes

Retention: 7 days

Dev01

RPO: 1 day

Retention: 2 snapshots

Configure a DR solution that meets the stated requirements.

Any objects created in this item must start with the name of the VM being protected.

Note: the remote site will be added later

Antwort:

Begründung:

See the Explanation for step by step solution

Explanation:

To configure a DR solution that meets the stated requirements, you can follow these steps:

Log in to the Web Console of the source cluster where the VMs are running.

Click on Protection Domains on the left menu and click on Create Protection Domain.

Enter a name for the protection domain, such as PD_Mkt01, and a description if required. Click Next.

Select Mkt01 from the list of VMs and click Next.

Select Schedule Based from the drop-down menu and enter 2 hours as the interval. Click Next.

Select Remote Site from the drop-down menu and choose the remote site where you want to replicate the VM. Click Next.

Enter 5 as the number of snapshots to retain on both local and remote sites. Click Next.

Review the protection domain details and click Finish.

Repeat the same steps for Fin01 and Dev01, using PD_Fin01 and PD_Dev01 as the protection domain names, and adjusting the interval and retention values according to the requirements.

□
□
□
□
□

14. Frage

Topic 1, Performance Based Questions

Environment

You have been provisioned a dedicated environment for your assessment which includes the following:

Workstation

- * windows Server 2019
- * All software/tools/etc to perform the required tasks
- * Nutanix Documentation and whitepapers can be found in desktop\files\Documentation
- * Note that the workstation is the system you are currently toggled into Nutanix Cluster
- * There are three clusters provided. The connection information for the relevant cluster will be displayed to the high of the question Please make sure you are working on the correct cluster for each item Please ignore any licensing violations
- * Cluster A is a 3-node cluster with Prism Central 2022.6 where most questions will be performed
- * Cluster B is a one-node cluster and has one syslog item and one security item to perform
- * Cluster D is a one-node duster with Prism Central 5.17 and has a security policy item to perform Important Notes
- * If the text is too small and hard to read, or you cannot see an of the GUI. you can increase/decrease the zoom of the browser with CTRL + , and CTRL + (the plus and minus keys) You will be given 3 hours to complete the scenarios for Nutanix NCMMCI Once you click the start button below, you will be provided with:
 - A Windows desktop A browser page with the scenarios and credentials (Desktop\instructions) Notes for this exam delivery: The browser can be scaled lo Improve visibility and fit all the content on the screen.
 - Copy and paste hot-keys will not work Use your mouse for copy and paste.
 - The Notes and Feedback tabs for each scenario are to leave notes for yourself or feedback for
 - Make sure you are performing tasks on the correct components.
 - Changing security or network settings on the wrong component may result in a falling grade.
 - Do not change credentials on an component unless you are instructed to.
 - All necessary documentation is contained in the Desktop\Files\Documentation directory Task 1 An administrator has been asked to configure a storage for a distributed application which uses large data sets across multiple worker VMs. The worker VMs must run on every node. Data resilience is provided at the application level and low cost per GB is a Key Requirement. Configure the storage on the cluster to meet these requirements. Any new object created should include the phrase Distributed_App in the name.

Antwort:

Begründung:

See the Explanation for step by step solution

Explanation:

To configure the storage on the cluster for the distributed application, you can follow these steps:

Log in to Prism Element of cluster A using the credentials provided.

Go to Storage > Storage Pools and click on Create Storage Pool.

Enter a name for the new storage pool, such as Distributed_App_Storage_Pool, and select the disks to include in the pool. You can choose any combination of SSDs and HDDs, but for low cost per GB, you may prefer to use more HDDs than SSDs.

Click Save to create the storage pool.

Go to Storage > Containers and click on Create Container.

Enter a name for the new container, such as Distributed_App_Container, and select the storage pool that you just created, Distributed_App_Storage_Pool, as the source.

Under Advanced Settings, enable Erasure Coding and Compression to reduce the storage footprint of the data. You can also disable Replication Factor since data resilience is provided at the application level. These settings will help you achieve low cost per GB for the container.

Click Save to create the container.

Go to Storage > Datastores and click on Create Datastore.

Enter a name for the new datastore, such as Distributed_App_Datastore, and select NFS as the datastore type. Select the container that you just created, Distributed_App_Container, as the source.

Click Save to create the datastore.

The datastore will be automatically mounted on all nodes in the cluster. You can verify this by going to Storage > Datastores and clicking on Distributed_App_Datastore. You should see all nodes listed under Hosts.

You can now create or migrate your worker VMs to this datastore and run them on any node in the cluster. The datastore will provide low cost per GB and high performance for your distributed application.

15. Frage

.....

Heutzutage, wo die Zeit besonders geschätzt wird, ist es kostengünstig, It-Prüfung zum Bestehen der Nutanix NCM-MCI Zertifizierungsprüfung zu wählen. Wenn Sie It-Prüfung wählen, würden wir mit äußerster Kraft Ihnen helfen, die Nutanix NCM-MCI Prüfung zu bestehen. Außerdem bieten wir Ihnen einen einjährigen kostenlosen Update-Service. Fallen Sie in der Prüfung durch, zahlen wir Ihnen gesamte Einkaufsgebühren zurück.

NCM-MCI Online Prüfungen: <https://www.it-pruefung.com/NCM-MCI.html>

- NCM-MCI Schulungsangebot, NCM-MCI Testing Engine, Nutanix Certified Master - Multicloud Infrastructure v6.10 Trainingsunterlagen □ Geben Sie ➡ www.zertpruefung.ch □ ein und suchen Sie nach kostenloser Download von ✓ NCM-MCI □ ✓ □ □ NCM-MCI Fragenkatalog
- NCM-MCI zu bestehen mit allseitigen Garantien □ Suchen Sie auf ➡ www.itzert.com □ nach kostenlosem Download von ➡ NCM-MCI □ □ □ □ NCM-MCI Unterlage
- NCM-MCI Schulungsangebot - NCM-MCI Simulationsfragen - NCM-MCI kostenlos downloaden □ Öffnen Sie ➡ www.itzert.com □ geben Sie 「 NCM-MCI 」 ein und erhalten Sie den kostenlosen Download □ NCM-MCI Originale Fragen
- NCM-MCI Zertifikatsfragen □ NCM-MCI Online Prüfung □ NCM-MCI Originale Fragen □ Öffnen Sie die Webseite 「 www.itzert.com 」 und suchen Sie nach kostenloser Download von 《 NCM-MCI 》 □ NCM-MCI Prüfungsaufgaben
- NCM-MCI Schulungsunterlagen □ NCM-MCI Zertifikatsfragen □ NCM-MCI Demotesten □ Suchen Sie auf ⇒ www.zertpruefung.ch ⇐ nach ➡ NCM-MCI □ □ □ und erhalten Sie den kostenlosen Download mühelos □ NCM-MCI Unterlage
- NCM-MCI Aktuelle Prüfung - NCM-MCI Prüfungsguide - NCM-MCI Praxisprüfung □ Suchen Sie auf der Webseite ➡ www.itzert.com □ nach ☀ NCM-MCI □ ☀ □ und laden Sie es kostenlos herunter □ NCM-MCI Vorbereitungsfragen
- NCM-MCI Fragenkatalog □ NCM-MCI PDF Demo □ NCM-MCI Fragenkatalog i Öffnen Sie die Webseite □ www.itzert.com □ und suchen Sie nach kostenloser Download von (NCM-MCI) □ NCM-MCI Fragen Und Antworten
- NCM-MCI Deutsch □ NCM-MCI PDF Demo □ NCM-MCI Deutsch □ Öffnen Sie die Website ➡ www.itzert.com □ □ □ Suchen Sie ▷ NCM-MCI ◁ Kostenloser Download □ NCM-MCI PDF Demo
- NCM-MCI Aktuelle Prüfung - NCM-MCI Prüfungsguide - NCM-MCI Praxisprüfung □ 「 www.zertpruefung.ch 」 ist die beste Webseite um den kostenlosen Download von □ NCM-MCI □ zu erhalten □ NCM-MCI Schulungsunterlagen
- NCM-MCI Unterlage □ NCM-MCI Prüfungsaufgaben □ NCM-MCI Unterlage □ Sie müssen nur zu ✓ www.itzert.com □ ✓ □ gehen um nach kostenloser Download von [NCM-MCI] zu suchen □ NCM-MCI Buch
- NCM-MCI zu bestehen mit allseitigen Garantien □ Suchen Sie auf ▶ www.deutschpruefung.com ◀ nach kostenlosem Download von “NCM-MCI ” □ NCM-MCI Vorbereitungsfragen
- www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, www.notebook.ai, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, Disposable vapes