

試験の準備方法-真実的なCPC-CDE-RECERT日本語版 受験参考書試験-権威のあるCPC-CDE-RECERT勉強ガ イド



あなたのキャリアでいくつかの輝かしい業績を行うことを望まないのですか。きっとそれを望んでいるでしょう。では、常に自分自身をアップグレードする必要があります。では、IT業種で仕事しているあなたはどのようにして自分のレベルを高めるべきですか。実は、CPC-CDE-RECERT認定試験を受験して認証資格を取るのの一つの良い方法です。CyberArkの認定試験のCPC-CDE-RECERT資格は非常に大切なものですから、CyberArkの試験を受ける人もますます多くなっています。

おそらく、あなたはゲームをするのに多くの時間を無駄にしたでしょう。関係ありません。変更するのに遅すぎることはありません。過去を後悔する意味はありません。CPC-CDE-RECERT試験資料は、希望するCPC-CDE-RECERT認定を取得するのに役立ちます。CPC-CDE-RECERT学習教材を学習した後、あなたは大きく変わります。また、あなたは人生について前向きな見方をします。全体として、すべての幻想を捨て、勇敢に現実に立ち向かいます。CPC-CDE-RECERT模擬試験が最高のアシスタントになります。あなたは世界で最高でユニークです。新たな挑戦に直面するだけで自信を持ってください!

>> CPC-CDE-RECERT日本語版受験参考書 <<

CPC-CDE-RECERT勉強ガイド、CPC-CDE-RECERT資格トレーニング

あなたより優れる人は存在している理由は彼らはあなたの遊び時間を効率的に使用できることです。どのように素晴らしい人になれるか? ここで、あなたに我々のCyberArk CPC-CDE-RECERT試験問題集をお勧めください。弊社ShikenPASSのCPC-CDE-RECERT試験問題集を介して、速く試験に合格してCPC-CDE-RECERT試験資格認定書を受け入れる一方で、他の人が知らない知識を勉強して優れる人になることに近くなります。

CyberArk CDE-CPC Recertification 認定 CPC-CDE-RECERT 試験問題 (Q95-Q100):

質問 #95

You need to map an enterprise's Active Directory to Privilege Cloud Shared Services to enable users to log in to CyberArk through their LDAP credentials. What do you need to accomplish this? (Choose two.)

- A. Port 636 open to the Privilege Cloud back-end
- B. Trusted certificate for LDAP server installed on Identity Connector
- C. Installation and configuration of the Identity Connector
- D. Read-only domain user to facilitate the LDAP mapping

- E. Configuration of a Federated Domain on the Identity Platform

正解: B、C

解説:

CyberArk documents that to provision/authenticate users based on on-prem directory services using LDAP with Shared Services, you must first install the Identity Connector.

CyberArk also states LDAP communication to the Identity Connector is over TLS/SSL, and during the TLS handshake the LDAP server must present an X.509 certificate, meaning the connector must be able to trust the LDAP/LDAPS certificate chain (i.e., a trusted certificate on the connector side is required for LDAPS trust).

Therefore, the correct choices are B (Identity Connector) and D (trusted LDAP server certificate on the connector).

Why the other options are not correct as stated:

* C is wrong because LDAPS (636) is between the Identity Connector and the domain controllers

/LDAP server, not "opened to the Privilege Cloud back-end" directly.

* E is not required for LDAP credential login; federated domains are used for federation/SSO use cases, while LDAP mapping is handled via the connector + LDAPS trust.

* A (read-only domain user) is commonly used as the Bind DN/service account, but in the Shared Services LDAP requirement set here, the two must-have items that CyberArk calls out for enabling this path are the Identity Connector and the LDAPS certificate trust.

質問 #96

Which external-facing IP addresses need to be provided to CyberArk when configuring Privilege Cloud so that they can be allowlisted?

- A. On-premises backup servers
- B. All users that will be accessing Privilege Cloud
- C. Cloud Connectors and Secrets Manager (if installed)
- D. All users who are Administrators in Privilege Cloud

正解: C

解説:

CyberArk's Privilege Cloud network requirements state that, to secure the service, CyberArk permits inbound traffic only from specific IP addresses and you must provide CyberArk Support with the public-facing IP addresses for communication between the Privilege Cloud service and the Connectors, including Secrets Manager-so they can add them to the CyberArk allowlist.

That statement maps directly to A.

質問 #97

After a scripted installation has successfully installed the PSM, which post-installation task is performed?

- A. Remote desktop services are installed.
- B. A new group called PSMSHadowUsers is created.
- C. The screen saver for the PSM local users is disabled.
- D. The PSMAdminConnect user password is reset.

正解: C

解説:

After the successful scripted installation of the Privileged Session Manager (PSM), one of the post-installation tasks is to disable the screen saver for the PSM local users. This is done to ensure that the PSMConnect and PSMAdminConnect users, which are created during the installation process, do not have a screen saver activated that could interfere with the operation of the PSM.

:

CyberArk documentation on PSM post-installation tasks1.

CyberArk documentation on disabling the screen saver for PSM local users

質問 #98

Your customer is using Privilege Cloud Shared Services. What is the correct CyberArk Vault address for this customer?

- A. carkvault-<subdomain>.privilegecloud.cyberark.cloud
- B. carkvlt-<subdomain> privilegecloud.cyberark.cloud
- C. vault-<subdomain>.privilegecloud.cyberark.cloud
- D. v-<subdomain>.privilegecloud.cyberark.cloud

正解: C

解説:

For customers using CyberArk Privilege Cloud Shared Services, the correct format for the CyberArk Vault address is:
* vault-<subdomain>.privilegecloud.cyberark.cloud (Option B). This format is used to access the vault services provided by CyberArk in the cloud environment, where <subdomain> is the unique identifier assigned to the customer's specific instance of the Privilege Cloud.

Reference: CyberArk's Privilege Cloud documentation provides details on how to access various services, including the vault. The standard naming convention for accessing the vault services in the cloud typically follows this format.

質問 #99

Which components can be installed when running the Privilege Cloud Connector installation package?
(Choose two.)

- A. Central Policy Manager (CPM)
- B. Central Credential Provider (CCP)
- C. Secure Tunnel
- D. Privileged Session Manager (PSM)
- E. Privileged Session Manager for SSH (PSM for SSH)

正解: A、D

解説:

In the Privilege Cloud Installer (Standard) procedure, the Connector installer explicitly prompts you to select which components you want to install: "CPM/PSM/Both." That means the installation package supports installing:

* PSM (Windows connector)

* CPM

Why the other options are not correct for this installer package:

* C (Secure Tunnel) is treated as a separate component (downloaded as a Secure Tunnel Client Installer package), not one of the "CPM/PSM/Both" choices in the Connector installer step.

* D (CCP) is not listed as an installable component in the Privilege Cloud Connector installer flow shown in the official procedure.

* E (PSM for SSH) is selected/downloaded as a separate component to support UNIX/Linux, not installed via the Connector installer's "CPM/PSM/Both" selection.

質問 #100

.....

CyberArkさまざまな顧客がさまざまなニーズを持っていることを考慮して、3つのバージョンのCPC-CDE-RECERTテストトレントを提供しています。PDFバージョン、PCテストエンジン、およびオンラインテストエンジンバージョンです。ウェブ上のCyberArk CDE-CPC Recertification試験問題の最も有利なデモの1つは、Q&Aの形式でPDFバージョンで書かれており、無料でダウンロードできます。この種類のCPC-CDE-RECERT試験準備は印刷可能で、ダウンロードにすぐにアクセスできます。つまり、いつでもどこでも勉強できるので、移植性があります。そして、CPC-CDE-RECERTトレーニングガイドのShikenPASS無料デモを試してみると、素晴らしい品質がわかります。

CPC-CDE-RECERT勉強ガイド: <https://www.shikenpass.com/CPC-CDE-RECERT-shiken.html>

CyberArk CPC-CDE-RECERT日本語版受験参考書 明確なレイアウトで重要な試験ポイントを覚えやすく、20~30時間を費やして、あなたは簡単にテストに合格することができます。CyberArk CPC-CDE-RECERT日本語版受験参考書 ふさわしいなら、購入することができます。実際、CPC-CDE-RECERT試験に合格するための最良の方法は近視であるとCPC-CDE-RECERTのテスト準備を考えてください、私たちのCPC-CDE-RECERT学習教材の合格率は、クライアントが最も気にする問題であり、当社の製品の合格率は99%であり、ヒット率も高いことをクライアントに約束することができます。ShikenPASS CPC-CDE-RECERT勉強ガイドを選択したら、成功が遠くではありません、多くの人にとって、短い時間でCPC-CDE-RECERT試験に合格できることは難しいです。

