


# New NSE8\_812 Exam Question - Exam Sample

## NSE8\_812 Online



What's more, part of that Dupleader NSE8\_812 dumps now are free: [https://drive.google.com/open?id=1H7vU7OwVPW2yhj\\_tK9FbDm4VpQ0qHY](https://drive.google.com/open?id=1H7vU7OwVPW2yhj_tK9FbDm4VpQ0qHY)

Whereas the NSE8\_812 PDF file is concerned this file is the collection of real, valid, and updated Fortinet NSE8\_812 exam questions. You can use the Fortinet NSE8\_812 PDF format on your desktop computer, laptop, tabs, or even on your smartphone and start Fortinet NSE 8 - Written Exam (NSE8\_812) (NSE8\_812) exam questions preparation anytime and anywhere.

Fortinet NSE8\_812 certification exam is designed to help network security professionals demonstrate their advanced knowledge and skills in network security. Fortinet NSE 8 - Written Exam (NSE8\_812) certification is highly valued by employers and is recognized globally as a benchmark for network security expertise. By passing NSE8\_812 exam, professionals can prove their ability to design, implement, and manage complex network security solutions, and can advance their careers in network security. The Fortinet NSE8\_812 Certification Exam is a challenging exam that requires significant preparation and study. However, with the right training and resources, professionals can pass the exam and gain a valuable credential that can help them stand out in the competitive field of network security.

>> New NSE8\_812 Exam Question <<

## Pass Guaranteed Fortinet - NSE8\_812 - Fortinet NSE 8 - Written Exam (NSE8\_812) Perfect New Exam Question

To get respected jobs in tech companies around the globe, hundreds of people take the Fortinet certification exam every year. Once they clear Fortinet NSE8\_812 Exam, they easily get jobs and promotions. Hundreds of applicants who appear in the Fortinet NSE8\_812 Exam don't get a passing score. The major reason behind their failure in the Fortinet NSE8\_812 Exam is studying the material which is not the latest. So, to save your resources, you must prepare with Fortinet NSE8\_812 Dumps which has real and updated exam material.

## Fortinet NSE 8 - Written Exam (NSE8\_812) Sample Questions (Q46-Q51):

### NEW QUESTION # 46

Refer to the exhibits.

□ During the implementation of a Fortinet Security Fabric configuration, CLI commands were issued in the order shown in the exhibit. On the next day, the local admin for FGTC issues the following command:

```
□ FGTC # config system csf
set configuration-sync default
end
```

In this scenario, which outcome is true regarding the "subnet\_1" firewall address object on FGTC?

- A. The object needs to be recreated on FGTA-1 before it is automatically created on FGTC.
- **B. The object is automatically created.**
- C. The object is not automatically created.
- D. The object will only be automatically created on FGTC if it is modified on FGTA-1.

**Answer: B**

#### NEW QUESTION # 47

A remote IT Team is in the process of deploying a FortiGate in their lab. The closed environment has been configured to support zero-touch provisioning from the FortiManager, on the same network, via DHCP options. After waiting 15 minutes, they are reporting that the FortiGate received an IP address, but the zero-touch process failed.

The exhibit below shows what the IT Team provided while troubleshooting this issue:

Which statement explains why the FortiGate did not install its configuration from the FortiManager?

- A. The DHCP server used the incorrect option type for the FortiManager IP address.
- B. The DHCP server was not configured with the FQDN of the FortiManager
- C. The FortiGate was not configured with the correct pre-shared key to connect to the FortiManager
- **D. The configuration was modified on the FortiGate prior to connecting to the FortiManager**

**Answer: D**

Explanation:

<https://community.fortinet.com/t5/FortiGate/Technical-Tip-How-to-perform-zero-touch-provisioning-with/ta-p/197623>

#### NEW QUESTION # 48

A customer is operating a FortiWeb cluster in a high volume active-active HA group consisting of eight FortiWeb appliances. One of the secondary members is handling traffic for one specific VIP.

What will happen with the traffic if that secondary FortiWeb appliance fails?

- A. Traffic will be redistributed by the primary appliance to the remaining secondary appliances.
- **B. Traffic will be redirected to the next appliance in the same traffic group.**
- C. Traffic will be redirected to the secondary member with the least number of sessions.
- D. Traffic will be redistributed by the primary appliance to the remaining secondary appliances that are configured to handle traffic for that specific VIP.

**Answer: B**

#### NEW QUESTION # 49

Refer to the exhibits.

A customer is looking for a solution to authenticate the clients connected to a hardware switch interface of a FortiGate 400E. Referring to the exhibits, which two conditions allow authentication to the client devices before assigning an IP address? (Choose two.)

- **A. Devices connected directly to ports 3 and 4 can perform 802.1X authentication.**
- B. FortiGate devices with NP6 and hardware switch interfaces cannot support 802.1X authentication.
- C. Ports 3 and 4 can be part of different switch interfaces.
- **D. Client devices must have 802.1X authentication enabled**

**Answer: A,D**

Explanation:

The customer wants to deploy a solution to authenticate the clients connected to a hardware switch interface of a FortiGate 400E device. A hardware switch interface is an interface that combines multiple physical interfaces into one logical interface, allowing them to act as a single switch with one IP address and one set of security policies. The customer wants to use 802.1X authentication for this solution, which is a standard protocol for port-based network access control (PNAC) that authenticates clients based on their credentials before granting them access to network resources. One condition that allows authentication to the client devices before assigning an IP address is that devices connected directly to ports 3 and 4 can perform 802.1X authentication. This is because ports

3 and 4 are part of the hardware switch interface named "lan", which has an IP address of 10.10.10.254/24 and an inbound SSL inspection profile named "ssl-inspection". The inbound SSL inspection profile enables the FortiGate device to intercept and inspect SSL/TLS traffic from clients before forwarding it to servers, which allows it to apply security policies and features such as antivirus, web filtering, application control, etc. However, before performing SSL inspection, the FortiGate device needs to authenticate the clients using 802.1X authentication, which requires the clients to send their credentials (such as username and password) to the FortiGate device over a secure EAP (Extensible Authentication Protocol) channel. The FortiGate device then verifies the credentials with an authentication server (such as RADIUS or LDAP) and grants or denies access to the clients based on the authentication result. Therefore, devices connected directly to ports 3 and 4 can perform 802.1X authentication before assigning an IP address. Another condition that allows authentication to the client devices before assigning an IP address is that client devices must have 802.1X authentication enabled. This is because 802.1X authentication is a mutual process that requires both the client devices and the FortiGate device to support and enable it. The client devices must have 802.1X authentication enabled in their network settings, which allows them to initiate the authentication process when they connect to the hardware switch interface of the FortiGate device. The client devices must also have an 802.1X supplicant software installed, which is a program that runs on the client devices and handles the communication with the FortiGate device using EAP messages. The client devices must also have a trusted certificate installed, which is used to verify the identity of the FortiGate device and establish a secure EAP channel. Therefore, client devices must have 802.1X authentication enabled before assigning an IP address. References:

<https://docs.fortinet.com/document/fortigate/7.0.0/administration-guide/19662/hardware-switch-interfaces>

<https://docs.fortinet.com/document/fortigate/7.0.0/administration-guide/19662/802-1x-authentication>

<https://docs.fortinet.com/document/fortigate/7.2.0/new-features/959502/support-802-1x-on-virtual-switch-for-certain-np6-platforms>

#### NEW QUESTION # 50

Refer to the exhibit.

You have deployed a security fabric with three FortiGate devices as shown in the exhibit. FGT\_2 has the following configuration:  
FGT\_1 and FGT\_3 are configured with the default setting. Which statement is true for the synchronization of fabric-objects?

- A. Objects from the root FortiGate will only be synchronized to FGT\_3.
- B. Objects from the root FortiGate will only be synchronized to FGT\_2.
- **C. Objects from the FortiGate FGT\_2 will be synchronized to the upstream FortiGate.**
- D. Objects from the root FortiGate will not be synchronized to any downstream FortiGate.

**Answer: C**

Explanation:

The security fabric shown in the exhibit consists of three FortiGate devices connected in a hierarchical topology, where FGT\_1 is the root device, FGT\_2 is a downstream device, and FGT\_3 is a downstream device of FGT\_2. FGT\_2 has a configuration setting that enables fabric-object synchronization for all objects except firewall policies and firewall policy packages (set sync-fabric-objects enable). Fabric-object synchronization is a feature that allows downstream devices to synchronize their objects (such as addresses, services, schedules, etc.) with their upstream devices in a security fabric. This simplifies object management and ensures consistency across devices. Therefore, in this case, objects from FGT\_2 will be synchronized to FGT\_1 (the upstream device), but not to FGT\_3 (the downstream device). Objects from FGT\_1 will not be synchronized to any downstream device because the default setting for fabric-object synchronization is disabled. Objects from FGT\_3 will not be synchronized to any device because it does not have fabric-object synchronization enabled. Reference: <https://docs.fortinet.com/document/fortigate/7.0.0/administration-guide/19662/fabric-object-synchronization>

#### NEW QUESTION # 51

.....

We have confidence and ability to make you get large returns but just need input small investment. our NSE8\_812 study materials provide a platform which help you gain knowledge in order to let you outstanding in the labor market and get satisfying job that you like. The content of our NSE8\_812 question torrent is easy to master and simplify the important information. It conveys more important information with less answers and questions, thus the learning is easy and efficient.

**Exam Sample NSE8\_812 Online:** [https://www.dumpleader.com/NSE8\\_812\\_exam.html](https://www.dumpleader.com/NSE8_812_exam.html)

- Fortinet New NSE8\_812 Exam Question: Fortinet NSE 8 - Written Exam (NSE8\_812) - [www.practicevce.com](http://www.practicevce.com) Providers you Best Exam Sample Online  Copy URL  [www.practicevce.com](http://www.practicevce.com)  open and search for ( NSE8\_812 ) to download for free  NSE8\_812 Vce Format

- Download Fortinet NSE8\_812 Exam Questions and Start Your Preparation journey Today ☐ Search on ✓  
www.pdfvce.com ☐ ✓ ☐ for ► NSE8\_812 ◀ to obtain exam materials for free download ☐ NSE8\_812 Questions Pdf
- 2026 Efficient NSE8\_812: New Fortinet NSE 8 - Written Exam (NSE8\_812) Exam Question ☐ Easily obtain free  
download of [ NSE8\_812 ] by searching on ➡ www.examdiscuss.com ☐ ☐ Study NSE8\_812 Material
- NSE8\_812 Latest Exam Experience 🗒 NSE8\_812 Exam Registration ☐ NSE8\_812 Exam Material ☐ Search for ➡  
NSE8\_812 ☐ and obtain a free download on ⇒ www.pdfvce.com ⇐ ☐ NSE8\_812 New Dumps Free
- 2026 Efficient NSE8\_812: New Fortinet NSE 8 - Written Exam (NSE8\_812) Exam Question ☐ Copy URL ☀  
www.exam4labs.com ☐ ☀ ☐ open and search for ► NSE8\_812 ☐ to download for free ☐ NSE8\_812 Review Guide
- NSE8\_812 Valid Exam Tutorial ☐ Relevant NSE8\_812 Answers ☐ Study NSE8\_812 Material ☐ Download ☐  
NSE8\_812 ☐ for free by simply entering ☐ www.pdfvce.com ☐ website ☐ NSE8\_812 Reliable Exam Book
- Pass Guaranteed Quiz 2026 Valid NSE8\_812: New Fortinet NSE 8 - Written Exam (NSE8\_812) Exam Question ☐  
Search for ► NSE8\_812 ◀ and download it for free on ➡ www.troytecdumps.com ☐ ☐ ☐ website ☐ NSE8\_812 Vce  
Format
- Download Fortinet NSE8\_812 Exam Questions and Start Your Preparation journey Today ☐ Download ➡ NSE8\_812 ☐  
☐ for free by simply searching on ► www.pdfvce.com ◀ ☐ NSE8\_812 Free Learning Cram
- NSE8\_812 Questions Pdf ☐ NSE8\_812 Exam Registration ☐ NSE8\_812 Valid Brandumps Sheet ☐ Easily obtain free  
download of ► NSE8\_812 ☐ by searching on ✓ www.torrentvce.com ☐ ✓ ☐ ☐ NSE8\_812 Preparation
- Free NSE8\_812 Dumps ☐ NSE8\_812 Reliable Exam Book ☐ Free NSE8\_812 Dumps ☐ Search for ➡ NSE8\_812 ☐  
☐ and download exam materials for free through 「 www.pdfvce.com 」 ☐ NSE8\_812 Reliable Test Sims
- 100% Pass NSE8\_812 - Fortinet NSE 8 - Written Exam (NSE8\_812) – Trustable New Exam Question ☐ Open ➡  
www.vceengine.com ☐ enter ► NSE8\_812 ☐ and obtain a free download ☐ NSE8\_812 Test Dump
- 39.109.117.191:85, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, marvineuxg810726.law-wiki.com, www.stes.tyc.edu.tw,  
imgentrfin550473.blog2news.com, socialbuzztoday.com, zghan.cn, socialioapp.com, aishaqxm597952.tkbzblog.com,  
Disposable vapes

BONUS!!! Download part of Dupleader NSE8\_812 dumps for free: [https://drive.google.com/open?id=1H7vvU7OwVPW2yhxj\\_tK9FbDm4VpQ0qHY](https://drive.google.com/open?id=1H7vvU7OwVPW2yhxj_tK9FbDm4VpQ0qHY)