

NCP-CN日本語的中対策 & NCP-CN関連受験参考書



無料でクラウドストレージから最新のTopexamNCP-CN PDFダンプをダウンロードする：<https://drive.google.com/open?id=101r7r-qrp6ByjIYSGwUInLyTRR1VINFW>

周知するように、NCP-CN資格証明書は履歴書の重要な部分である。NCP-CN資格証明書があれば、履歴書は他の人の履歴書より目立つようになります。現在、NCP-CN資格証明書の知名度がますます高くなっています。NCP-CN資格証明書で就職の機会を増やしたい場合は、Nutanix NCP-CNのトレーニング資料をご覧ください。

Nutanix NCP-CN 認定試験の出題範囲：

トピック	出題範囲
トピック 1	• NKPフリート管理の実施：このセクションでは、プラットフォーム管理者とクラウド運用エンジニアが複数のクラスターをフリートとして管理する能力をテストします。特に、ワークスペースを構成してクラスターを編成し、これらのワークスペース内にワークロードクラスターを展開し、必要に応じてクラスターを接続または切断する能力に重点を置きます。さらに、受験者は、ワークロードをセグメンテーションするためのプロジェクトを構成し、NKP環境全体をサポートするプラットフォームアプリケーションを管理する必要があります。
トピック 2	• NKPクラスターの構築管理：このセクションでは、Kubernetes管理者とプラットフォームエンジニアがNKPクラスターをカスタマイズおよび展開するスキルを評価します。受験者は、特定の要件を満たすようにクラスター構成をカスタマイズし、管理プラットフォームであるKommanderを展開する能力に加え、クラスター機能と管理機能を有効にするための適切なライセンスを適用する能力を示す必要があります。
トピック 3	• NKP 導入環境の準備：このセクションでは、インフラエンジニアとクラウド管理者のスキルを評価し、NKP 導入に必要な初期設定タスクを網羅します。受験者は、プライベートコンテナレジストリのシード、Kubernetesブートストラップクラスターの作成、クラスターに適したライセンス層の決定を行う能力を実証する必要があります。また、安全なアクセスのための要塞ホストの準備、マシンイメージの構築、導入用ノードの準備、そして対象となるクラウドまたはオンプレミスプロバイダー上でクラスターを構築するために必要なすべての情報の収集を行う必要があります。
トピック 4	• Day 2運用の実行：このパートでは、導入後の継続的なクラスター管理タスクにおけるサイト信頼性エンジニア（SRE）とクラスターオペレーターの専門知識を評価します。認証および認可メカニズムの設定、ログシステムの設定、クラスターのバックアップおよびリカバリ手順の実装などが含まれます。受験者は、クラスターのパフォーマンスと健全性の監視、ワークロードの変化に対応するための自動スケーリングの設定、アップグレードやメンテナンスなどのライフサイクル管理機能の実行に関するスキルも証明する必要があります。

一生懸命にNCP-CN日本語的中対策 & 合格スムーズNCP-CN関連受験参考書 | 大人気NCP-CN日本語復習赤本

効果的な勤勉さが結果に正比例することは誰もが知っているのですが、長年の勤勉な作業によって、専門家は頻繁にテストされた知識を参考のためにNCP-CN実践資料に集めました。したがって、NCP-CNトレーニング資料は、彼らの努力の成果です。NCP-CNの実践教材を使用することで、以前に想像していた以上の成果を絶対に得ることができます。NCP-CNの実際のテストを選択した顧客から収集された明確なデータがあり、合格率は98~100%です。したがって、成功を収めるチャンスは、当社の資料によって大幅に向上します。

Nutanix Certified Professional - Cloud Native v6.10 認定 NCP-CN 試験問題 (Q56-Q61):

質問 #56

```
Refer the command output.

[nutanix@nkp-boot ~]$ nkp get nodepools -c demo -n kommander-default-workspace
NODEPOOL DESIRED READY KUBERNETES VERSION
md-0      10      10      v1.29.9

[nutanix@nkp-boot ~]$ kubectl get nodes --kubeconfig=demo.conf
NAME                                STATUS ROLES   AGE    VERSION
demo-md-0-gs6c5-n2kp5-24rgz Ready  <none>  127m   v1.29.9
demo-md-0-gs6c5-n2kp5-6cmwz Ready  <none>  22h    v1.29.9
demo-md-0-gs6c5-n2kp5-9hkgd Ready  <none>  127m   v1.29.9
demo-md-0-gs6c5-n2kp5-dqzlx Ready  <none>  127m   v1.29.9
demo-md-0-gs6c5-n2kp5-j45lw Ready  <none>  127m   v1.29.9
demo-md-0-gs6c5-n2kp5-nbbjj Ready  <none>  127m   v1.29.9
demo-md-0-gs6c5-n2kp5-r5sdb Ready  <none>  127m   v1.29.9
demo-md-0-gs6c5-n2kp5-rgczs Ready  <none>  22h    v1.29.9
demo-md-0-gs6c5-n2kp5-swtfld Ready  <none>  127m   v1.29.9
```

The Platform Engineer needs to expand an NKP Pro demo cluster due to workload capacity constraints. The demo cluster has 150 vCPUs available to it from a licensing standpoint. Each worker node has 8 vCPUs and each control plane node has 4 vCPUs. Which two options are valid for expanding the demo cluster and remaining compliant with licensing? (Choose two.)

- A. Expand the original worker nodepool by up to 4 nodes and create a new worker nodepool consisting of 6 nodes with 4 vCPUs/node.
- B. Add 6 additional control planes.
- C. Create a new worker nodepool consisting of 10 nodes with 8 vCPUs per node.
- D. Expand the original worker nodepool by up to 8 nodes.

正解: A、D

質問 #57

A developer asked a Platform Engineer to review a deployment in the cluster called `iot-1` in the workspace `iot-plant-3`, but the engineer does not have the `kubeconfig` file. Which command is valid for generating the `kubeconfig` file to review the Kubernetes cluster?

- A. `kubectl get secret iot-1 -n kommander > iot-1.conf`
- B. `nkp get kubeconfig -c iot-1 -w iot-plant-3 > iot-1.conf`
- C. `kubectl get kubeconfig --cluster-name=iot-1 -w iot-plant-3 > iot-1.conf`
- D. `nkp get configmaps -n iot-plant-3 -c iot-1 > iot-1.conf`

正解: B

質問 #58

A company is developing a new web application consisting of several microservices, including:

* Authentication service

* User management service

* Payment processing service Each microservice is developed by different teams and requires an isolated environment for testing and development. To facilitate development and testing, the team decides to create a specific workspace in NKP. What should the team do to start this new creation?

- **A. From the workspace selection dropdown list in the top menu bar, select Create Workspace.**
- B. From the Cluster selection, select Add Cluster.
- C. From the workspace selection dropdown list in the top menu bar, select Add Workspace.
- D. From the Administration selection dropdown list in Infrastructure Providers, select Add Infrastructure Provider.

正解: A

解説:

The Nutanix Kubernetes Platform (NKP) uses workspaces to provide isolated environments for different teams or projects, allowing each team to manage its own clusters, applications, and resources independently.

According to the NKPA course, creating a new workspace is a key Day 2 operation to support multi-tenancy and isolated development environments, such as those required for the microservices in this scenario.

The course specifies that to create a new workspace, users must navigate to the workspace selection dropdown list in the top menu bar of the NKP user interface (UI) and select Create Workspace. This action opens a form where administrators can define the workspace name, description, and associated resources (e.

g., clusters, users, and policies). The Nutanix Cloud Native (NCP-CN) 6.10 Study Guide states: "To create a new workspace in NKP, go to the workspace selection dropdown in the UI and select 'Create Workspace' to configure an isolated environment for a team or project." This process ensures that each microservice team has its own isolated environment for development and testing, with access restricted to their specific workspace.

Incorrect Options:

* A. From the Cluster selection, select Add Cluster: Adding a cluster creates a new Kubernetes cluster within an existing workspace, not a new workspace. The NKPA course distinguishes between cluster and workspace creation.

* C. From the workspace selection dropdown list in the top menu bar, select Add Workspace: The NKPA course and UI use "Create Workspace" as the standard terminology, not "Add Workspace."

* D. From the Administration selection dropdown list in Infrastructure Providers, select Add Infrastructure Provider: This option is for configuring infrastructure providers (e.g., AWS, vSphere) for NKP, not for creating workspaces.

:

Nutanix Kubernetes Platform Administration (NKPA) Course, Section on Workspace Management.

Nutanix Cloud Native (NCP-CN) 6.10 Study Guide, Chapter on Day 2 Operations.

Nutanix Cloud Bible, NutanixKubernetesPlatform Section: <https://www.nutanixbible.com>

質問 # 59

A Platform Engineer is a member of an IT team that provides Kubernetes clusters for three groups within a company named Fin Group, Inc.:

* Fin VD

* Fin Insurance

* Fin TravelThe engineer created workspaces for each group. Fin Group Inc. has its own Active Directory implementation, while each group uses their own Identity Provider. Now, the engineer needs to assign the Tenant Administrators role for each workspace. How will the engineer complete this task?

- A. Configure the global Active Directory and assign a workspace admin user to each group.
- **B. Configure a dedicated identity provider for each group to access their own workspace.**
- C. Create a role named admin-tenant-X, where X is the name of the group, and assign that role to manage the corresponding workspace.
- D. Create a role binding and assign it to manage the corresponding workspace.

正解: B

解説:

The NKPA course emphasizes that NKP supports multi-tenancy through workspaces, each of which can be configured with its own Identity Provider (IdP) for authentication. In this scenario, each group (Fin VD, Fin Insurance, Fin Travel) has its own IdP, and the engineer has created separate workspaces for them. To assign the Tenant Administrators role, the engineer must configure a dedicated IdP for each group's workspace, enabling users to authenticate via their group-specific IdP and assume the Tenant Administrator role.

The course details that NKP uses Dex as the OIDC provider to integrate with external IdPs. For each workspace, the engineer

configures a Dex connector to the group's IdP, maps the IdP groups to NKP roles (e.g., Tenant Administrator), and assigns permissions via role bindings. The Nutanix Cloud Native (NCP-CN) 6.10 Study Guide states: "To assign Tenant Administrator roles in NKP, configure a dedicated IdP for each workspace using Dex connectors, mapping IdP groups to the appropriate roles for workspace management." This ensures that each group's administrators can access only their designated workspace.

Incorrect Options:

* B. Create a role named admin-tenant-X: NKP uses predefined roles like Tenant Administrator, not custom roles with specific naming conventions.

* C. Create a role binding and assign it: Role bindings are part of the process, but the primary step is configuring the IdP for authentication, as per the NKPA course.

* D. Configure the global Active Directory: The scenario specifies separate IdPs per group, not a global Active Directory for all groups.

:

Nutanix Kubernetes Platform Administration (NKPA) Course, Section on Workspace and Role Management.

Nutanix Cloud Native (NCP-CN) 6.10 Study Guide, Chapter on Authentication and Authorization.

Nutanix Cloud Bible, NutanixKubernetesPlatform Section: <https://www.nutanixbible.com>

質問 # 60

A Platform Engineer would like to install some NKP applications, but with a few modifications to the default configuration specs of some of the components. Additionally, Velero itself can be disabled, as the company already utilizes a different backup utility for Kubernetes.

Which procedure would the engineer utilize to accomplish these goals when deploying the applications?

- A. Execute `nkp install kommander --init` to an output file.
Disable Velero in the output file and set the custom specs for the components to be modified.
Deploy the NKP applications using the `nkp install kommander` command, specifying the output file.
- B. Execute `nkp config kommander`.
Disable Velero in the resulting output file and set the custom specs for the components to be modified.
Deploy the NKP applications using the `nkp install kommander` command, specifying the output file.
- C. Execute `nkp config kommander --init` to an output file.
Disable Velero in the output file and set the custom specs for the components to be modified.
Deploy the applications using the `helm install` command, specifying the output file.
- D. Execute `nkp install kommander --init` to an output file.
Set the custom specs for the components to be modified in the output file.
Deploy the NKP applications using the `nkp install kommander` command, specifying the output file.
Once the NKP applications install has completed, execute `kubectl delete hr -n kommander velero`.

正解: A

解説:

The NKPA 6.10 documentation confirms that the proper method to customize application deployment (including disabling Velero) is by generating a configuration file using the `nkp install kommander --init` command. The file can then be modified to set custom specs and disable Velero, and finally deployed using the `nkp install kommander` command.

Exact extract:

"Generate a custom configuration file using `--init`, modify it for your specific environment (including disabling Velero), and deploy with the same `nkp install kommander` command." Reference:

Nutanix Kubernetes Platform Administration (NKPA) 6.10 - "Customizing Kommander Installation" NCP-CN 6.10 Study Guide - "Deploying and Customizing NKP Applications"

質問 # 61

.....

この驚くほど高く受け入れられている試験に適合するには、NCP-CN学習教材のような上位の実践教材で準備する必要があります。彼らは時間とお金の面で最良の選択です。この試験について決心している限り、その職業は疑う余地がないことを理解できます。そして、彼らの職業はNCP-CNトレーニング準備で徹底的に表現されています。彼らはNCP-CN試験の本当の知識をつかみ、忘れられない経験をするのに非常に役立ちます。この小さなメリットをお見逃しなく。

NCP-CN関連受験参考書：https://www.topexam.jp/NCP-CN_shiken.html

- 試験の準備方法-真実的なNCP-CN日本語の中対策試験-検証するNCP-CN関連受験参考書 □ ➡
www.passtest.jp □から□ NCP-CN □を検索して、試験資料を無料でダウンロードしてくださいNCP-CN試
験準備
- NCP-CN真実試験 □ NCP-CN日本語版と英語版 ◀ NCP-CN対応資料 □ 最新「NCP-CN」問題集ファイ
ルは✓ www.goshiken.com □ ✓ □にて検索NCP-CN受験資料更新版
- 試験の準備方法-ユニークなNCP-CN日本語の中対策試験-100%合格率のNCP-CN関連受験参考書 □ ⇒
www.jptestking.com ⇨で使える無料オンライン版⇒ NCP-CN ⇨ の試験問題NCP-CN資格模擬
- 完璧なNCP-CN日本語の中対策 -合格スムーズNCP-CN関連受験参考書|有効的なNCP-CN日本語復習赤本
※（www.goshiken.com）の無料ダウンロード□ NCP-CN □ページが開きますNCP-CN合格体験談
- NCP-CN対応資料 □ NCP-CN認定内容◀ NCP-CN日本語学習内容 □ 最新□ NCP-CN □問題集ファイル
は（www.it-passports.com）にて検索NCP-CN関連日本語版問題集
- NCP-CN対応資料 □ NCP-CN関連日本語版問題集 □ NCP-CN試験時間 □ 【www.goshiken.com】で⇨
NCP-CN ⇨ を検索し、無料でダウンロードしてくださいNCP-CN関連日本語版問題集
- NCP-CN試験関連情報 □ NCP-CN日本語版問題集 □ NCP-CN資格模擬 □ 今すぐ✓ www.mogixam.com
□ ✓ □を開き、□ NCP-CN □を検索して無料でダウンロードしてくださいNCP-CN最新試験
- NCP-CN最新試験 □ NCP-CN復習教材 □ NCP-CN最新試験 □ 《www.goshiken.com》にて限定無料の
《NCP-CN》問題集をダウンロードせよNCP-CN受験記対策
- NCP-CN資格トレーニング □ NCP-CN試験時間 □ NCP-CN関連日本語版問題集 □ ▶ www.xhs1991.com
◀に移動し、「NCP-CN」を検索して無料でダウンロードしてくださいNCP-CN試験時間
- 完璧なNCP-CN日本語の中対策 -合格スムーズNCP-CN関連受験参考書|有効的なNCP-CN日本語復習赤本
□ ⇒ NCP-CN ⇨ を無料でダウンロード□ www.goshiken.com □ で検索するだけNCP-CN対応資料
- NCP-CN試験関連情報 □ NCP-CN資格模擬 □ NCP-CN試験関連情報 □ 時間限定無料で使える《NCP-
CN》の試験問題は▶ www.passtest.jp □ サイトで検索NCP-CN関連日本語内容
- www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, myportal.utt.edu.tt,
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
myportal.utt.edu.tt, myportal.utt.edu.tt, Disposable vapes

2026年Topexamの最新NCP-CN PDFダンプおよびNCP-CN試験エンジンの無料共有: <https://drive.google.com/open?id=101r7r-qrp6ByjIYSGwUlnLyTRR1VINFw>