


NCP-MCA Pass Dumps & PassGuide NCP-MCA Prüfung & NCP-MCA Guide



Außerdem sind jetzt einige Teile dieser Fast2test NCP-MCA Prüfungsfragen kostenlos erhältlich: https://drive.google.com/open?id=1En1kjuSqYAtDXdsbd_LSJMzJJnss38

Im wirklichen Leben muss jede große Karriere mit dem Selbstbewusstsein anfangen. Wenn Sie an Ihrem Wissensstand zweifeln und vor der Prüfung pauken, haben Sie schon mal gedacht, wie Sie die Nutanix NCP-MCA Zertifizierungsprüfung selbstsicher bestehen können. Keine Sorgen, Fast2test ist eine einzige Website, die Prüfungsmaterialien, die Fragen und Antworten beinhalten, bietet. Die Erfolgsquote von Fast2test beträgt 100% und Sie können sicher die NCP-MCA Prüfung bestehen. Und Sie werden eine glänzende Karriere haben.

Die Nutanix Certified Professional - Multicloud Automation (NCP-MCA) Prüfung ist ein Zertifizierungsprogramm, das für IT-Profis entwickelt wurde, die ihr Wissen und ihre Fähigkeiten im Umgang mit der Verwaltung und Automatisierung von Multicloud-Umgebungen verbessern möchten. Dieses Zertifizierungsprogramm wird von Nutanix entwickelt und angeboten, einem führenden Anbieter von Cloud-Software- und Hyper-Converged-Infrastrukturlösungen.

Die Nutanix NCP-MCA (Certified Professional - Multicloud Automation) Zertifizierungsprüfung ist darauf ausgelegt, die Fähigkeiten und Kenntnisse von IT-Profis in der Multicloud-Automatisierung zu testen und zu validieren. Diese Zertifizierung eignet sich ideal für Fachleute, die für die Verwaltung und Automatisierung von Aufgaben in mehreren Cloud-Umgebungen, einschließlich privater, öffentlicher und hybrider Clouds, verantwortlich sind. Die NCP-MCA-Zertifizierung ist eine branchenweit anerkannte Referenz, die die Fähigkeit zur Implementierung und Verwaltung von Automatisierungslösungen in komplexen Multicloud-Umgebungen zeigt.

>> NCP-MCA Schulungsunterlagen <<

Die anspruchsvolle NCP-MCA echte Prüfungsfragen von uns garantiert Ihre bessere Berufsaussichten!

Nachdem Sie die Demo unserer Nutanix NCP-MCA probiert haben, werden Sie sicherlich getrost sein. Sie brauchen nicht mehr Sorge darum machen, wie die Prüfungsunterlagen der Nutanix NCP-MCA nachzusuchen. Außerdem brauchen Sie nicht bei der Vorbereitung darum sorgen, dass die Unterlagen veraltet sind, weil wir Ihnen einjährigen Aktualisierungsdienst gratis anbieten. Sofort nach der Aktualisierung der Nutanix NCP-MCA Prüfungssoftware geben wir Ihnen Bescheid. Deshalb können Sie immer die

neuesten Prüfungsunterlagen benutzen. Sie dürfen sich ohne Sorge auf die Prüfung konzentriert vorbereiten.

Die NCP-MCA-Zertifizierungsprüfung ist für IT-Fachleute vorgesehen, die Erfahrung mit Nutanix-Lösungen haben und ihre Fähigkeiten in der Automatisierung von Multicloud-Automatisierung erweitern möchten. Die Prüfung erfordert ein solides Verständnis von Skriptsprachen wie Python, Powershell oder Ruby sowie Automatisierungswerkzeuge wie Ansible, Chef oder Puppet. Kandidaten sollten auch Erfahrung mit öffentlichen Cloud -Diensteanbietern wie Amazon Web Services (AWS), Microsoft Azure oder Google Cloud Platform haben.

Nutanix Certified Professional - Multicloud Automation (NCP-MCA 6.10) NCP-MCA Prüfungsfragen mit Lösungen (Q46-Q51):

46. Frage

Which Calm feature enables the ability to enforce project quotas for the ESXi hypervisor?

- A. Project Environments
- B. Project Quotas
- **C. Policy Engine**
- D. Runbooks

Antwort: C

Begründung:

The Policy Engine is a Calm feature that allows you to define and enforce policies for your projects, such as quotas, approvals, and actions. You can use the Policy Engine to set project quotas for the ESXi hypervisor, such as the number of VMs, CPU cores, memory, and storage that can be provisioned by the project. This helps you to control the resource consumption and allocation of your ESXi clusters. References:

* Nutanix Support & Insights: This is the official Nutanix documentation for Calm on ESXi, where you can find information about the Policy Engine and how to configure it for your projects.

* Nutanix Exam NCP-MCA Topic 2 Question 28 Discussion: This is a forum where you can find discussions and explanations for Nutanix certification exam questions, including question 28 from topic 2, which is similar to your question.

* Calm on ESXi Deployment: This is a Nutanix community post where you can learn more about how to deploy and use Calm on ESXi.

47. Frage

An application developer has been given operator permissions within a Project. The developer has been tasked with creating a blueprint that will create a Linux VM with the application NGINX installed and configured.

What is required to complete this task?

- **A. The developer will create a single-VM blueprint. Select Linux as the operating system. Then create a shell task to install NGINX.**
- B. The developer will import a Linux blueprint into the project with the required task sequence pre-created and select the image.
- C. The developer must request additional permissions before taking the steps to create the Linux blueprint and task sequence.
- D. The developer will create a multi-VM blueprint within the specified project.

Antwort: A

Begründung:

In Self-Service, an Operator role can:

- * Create blueprints
- * Modify blueprints
- * Add tasks (shell, PowerShell, script, package installs, etc.)
- * Use project-provided resources (images, networks, credentials)

To deploy a Linux VM with NGINX:

- * A single-VM blueprint is sufficient.
- * Developer must select Linux substrate.
- * Installation of NGINX occurs through a shell task in the blueprint's package or service.

No additional permissions are required for an Operator to perform these actions.

Therefore, the correct answer is C.

48. Frage

An administrator wants to create two database VMS using replicas and needs to access the same mount_path for hosting the backup files during the deployment on both VMs, What should the administrator do on the Blueprint to achieve this requirement?

- A. Set mount_path = u01/app/backup as a runtime task
- B. Set mount_path = u01/app/backup as a runtime service
- C. Set mount_path = u01/app/backup as a runtime replica
- D. Set mount_path = u01/app/backup as a runtime variable

Antwort: D

Begründung:

Runtime variables are used to pass information between different components of a Blueprint, such as VMs, services, tasks, and replicas. They can be defined in the Blueprint YAML file or in the UI. By setting the mount_path as a runtime variable, the administrator can ensure that both database VMs use the same value for the mount_path during the deployment. This way, the backup files can be hosted on the same location for both VMs. References:

* Nutanix Certified Professional - Multicloud Automation (NCP-MCA) 6.5 Exam, page 25, section 2.1.1:

"Runtime Variables"

* [Nutanix University: NCP-MCA 6.5 Exam Prep - Runtime Variables], video 2: "Runtime Variables"

49. Frage

An administrator has a Linux VM that does batch processing out of a queue. Currently, a technician connects to the VM console and runs a command on the VM to initiate or terminate the batch processing application, as there is no programmatic interface for the application.

The application is processor intensive, so it should only run outside of business hours. The VM has the ability to send REST API calls to Prism.

How should the administrator configure a Playbook to satisfy the needs of this process with minimal external interaction?

- A. Webhook Trigger > REST API > Wait for Some Time > REST API
- B. Manual Trigger > VM SSH > Wait for Some Time > VM SSH
- C. Time Trigger > VM SSH > Wait for Some Time > VM SSH
- D. Manual Trigger > Power On > VM SSH > Wait for Some Time > Power Off VM

Antwort: C

Begründung:

A Playbook is a collection of tasks that can be executed based on a trigger, such as a time, a webhook, or a manual action. A Playbook can be used to automate workflows across different systems and services, such as Nutanix Prism, VMs, hosts, and external APIs. A Playbook can also use variables, conditions, and loops to customize the execution logic and data.

In this scenario, the administrator wants to automate the batch processing application on the Linux VM, which can only be controlled by a command on the VM console. The application should run only outside of business hours, and the VM should send REST API calls to Prism to report its status.

The best way to configure a Playbook for this process is to use a Time Trigger, which allows the administrator to specify a schedule for the Playbook execution, such as daily, weekly, or monthly. The Time Trigger can also be configured to run only on certain days or hours, such as weekdays or nights. This way, the administrator can ensure that the Playbook runs only outside of business hours, without requiring any manual intervention.

The Playbook should then have two VM SSH tasks, one to initiate the batch processing application, and one to terminate it. A VM SSH task is a task that executes a command or script on a target VM using SSH. A VM SSH task can be used to control applications or services that do not have a programmatic interface, such as the batch processing application in this scenario. The VM SSH task can also use variables to pass data to or from the command or script, such as the VM name, IP address, or output. The Playbook should also have a Wait for Some Time task, which is a task that pauses the Playbook execution for a specified duration or until a condition is met. A Wait for Some Time task can be used to ensure that the batch processing application has enough time to complete its work, or to wait for a certain event or state to occur, such as a file creation, a service status, or a VM power state.

The Playbook should also have two REST API tasks, one before and one after the Wait for Some Time task. A REST API task is a task that executes an HTTP request to a specified URL, with optional headers, body, and authentication. A REST API task can be used to interact with external systems or services that expose an API, such as Nutanix Prism in this scenario. The REST API task can also use variables to pass data to or from the HTTP request, such as the VM name, IP address, or response.

The REST API tasks should be configured to send the VM status to Prism, such as the start and end time of the batch processing,

the CPU and memory usage, or the output of the application. This way, the administrator can monitor and manage the VM and the application from Prism, without having to connect to the VM console.

The Playbook configuration should look something like this:

Time Trigger: Set the schedule to run daily, only on weekdays, and only at night (e.g., 10 PM to 6 AM).

VM SSH: Set the target VM to the Linux VM, and set the command or script to initiate the batch processing application (e.g., `./batch.sh start`).

REST API: Set the URL to the Prism API endpoint, and set the HTTP method, headers, body, and authentication as required. Use variables to pass the VM name, IP address, and start time of the batch processing to the HTTP request (e.g., `{"vm_name": "{{vm_name}}", "vm_ip": "{{vm_ip}}", "start_time": "{{start_time}}"}"`).

Wait for Some Time: Set the duration to the expected time for the batch processing to finish, or set a condition to wait until a certain event or state occurs (e.g., wait until file `/tmp/batch.done` exists).

REST API: Set the URL to the Prism API endpoint, and set the HTTP method, headers, body, and authentication as required. Use variables to pass the VM name, IP address, end time, and output of the batch processing to the HTTP request (e.g., `{"vm_name": "{{vm_name}}", "vm_ip": "{{vm_ip}}", "end_time": "{{end_time}}", "output": "{{output}}"}"`).

VM SSH: Set the target VM to the Linux VM, and set the command or script to terminate the batch processing application (e.g., `./batch.sh stop`).

Reference:

<https://www.nutanix.com/content/dam/nutanix/resources/datasheets/ds-ncp-mca-6-5.pdf>

<https://www.nutanix.com/content/dam/nutanix/resources/support/ds-ncp-mca.pdf>

50. Frage

Which Prism Central setting must first be configured in order to add users to a Project?

- A. Pulse
- B. HTTP Proxy
- C. Local User Role Mapping
- **D. Authentication Directory**

Antwort: D

Begründung:

In order to add users to a Project, the Prism Central administrator must first configure an Authentication Directory. This is a service that provides user authentication and authorization for Prism Central, such as Active Directory or OpenLDAP. By configuring an Authentication Directory, the administrator can enable users to log in to Prism Central using their existing credentials and assign them roles and permissions based on their group membership. The administrator can also create local user accounts for users who do not belong to any Authentication Directory.

Reference:

Nutanix Certified Professional - Multicloud Automation (NCP-MCA) Exam Blueprint Guide, Section 2, Objective 2.5 Nutanix

Multicloud Automation Administration (NMCAA) Course, Module 2, Lesson 2.2 Configuring Authentication | Nutanix Community

51. Frage

.....

NCP-MCA Schulungsangebot: <https://de.fast2test.com/NCP-MCA-premium-file.html>

- NCP-MCA Pass Dumps - PassGuide NCP-MCA Prüfung - NCP-MCA Guide ☐ Öffnen Sie die Website ☒ www.echtfage.top ☐ Suchen Sie **【 NCP-MCA 】** Kostenloser Download ☐ NCP-MCA Schulungsangebot
- NCP-MCA Examsfragen ☐ NCP-MCA Deutsche ☐ NCP-MCA Lernressourcen ☐ Suchen Sie einfach auf ☒ www.itzert.com ☐ nach kostenloser Download von ☐ **「 NCP-MCA 」** ☐ NCP-MCA Lernressourcen
- NCP-MCA Schulungsangebot - NCP-MCA Simulationsfragen - NCP-MCA kostenlos downloaden ☐ Geben Sie ☒ www.zertpruefung.de ☐ ein und suchen Sie nach kostenloser Download von ☐ NCP-MCA ☐ NCP-MCA Schulungsunterlagen
- Nutanix NCP-MCA: Nutanix Certified Professional - Multicloud Automation (NCP-MCA 6.10) braindumps PDF - Testking echter Test ☐ Öffnen Sie ☒ www.itzert.com ☐ geben Sie ☐ NCP-MCA ☐ ein und erhalten Sie den kostenlosen Download ☐ NCP-MCA Schulungsunterlagen
- NCP-MCA Schulungsangebot - NCP-MCA Simulationsfragen - NCP-MCA kostenlos downloaden ☐ Sie müssen nur zu ☐ www.zertsoft.com ☐ gehen um nach kostenloser Download von ☒ NCP-MCA ☐ zu suchen ☐ NCP-MCA Ausbildungsressourcen

- BONUS!!!** Laden Sie die vollständige Version der Fast2test NCP-MCA Prüfungsfragen kostenlos herunter:
https://drive.google.com/open?id=1En1kjuSqYAtDXdsbd_LSJMzjJJnnss38

BONUS!!! Laden Sie die vollständige Version der Fast2test NCP-MCA Prüfungsfragen kostenlos herunter:
https://drive.google.com/open?id=1En1kjuSqYAtDXdsbd_LSJMzjJJnnss38