

Valid 300-620 Exam Experience, Reliable 300-620 Braindumps Questions



What's more, part of that TestkingPass 300-620 dumps now are free: <https://drive.google.com/open?id=11800ZcjchrkhTbyZALysSQbCEy05LD-f>

The key trait of our product is that we keep pace with the changes the latest circumstance to revise and update our 300-620 study materials, and we are available for one-year free updating to our customers. Our company has established a long-term partnership with those who have purchased our 300-620 exam guides. We have made all efforts to update our product in order to help you deal with any change, making you confidently take part in the exam. We will inform you that the 300-620 Study Materials should be updated and send you the latest version of our 300-620 exam questions in a year after your payment.

Cisco 300-620 Exam is a valuable certification for IT professionals who are looking to enhance their career prospects in the data center networking field. The ACI technology is gaining traction in the industry, and there is a growing demand for skilled professionals who can implement and manage ACI environments. Implementing Cisco Application Centric Infrastructure certification demonstrates the candidate's expertise in ACI implementation and provides them with a competitive edge in the job market.

>> Valid 300-620 Exam Experience <<

Reliable 300-620 Braindumps Questions | Real 300-620 Questions

We keep raising the bar of our 300-620 real exam for we hold the tenet of clientele orientation. According to former exam candidates, more than 98 percent of customers culminate in success by their personal effort as well as our 300-620 study materials. So indiscriminate choice may lead you suffer from failure. As a representative of clientele orientation, we promise if you fail the practice exam after buying our 300-620 training quiz, we will give your compensatory money full back.

Cisco Implementing Cisco Application Centric Infrastructure Sample Questions (Q88-Q93):

NEW QUESTION # 88

Refer to the exhibit. An engineer is implementing a BPDU filter on external switch interfaces that face the Cisco ACI fabric to prevent excessive TCNs from impacting the fabric. Which configuration must be applied on Cisco ACI to avoid a Layer 2 loop?

- A. Enable STP on downlinks.
- B. Apply an MSTP instance on Cisco ACI.
- C. Implement BPDU Guard.
- D. Configure MCP globally.

Answer: D

Explanation:

<https://www.linkedin.com/pulse/cisco-aci-network-behaviour-stptcn-how-identify-loop-ankit-kulshresta>

NEW QUESTION # 89

An engineer is extending an EPG out of the ACI fabric using static path binding. Which statement about the endpoints is true?

- A. External endpoints are in a different bridge domain than the endpoints in the fabric.
- B. Endpoints must connect directly to the ACI leaf port.
- C. External endpoints are in the same EPG as the directly attached endpoints.
- D. Endpoint learning encompasses the MAC address only.

Answer: C

Explanation:

When extending an EPG out of the ACI fabric using static path binding, it is true that external endpoints are in the same EPG as the directly attached endpoints. This means that traffic received on a statically bound leaf port with a specific VLAN ID is mapped to the EPG, and the same policies applied to directly attached endpoints are enforced on the external endpoints.

NEW QUESTION # 90

Which new construct must a user create when configuring in-band management?

- A. VLAN pool
- B. bridge domain
- C. management tenant
- D. management contract

Answer: B

Explanation:

Section: ACI Management

Explanation/Reference: https://www.cisco.com/c/en/us/td/docs/switches/datacenter/aci/apic/sw/kb/b_KB_Configuring_Static_Management_Access.html

NEW QUESTION # 91

A network engineer demonstrates Cisco ACI to a customer. One of the test cases is to validate a disaster recovery event by resetting the ACI fabric to factory and then restoring the fabric to the state it was in before the event. Which setting must be enabled on ACI to export all configuration parameters that are necessary to meet these requirements?

- A. enabled JSON format export
- B. generated a tech-support file
- C. encrypted export destination
- D. enabled AES encryption

Answer: D

Explanation:

https://www.cisco.com/c/en/us/td/docs/switches/datacenter/aci/apic/sw/kb/b_KB_Using_Import_Export_to_Recover_Config_States.html

NEW QUESTION # 92

Refer to the exhibit.

A Cisco ACI fabric is newly deployed, and the security team requires more visibility of all inter-EPG traffic flows. All traffic in a VRF must be forwarded to an existing firewall pair. During failover, the standby firewall must continue to use the same IP and MAC as the primary firewall. Drag and drop the steps from the left into the Implementation order on the right to configure the service graph that meets the requirements. (Not all steps are used.)

Answer:

Explanation:

Explanation

https://www.cisco.com/c/en/us/td/docs/switches/datacenter/aci/apic/sw/1-x/L4-L7_Services_Deployment/guide/b

* Create a service bridge domain and a layer 4 to layer 7 device within one cluster interface.

• • • • •

Reliable 300-620 Braindumps Questions: <https://www.testkingpass.com/300-620-testking-dumps.html>

- What's more, part of that TestkingPass 300-620 dumps now are free: <https://drive.google.com/open?id=11800ZcjhrrkhTbyZALysSQbCEy05LD-f>

What's more, part of that TestkingPass 300-620 dumps now are free: <https://drive.google.com/open?id=11800ZcjhrrkhTbyZALysSQbCEy05LD-f>