

1z0-1104-25 Exam Materials Preparation Torrent - 1z0-1104-25 Learning Prep - PrepAwayETE



DOWNLOAD the newest PrepAwayETE 1z0-1104-25 PDF dumps from Cloud Storage for free: <https://drive.google.com/open?id=1Fji5Kwn3thstvrGQNLyo1MsT1VDNes0Z>

If you have any questions on our 1z0-1104-25 exam question, you can just contact us for help. Even if it is a technical problem, our professional specialists will provide you with one-on-one services to help you solve it in the first time. And our 1z0-1104-25 learning materials are really cost-effective in this respect. We always believe that customer satisfaction is the most important. And we always put the considerations of the customers as the most important matters. Our 1z0-1104-25 Study Guide won't let you down.

Dare to pursue, we will have a good future. Do you want to be successful people? Do you want to be IT talent? Do you want to pass Oracle 1z0-1104-25 certification? PrepAwayETE will provide you with high quality dumps. It includes real questions and answers, which is useful to the candidates. PrepAwayETE Oracle 1z0-1104-25 Exam Dumps is ordered, finished, and to the point. Only PrepAwayETE can perfect to show its high quality, however, not every website has high quality exam dumps. Than cardiac operations a rush to purchase our Oracle 1z0-1104-25 Oh! The successful rate is 100%.

>> 1z0-1104-25 Latest Dumps Sheet <<

Test 1z0-1104-25 Assessment | Reliable 1z0-1104-25 Exam Dumps

It is known to us that getting the 1z0-1104-25 certification is not easy for a lot of people, but we are glad to tell you good news. The 1z0-1104-25 study materials from our company can help you get the certification in a short time. Now we are willing to introduce our 1z0-1104-25 Practice Questions to you in detail, we hope that you can spare your valuable time to have a try on our products. Please believe that we will not let you down!

Oracle 1z0-1104-25 Exam Syllabus Topics:

Topic	Details

Topic 1	<ul style="list-style-type: none"> Implementing Identity and Access Management (IAM): This section of the exam measures skills of OCI Administrators and focuses on identity and access controls. It covers IAM domains, users, groups, and compartments, as well as the use of IAM policies to manage access to resources. Candidates are also tested on configuring dynamic groups, network sources, and tag-based access control, along with managing MFA, sign-on policies, and activity monitoring.
Topic 2	<ul style="list-style-type: none"> Implementing OS and Workload Protection: This section of the exam measures the skills of OCI Administrators and looks at securing workloads and operating systems. It includes the use of OCI Bastion for time-limited access, vulnerability scanning of hosts and containers, and the use of OS management for automated updates. The goal is to ensure that workloads remain resilient and well-protected.
Topic 3	<ul style="list-style-type: none"> OCI Security Introduction: This section of the exam measures the skills of Cloud Security Professionals and covers the basics of security in Oracle Cloud Infrastructure. It introduces the shared security responsibility model, the core principles of security design, and the use of foundational security services to secure deployments on OCI.
Topic 4	<ul style="list-style-type: none"> Detecting, Remediating, and Monitoring OCI Resources: This section of the exam measures the skills of OCI Administrators and emphasizes monitoring and maintaining security posture across cloud resources. It focuses on the use of Cloud Guard, security zones, and the Security Advisor. Candidates also need to understand how to identify rogue users with threat intelligence, as well as use monitoring, logging, and event services for continuous visibility into performance and security.

Oracle Cloud Infrastructure 2025 Security Professional Sample Questions (Q33-Q38):

NEW QUESTION # 33

"A company, ABC, is planning to launch a new web application on OCI. Based on past experiences, they expect a significant surge in traffic after the launch. You are responsible for ensuring that the application is highly available.

Which step would you perform to achieve this goal?

- A. Configure Cloud Guard to prevent large amounts of traffic from reaching the web application.
- B. Implement security controls, such as web application firewalls, to protect against common attack vectors.
- C. Use a load balancer to distribute incoming traffic evenly across multiple instances of the web application."
- D. Use a Virtual Cloud Network (VCN) with subnets, security lists, and routing rules to isolate the web application from the Internet and other resources.

Answer: C

NEW QUESTION # 34

An OCI administrator notices that a compute instance running in the production compartment is unable to create Object Storage buckets using the OCI CLI command:

`oci os bucket create --name mybucket --compartment-id <compartment_OCID> --auth instance_principal` The error message returned states:

"NotAuthorizedOrNotFound: You are not authorized to perform this action." The administrator verifies that the instance has Internet access and can reach OCI endpoints.

What then could be causing the issue?

- A. The instance is not part of any Dynamic Group or the matching rule is incorrect.
- B. The bucket name is already in use, causing a conflict.
- C. The policy is written at the root compartment instead of the production compartment.
- D. The instance is using the wrong OCI CLI authentication method.

Answer: A

NEW QUESTION # 35

"A business has a hybrid cloud infrastructure with Oracle Linux instances running in OCI and on-premises. They want to reduce the amount of bandwidth used when patching systems. Which component of OS Management Hub can help to reduce the bandwidth usage for patching?"

- A. Dynamic groups
- B. Management agents
- **C. Profiles"**
- D. Management stations

Answer: C


NEW QUESTION # 36

Challenge 2 -Task 1

In deploying a new application, a cloud customer needs to reflect different security postures. If a security zone is enabled with the Maximum Security Zone recipe, the customer will be unable to create or update a resource in the security zone if the action violates the attached Maximum Security Zone policy.

As an application requirement, the customer requires a compute instance in the public subnet. You therefore, need to configure Custom Security Zones that allow the creation of compute instances in the public subnet.

Review the architecture diagram, which outlines the resoures you'll need to address the requirement:



Preconfigured

To complete this requirement, you are provided with the following:

Access to an OCI tenancy, an assigned compartment, and OCI credentials

Required IAM policies

Task 1: Create a Custom Security Zone Recipe

Create a Custom Security Zone Recipe named IAD-SP-PBT-CSP-01 that allows the provisioning of compute instances in the

public subnet.

Enter the OCID of the created custom security zone recipe in the text box below.

Answer:

Explanation:

See the solution below in Explanation.

Explanation:

To create a Custom Security Zone Recipe named IAD-SP-PBT-CSP-01 that allows the provisioning of compute instances in a public subnet, we will follow the steps outlined in the Oracle Cloud Infrastructure (OCI) Security Zones documentation. These steps are based on verified procedures from the OCI Security Zone Guide and related resources.

Step-by-Step Solution for Task 1: Create a Custom Security Zone Recipe

- * Log in to the OCI Console:

- * Use your OCI credentials to log in to the OCI Console (<https://console.us-ashburn-1.oraclecloud.com>).

- * Ensure you have access to the assigned compartment provided in the tenancy.

- * Navigate to Security Zones:

- * From the OCI Console, go to the navigation menu (hamburger icon) on the top left.

- * Under Governance and Administration, select Security Zones.

- * Create a New Security Zone Recipe:

- * In the Security Zones dashboard, click on the Recipe tab.

- * Click the Create Recipe button.

- * Configure the Recipe Details:

- * Name: Enter IAD-SP-PBT-CSP-01.

- * Description (Optional): Add a description, e.g., "Custom recipe to allow compute instances in public subnet."

- * Leave the Compartment as the assigned compartment provided.

- * Define the Security Zone Policy:

- * In the policy editor, start with a base policy. Since the Maximum Security Zone recipe restricts public subnet usage, you need to customize it.

- * Add the following policy statement to allow compute instances in a public subnet:

```
Allow service compute to use virtual-network-family in compartment <compartment-name> where ALL { target.resource.type = 'Instance', target.vcn.cidr_block = '10.0.0.0/16', target.subnet.cidr_block = '10.0.10.0/24' }
```

- * Replace <compartment-name> with the name of your assigned compartment.

- * This policy allows the Compute service to provision instances in the public subnet (10.0.10.0/24) within the VCN (10.0.0.0/16).

- * Adjust Restrictions:

- * Ensure the recipe does not inherit the Maximum Security Zone recipe's default restrictions that block public subnet usage.

Explicitly allow the public subnet by including the subnet CIDR block (10.0.10.0/24) in the policy.

- * Remove or modify any conflicting default rules that prohibit public subnet usage (e.g., rules blocking internet access or public IP assignment).

- * Save the Recipe:

- * Click Create to save the custom security zone recipe.

- * Once created, note the OCID of the recipe from the recipe details page. The OCID will be a unique identifier starting with ocid1.securityzonerecipe.

- * Verify the Recipe:

- * Go to the Recipe tab and locate IAD-SP-PBT-CSP-01.

- * Ensure the policy reflects the allowance for compute instances in the public subnet by reviewing the policy statement.

OCID of the Created Custom Security Zone Recipe

- * The exact OCID will be generated upon creation (e.g., ocid1.securityzonerecipe.oc1..unique_string).

Please enter the OCID displayed in the OCI Console after completing Step 7.

Notes

- * Ensure IAM policies are correctly configured to grant you permissions to create and manage security zone recipes in the compartment.

- * The policy assumes the public subnet CIDR (10.0.10.0/24) matches the diagram. Adjust if the actual subnet CIDR differs.

- * Test the recipe by associating it with a security zone and attempting to launch a compute instance to confirm compliance.

NEW QUESTION # 37

Task 5: Create a Certificate

Create a certificate, where:

Certificate name: PBT-CERT-01-<username>

For example, if your username is 99008677-lab.user01, then the certificate name should be PBT-CERT-0199008677labuser01

Ensure you eliminate special characters from the user name.

Common name: PBT-CERT-OCICERT-01

Certificate Authority: PBT-CERT-CA-01 (created in the previous task)

Answer:

Explanation:

See the solution below in Explanation.

Explanation:

Since I can't create resources or retrieve OCIDs directly in your OCI environment, I'll provide a step-by-step solution based on verified OCI documentation and best practices as of 02:30 PM BST on Thursday, June 12,

2025. Follow these instructions precisely in the OCI Console or CLI, using the preconfigured PBI_Vault_SP vault and the PBT-CERT-CA-01<username> Certificate Authority created in the previous task. Replace

<username> with your actual username (e.g., 99008677-lab.user01), ensuring special characters are removed.

Task 5: Create a Certificate

Step 1: Access the OCI Vault

* Log in to the OCI Console.

* Navigate to Identity & Security>Vault.

* Select the root compartment.

* Locate and click on the vault named PBI_Vault_SP.

Step 2: Create the Certificate

* In the PBI_Vault_SP vault details page, under Resources, click Certificates.

* Click Create Certificate.

* Enter the following details:

* Name: Replace <username> with your username (e.g., if your username is 99008677-lab.user01, remove special characters like - and . to get 99008677labuser01, then use PBT-CERT-0199008677labuser01).

* Common Name: Enter PBT-CERT-OCICERT-01.

* Certificate Authority: Select the PBT-CERT-CA-01<username> CA created in Task 4 (e.g., PBT-CERT-CA-0199008677labuser01).

* Subject: Leave as default or adjust (e.g., Organization, Country) if required.

* Validity Period: Set as needed (e.g., 1 year), or use the default.

* Compartment: Ensure it's set to the root compartment.

* Click Create Certificate and wait for the certificate to be issued.

Step 3: Verify the Certificate

* After creation, go to the Certificates section under PBI_Vault_SP.



* Confirm the certificate PBT-CERT-01<username> (e.g., PBT-CERT-0199008677labuser01) is listed and its status is active.

NEW QUESTION # 38

.....

The clients can download our products and use our 1z0-1104-25 study materials immediately after they pay successfully with their credit cards. Our system will send our 1z0-1104-25 learning prep in the form of mails to the client in 5-10 minutes after their successful payment. The mails provide the links and if only the clients click on the links they can log in our software immediately to learn our 1z0-1104-25 Guide materials. If there are something they can't understand, they can contact with our service and we will solve them right away.

Test 1z0-1104-25 Assessment: <https://www.prepawayete.com/Oracle/1z0-1104-25-practice-exam-dumps.html>

- Test 1z0-1104-25 Preparation ☐ Test 1z0-1104-25 Preparation ☐ Test 1z0-1104-25 Preparation ☐ 
www.vce4dumps.com ☐  is best website to obtain ➡ 1z0-1104-25 ☐ ☐ for free download ☐ Reliable 1z0-1104-25 Test Preparation
- Test 1z0-1104-25 Preparation ☐ 1z0-1104-25 Exam Training ➡ ☐ 1z0-1104-25 Certification ☐ > www.pdfvce.com <
is best website to obtain “ 1z0-1104-25 ” for free download ☐ Exam 1z0-1104-25 Cost
- Test 1z0-1104-25 Assessment ☐ Test 1z0-1104-25 Preparation ☐ Test 1z0-1104-25 Assessment ☐ Download ☐
1z0-1104-25 ☐ for free by simply searching on ➡ www.pass4test.com ☐ ☐ Free 1z0-1104-25 Brain Dumps
- Updated 1z0-1104-25 Latest Dumps Sheet | 1z0-1104-25 100% Free Test Assessment ☐ Search for { 1z0-1104-25 }
and download exam materials for free through ☐ www.pdfvce.com ☐ ☐ Test 1z0-1104-25 Preparation

- BTW, DOWNLOAD part of PrepAwayETE 1z0-1104-25 dumps from Cloud Storage: <https://drive.google.com/open?id=1Fji5Kwn3thstyrGONLYo1MsT1VDNes0Z>

BTW, DOWNLOAD part of PrepAwayETE 1z0-1104-25 dumps from Cloud Storage: <https://drive.google.com/open?id=1Fji5Kwn3thstyrGONLYo1MsT1VDNes0Z>