


# New NSE4\_FGT\_AD-7.6 Test Tips, NSE4\_FGT\_AD-7.6 Discount



The experts of our company are checking whether our NSE4\_FGT\_AD-7.6 test quiz is updated or not every day. We can guarantee that our NSE4\_FGT\_AD-7.6 exam torrent will keep pace with the digitized world by the updating system. We will try our best to help our customers get the latest information about study materials. If you are willing to buy our NSE4\_FGT\_AD-7.6 Exam Torrent, there is no doubt that you can have the right to enjoy the updating system. Once our NSE4\_FGT\_AD-7.6 exam dumps are updated, you will receive the newest information of our NSE4\_FGT\_AD-7.6 test quiz in time. So quickly buy our NSE4\_FGT\_AD-7.6 exam prep now!

## Fortinet NSE4\_FGT\_AD-7.6 Exam Syllabus Topics:

Topic	Details
Topic 1	<ul style="list-style-type: none"> <li>Content Inspection: This domain addresses inspecting encrypted traffic using certificates, understanding inspection modes and web filtering, configuring application control, deploying antivirus scanning modes, and implementing IPS for threat protection.</li> </ul>
Topic 2	<ul style="list-style-type: none"> <li>Firewall Policies and Authentication: This domain focuses on creating firewall policies, configuring SNAT and DNAT for address translation, implementing various authentication methods, and deploying FSSO for user identification.</li> </ul>
Topic 3	<ul style="list-style-type: none"> <li>Deployment and System Configuration: This domain covers initial FortiGate setup, logging configuration and troubleshooting, FGCP HA cluster configuration, resource and connectivity diagnostics, FortiGate cloud deployments (CNF and VM), and FortiSASE administration with user onboarding.</li> </ul>
Topic 4	<ul style="list-style-type: none"> <li>VPN: This domain focuses on implementing meshed or partially redundant IPsec VPN topologies for secure connections.</li> </ul>
Topic 5	<ul style="list-style-type: none"> <li>Routing: This domain covers configuring static routes for packet forwarding and implementing SD-WAN to load balance traffic across multiple WAN links.</li> </ul>

>> New NSE4\_FGT\_AD-7.6 Test Tips <<

## NSE4\_FGT\_AD-7.6 Discount, Reliable NSE4\_FGT\_AD-7.6 Test Blueprint

In modern society, you cannot support yourself if you stop learning. That means you must work hard to learn useful knowledge in order to survive especially in your daily work. Our NSE4\_FGT\_AD-7.6 learning questions are filled with useful knowledge, which

will broaden your horizons and update your skills. Lack of the knowledge cannot help you accomplish the tasks efficiently. But our NSE4\_FGT\_AD-7.6 Exam Questions can help you solve all of these problems. And our NSE4\_FGT\_AD-7.6 study guide can be your work assistant.

## Fortinet NSE 4 - FortiOS 7.6 Administrator Sample Questions (Q84-Q89):

### NEW QUESTION # 84

Refer to the exhibit, which shows a routing table.

Network	Gateway IP	Interfaces	Distance	Metric	Priority	Type
10.0.11.0/24	0.0.0.0	port4	0	0	0	Connected
10.0.12.0/24	0.0.0.0	port5	0	0	0	Connected
10.0.13.0/24	0.0.0.0	port6	0	0	0	Connected
100.65.0.0/24	0.0.0.0	port2	0	0	0	Connected
100.66.0.0/24	0.0.0.0	port3	0	0	0	Connected
172.20.1.0/24	100.66.0.254	port3	9	0	2	Connected
192.168.0.0/16	0.0.0.0	port1	0	0	0	Connected

An administrator wants to create a new static route so the traffic to the subnet 172.20.1.0/24 is routed through port2 only.

What are the two criteria that the administrator can use to achieve this objective? (Choose two.)

- A. The new static route must have the metric set to 1.
- B. The existing static route through port3 must have the distance set to 11.
- C. The new static route must have the priority set to 3.
- D. The new static route must have the distance set to 9.

**Answer: B,D**

Explanation:

From the online study guide: "The lower the metric, the higher the preference" and "The lower the priority, the higher the preference" so it can't be C nor D.

### NEW QUESTION # 85

Refer to the exhibits. An administrator has observed the performance status outputs on an HA cluster for 55 seconds.

```
HQ-NGFW-1 # config system ha
HQ-NGFW-1 (ha) # show
config system ha
  set group-id 5
  set group-name "Training"
  set mode a-p
  set password ENC a4fbyqY4iPexFmAnZgzDY
  set hbdev "port7" 0
  set session-pickup enable
  set override disable
  set priority 200
  set monitor "port1"
  set memory-based-failover enable
  set memory-failover-threshold 70
  set memory-failover-monitor-period 50
  set memory-failover-sample-rate 10
  set memory-failover-flip-timeout 60
end
```

**HQ-NGFW-1 System Performance output**

```
HQ-NGFW-1 # get system performance status
CPU states: 0% user 0% system 0% nice 100% idle 0% iowait 0% irq 0% softirq
CPU0 states: 0% user 0% system 0% nice 100% idle 0% iowait 0% irq 0% softirq
CPU1 states: 0% user 0% system 0% nice 100% idle 0% iowait 0% irq 0% softirq
Memory: 2042076k total, 1837868k used (90%), 104146k free (5.1%), 100062k freeable (4.9%)
Average network usage: 19/2 kbps in 1 minute, 19/4 kbps in 10 minutes, 19/3 kbps in 30 minutes
Maximal network usage: 36/18 kbps in 1 minute, 58/86 kbps in 10 minutes, 58/87 kbps in 30 minutes
Average sessions: 21 sessions in 1 minute, 22 sessions in 10 minutes, 21 sessions in 30 minutes
Maximal sessions: 22 sessions in 1 minute, 28 sessions in 10 minutes, 28 sessions in 30 minutes
Average session setup rate: 0 sessions per second in last 1 minute, 0 sessions per second in last 10 minutes
Maximal session setup rate: 0 sessions per second in last 1 minute, 1 sessions per second in last 10 minutes
Average NPU sessions: 0 sessions in last 1 minute, 0 sessions in last 10 minutes, 0 sessions in last 30 minutes
Maximal NPU sessions: 0 sessions in last 1 minute, 0 sessions in last 10 minutes, 0 sessions in last 30 minutes
Virus caught: 0 total in 1 minute
IPS attacks blocked: 0 total in 1 minute
Uptime: 10 days, 22 hours, 50 minutes
```

**HQ-NGFW-2 System Performance output**

```
HQ-NGFW-2 # get system performance status
CPU states: 0% user 0% system 0% nice 100% idle 0% iowait 0% irq 0% softirq
CPU0 states: 0% user 0% system 0% nice 100% idle 0% iowait 0% irq 0% softirq
CPU1 states: 0% user 0% system 0% nice 100% idle 0% iowait 0% irq 0% softirq
Memory: 2042076k total, 993836k used (48.7%), 690352k free (33.8%), 357888k freeable (17.5%)
Average network usage: 26/18 kbps in 1 minute, 25/18 kbps in 10 minutes, 24/18 kbps in 30 minutes
Maximal network usage: 91/27 kbps in 1 minute, 92/27 kbps in 10 minutes, 92/32 kbps in 30 minutes
Average sessions: 9 sessions in 1 minute, 9 sessions in 10 minutes, 9 sessions in 30 minutes
Maximal sessions: 11 sessions in 1 minute, 11 sessions in 10 minutes, 13 sessions in 30 minutes
Average session setup rate: 0 sessions per second in last 1 minute, 0 sessions per second in last 10 minutes
Maximal session setup rate: 0 sessions per second in last 1 minute, 1 sessions per second in last 10 minutes
Average NPU sessions: 0 sessions in last 1 minute, 0 sessions in last 10 minutes, 0 sessions in last 30 minutes
Maximal NPU sessions: 0 sessions in last 1 minute, 0 sessions in last 10 minutes, 0 sessions in last 30 minutes
Virus caught: 0 total in 1 minute
IPS attacks blocked: 0 total in 1 minute
Uptime: 10 days, 10 hours, 50 minutes
```

Which FortiGate is the primary?

- A. HQ-NGFW-1 with the parameter memory-failover-flip-timeout setting
- **B. HQ-NGFW-2 with the parameter memory-failover-threshold setting**
- C. HQ-NGFW-2 with the parameter priority setting
- D. HQ-NGFW-1 with the parameter override setting

**Answer: B**

Explanation:

The configured memory failover threshold is 70%, and FW-1 is running at 90%. The monitored period is set to 50 seconds, while the question states that the admin observed the output for 55 seconds. This means FW-1 has remained above the 70% threshold for more than the configured monitoring period, while the memory usage on FW-2 is below 70%.

**NEW QUESTION # 86**

What are two features of collector agent advanced mode? (Choose two.)

- A. In advanced mode, FortiGate can be configured as an LDAP client and group filters can be configured on FortiGate.
- B. In advanced mode, security profiles can be applied only to user groups, not individual users.
- C. Advanced mode supports nested or inherited groups.
- D. Advanced mode uses the Windows convention - NetBios: Domain\Username.

Answer: A,C


Explanation:

Advanced mode supports nested or inherited groups, allowing FortiGate to recognize users that belong to subgroups within AD. In advanced mode, FortiGate can be configured as an LDAP client and apply group filters, giving more granular control over user authentication and authorization.

### NEW QUESTION # 87

Refer to the exhibit.

#### IPsec tunnel configuration



A network administrator is troubleshooting an IPsec tunnel between two FortiGate devices. The administrator has determined that phase 1 failed to come up. The administrator has also re-entered the pre-shared key on both FortiGate devices to make sure they match.

Based on the phase 1 configuration and the diagram shown in the exhibit, which two configuration changes can the administrator make to bring phase 1 up? (Choose two.)

- A. On HQ-FortiGate, set IKE mode to Main (ID protection).

- B. On Remote-FortiGate, set port2 as Interface.
- C. On both FortiGate devices, set Dead Peer Detection to On Demand.
- D. On HQ-FortiGate, disable Diffie-Helman group 2.

**Answer: A,B**

Explanation:

On the HQ-FortiGate the IKE phase 1 mode is set to Aggressive, while on the Remote-FortiGate it is set to Main (ID protection). Both sides must use the same IKE mode for phase 1 to come up, so changing HQ-FortiGate to Main mode resolves this mismatch. On the Remote-FortiGate, the phase 1 Interface is configured as port1, but according to the diagram the WAN-facing interface with IP 10.10.200.10 is port2. The local interface in the IPsec configuration must match the physical WAN interface, so changing it to port2 is required for the tunnel to establish.

### NEW QUESTION # 88

When FortiGate performs SSL/SSH full inspection, you can decide how it should react when it detects an invalid certificate. Which three actions are valid actions that FortiGate can perform when it detects an invalid certificate? (Choose three.)

- A. Allow & Warning
- B. Block & Warning
- C. Trust & Allow
- D. Allow
- E. Block

**Answer: C,D,E**

Explanation:

When a certificate fails for any of the reasons above, you can configure any of the following actions:

\* Keep Untrusted & Allow: FortiGate allows the website and lets the browser decide the action to take.

FortiGate takes the certificate as untrusted.

\* Block: FortiGate blocks the content of the site.

\* Trust & Allow: FortiGate allows the website and takes the certificate as trusted.

### NEW QUESTION # 89

.....

In order to serve you better, we have a complete system for NSE4\_FGT\_AD-7.6 exam materials. We offer you free demo to have a try before buying, so that you can have a better understanding of what you are going to buy. If you want the NSE4\_FGT\_AD-7.6 exam dumps after trying, just add to cart and pay for it. You will receive the downloading link and password within ten minutes and you can start your learning right now. If you don't receive, contact us, and we will check it for you. After you purchasing NSE4\_FGT\_AD-7.6 Exam Materials, we also have after-sales, and if you have any questions, you can consult us.

**NSE4\_FGT\_AD-7.6 Discount:** [https://www.dumpsking.com/NSE4\\_FGT\\_AD-7.6-testking-dumps.html](https://www.dumpsking.com/NSE4_FGT_AD-7.6-testking-dumps.html)

- Practice NSE4\_FGT\_AD-7.6 Engine  Reliable NSE4\_FGT\_AD-7.6 Exam Sample  NSE4\_FGT\_AD-7.6 Updated Demo  Open ► [www.dumpsquestion.com](http://www.dumpsquestion.com) ◀ and search for ► NSE4\_FGT\_AD-7.6  to download exam materials for free  Useful NSE4\_FGT\_AD-7.6 Dumps
- Free PDF 2026 Trustable NSE4\_FGT\_AD-7.6: New Fortinet NSE 4 - FortiOS 7.6 Administrator Test Tips  Open website ► [www.pdfvce.com](http://www.pdfvce.com)  and search for ► NSE4\_FGT\_AD-7.6  for free download  Reliable NSE4\_FGT\_AD-7.6 Braindumps
- 100% Pass Quiz High Pass-Rate Fortinet - NSE4\_FGT\_AD-7.6 - New Fortinet NSE 4 - FortiOS 7.6 Administrator Test Tips  Search for 「 NSE4\_FGT\_AD-7.6 」 and download it for free on  [www.pdfdumps.com](http://www.pdfdumps.com)  website   NSE4\_FGT\_AD-7.6 Updated Demo
- 100% Pass Quiz High Pass-Rate Fortinet - NSE4\_FGT\_AD-7.6 - New Fortinet NSE 4 - FortiOS 7.6 Administrator Test Tips  Copy URL [ [www.pdfvce.com](http://www.pdfvce.com) ] open and search for  NSE4\_FGT\_AD-7.6  to download for free  Reliable NSE4\_FGT\_AD-7.6 Braindumps
- 100% Pass Quiz 2026 Fortinet NSE4\_FGT\_AD-7.6: Accurate New Fortinet NSE 4 - FortiOS 7.6 Administrator Test Tips  Search for ✓ NSE4\_FGT\_AD-7.6  ✓  and obtain a free download on ► [www.dumpsmaterials.com](http://www.dumpsmaterials.com)    Reliable NSE4\_FGT\_AD-7.6 Exam Sims
- Pass Guaranteed 2026 Fortinet NSE4\_FGT\_AD-7.6: High-quality New Fortinet NSE 4 - FortiOS 7.6 Administrator Test

