# 1z1-076 Latest Training & 1z1-076 Latest Dumps Ppt

What's more, part of that LatestCram 1z1-076 dumps now are free: https://drive.google.com/open?
id=1Sthb1AfrcY1pGuKrAOe9CEY9sck28xqF

we can promise that our 1z1-076 study materials will be the best study materials in the world with the high pass rate as 98% to
100%. All these achievements are due to the reason that our 1z1-076 exam questions have a high quality that is unique in the
market. If you decide to buy our 1z1-076 training dumps, we can make sure that you will have the opportunity to enjoy the 1z1-076
practice engine from team of experts.

Oracle 1z1-076 Exam Syllabus Topics:

Topic	Details
Topic 1	• Monitoring a Data Guard Broker Configuration: The topic covers the use of Enterprise Manager and DGMGRL to monitor Data Guard configurations and explains the various data protection modes available.
Topic 2	• Enhanced Client Connectivity in a Data Guard Environment: This topic focuses on enhancing client connectivity in a Data Guard setup and implementing failover procedures for seamless client redirection. It also covers application continuity to ensure uninterrupted operations during role transitions.
Topic 3	• Oracle Data Guard Broker Basics: An overview of the Data Guard broker, its architecture, components, benefits, and configurations, is provided here. It serves as an introduction to the tool used for managing Data Guard configurations.
Topic 5	• Managing Physical Standby Files After Structural Changes on the Primary Database: The topic covers managing structural changes in the primary database and their impact on physical standby files.
Topic 6	• Using Flashback Database in a Data Guard Configuration: This topic covers the configuration and advantages of using Flashback Database in a Data Guard setup, as well as the process of enabling fast-start failover for seamless role changes.
Topic 7	• Backup and Recovery Considerations in an Oracle Data Guard Configuration: In this topic, Backup and recovery procedures in a Data Guard configuration are discussed, including RMAN backups, offloading to physical standby, and network-based recovery.
Topic 8	• Patching and Upgrading Databases in a Data Guard Configuration: This section provides guidance on patching and upgrading databases in a Data Guard environment, along with performance optimization techniques and monitoring considerations.

Topic 10	• Creating a Logical Standby Database: This topic guides users through the process of creating and managing a logical standby database, including SQL Apply filtering.
Topic 11	• Creating a Data Guard Broker Configuration: This section delves into the practical aspects of creating and managing a Data Guard broker configuration, including command-line and Enterprise Manager approaches.
Topic 12	• Oracle Data Guard Basics: This topic covers the essential architecture and concepts of Oracle Data Guard. It includes sub-topics such as the physical and logical standby database comparison, benefits of Data Guard, and its integration with multi-tenant databases.
Topic 13	• Performing Role Transitions: Here, the concept of database roles is explained, along with the steps for performing switchovers, failovers, and maintaining physical standby sessions during role transitions.

1z1-076 Latest Dumps Ppt | Valid Exam 1z1-076 Blueprint

Our 1z1-076 study materials have a high quality which is mainly reflected in the pass rate. Our product can promise a higher pass rate than other study materials. 99% people who have used our 1z1-076 study materials passed their exam and got their certificate successfully, it is no doubt that it means our 1z1-076 study materials have a 99% pass rate. So our product will be a very good choice for you. If you are anxious about whether you can pass your exam and get the certificate, we think you need to buy our 1z1-076 Study Materials as your study tool, our product will lend you a good helping hand. If you are willing to take our 1z1-076 study materials into more consideration, it must be very easy for you to pass your exam in a short time.

Oracle Database 19c: Data Guard Administration Sample Questions (Q33-Q38):

NEW QUESTION # 33
Which three are true regarding prerequisites for a logical standby database as a disaster recovery solution?

- A. Ensure that no ROWID data types are contained in the primary database.
- B. Ensure that no BFILE LOB data types are contained in the primary database.
- C. Ensure that supplemental logging is enabled on the primary database.
- D. Ensure that flashback is enabled on the primary database.
- E. Do not perform any nologging operations on the primary.

Answer: B,C,E

NEW QUESTION # 34
Which FOUR database parameters might be affected by or influence the creation of standby databases?

- A. ARCHIVE_LAG_TARGET
- B. FALSERVER
- C. DB_NAME
- D. COMPATIBLE
- E. db_file_name_convert
- F. STANDBY_ARCHIVE_DEST

Answer: C,D,E,F

Explanation:
* DB_NAME (A): The name of the database, which should remain consistent across the primary and standby databases.
* db_file_name_convert (C): This parameter helps define the mapping of data file names from the primary to the standby database, which is crucial during the creation and operation of a standby database.
* COMPATIBLE (D): The compatibility level can influence the features that can be used on the standby database and must be

consistent with or higher than that of the primary database, especially after upgrades.
* STANDBY_ARCHIVE_DEST (F): This parameter specifies the destination of archived redo log files on the standby database, which is important for log transport and apply services.
References:
* Oracle Data Guard Concepts and Administration Guide
* Oracle Database Reference

NEW QUESTION # 35
A Data Guard environment has this configuration and these attributes:
The primary database prima is in the local region.
A physical standby database physt1 is in the local region.
A physical standby database physt2 is in a remote region.
The primary ships redo to physt1.
physt1 ships redo to physt2.
physt1 and physt2 have Real-Time Query enabled.
A sequence has been created with this SQL statement in the primary database:
CREATE SEQUENCE a NOCACHE SESSION;
Which TWO statements are TRUE?

- A. physt2 will no longer receive redo if physt1 becomes unavailable, unless LOG_ARCHIVE_DEST_n has the ALTERNATE attribute specified on physt1.
- B. The sequence is usable on physt1 and physt2.
- C. The sequence is usable on physt1 but not usable on physt2.
- D. physt2 will no longer receive redo if physt1 becomes unavailable, unless LOG_ARCHIVE_DEST_n has the ALTERNATE attribute specified on the primary database.
- E. The sequence is usable on physt2 if physt1 becomes unavailable, but only if an alternate redo destination has been configured on the primary database.

Answer: B,D

NEW QUESTION # 36
Which THREE statements are true about snapshot standby databases?

- A. FLASHBACK DATABASE is enabled automatically on a physical standby database as part of the conversion into a snapshot standby database, if not already enabled.
- B. A snapshot standby database can have Real-Time apply enabled.
- C. A snapshot standby database may be opened read-only.
- D. FLASHBACK DATABASE is enabled automatically on a snapshot standby database after converting it from a physical standby database if not already enabled.
- E. A snapshot standby database may be opened read-write.
- F. FLASHBACK DATABASE must be manually enabled on a physical standby database before converting it into a snapshot standby database.

Answer: A,D,E

Explanation:
Snapshot standby databases are a feature of Oracle Data Guard that allows a physical standby database to be temporarily converted into a read-write database for testing or other purposes. The true statements about snapshot standby databases are:
FLASHBACK DATABASE is enabled automatically on a snapshot standby database after converting it from a physical standby database if not already enabled (B): When a physical standby is converted to a snapshot standby, FLASHBACK DATABASE is automatically enabled to allow the database to be easily reverted back to its original state.
FLASHBACK DATABASE is enabled automatically on a physical standby database as part of the conversion into a snapshot standby database, if not already enabled (C): As part of the conversion process, FLASHBACK DATABASE is turned on to ensure that changes made while the database is in snapshot standby mode can be undone.
A snapshot standby database may be opened read-write (E): Once a physical standby is converted to a snapshot standby, it can be opened for read-write operations, allowing for testing and other tasks that require a writable database.
Reference:
Oracle Data Guard Concepts and Administration
Oracle Database Backup and Recovery User's Guide

NEW QUESTION # 37

You created the PRODSBY1 physical standby database for the PROD primary database using gql and RMAN.
You are planning to create a Data Guard Broker configuration. You execute the command:


```
DGMGRL> CREATE CONFIGURATION 'DGConfig' AS
> PRIMARY DATABASE IS 'PROD'
> CONNECT IDENTIFIER IS PROD;
```

Which three statements are true regarding the execution of the command?

- A. The command will execute successfully only if Oracle Net connectivity to the PROD and PRODSBYl database instances are defined on the primary host.
- B. The PRODSBYI standby database is automatically added to the configuration if Oracle Net connectivity to the PRODSBYl database instance is defined on the primary host.
- C. The Data Guard Broker configuration files is automatically created in the destinations specified by the DG_BROKER_CONFIG_FILEn initialization parameters on the primary database.
- D. The PRODSBY1 standby database is automatically added to the configuration if DG_BROKER_START is TRUE for PRODSBYl.
- E. The command will execute successfully only if the DG_BROKER_START initialization parameter is set to TRUE for the PROD database instance.
- F. The command will execute successfully only if Oracle Net connectivity to the PROD database instance is defined on the primary host.

Answer: C,E,F

Explanation:
The command executed (CREATE CONFIGURATION 'DGConfig' AS PRIMARY DATABASE IS ' PROD' CONNECT IDENTIFIER IS PROD;) is used to create a Data Guard Broker configuration named
'DGConfig'. The successful execution of this command depends on several conditions:
* A: The DG_BROKER_START parameter must be set to TRUE on the primary database to start the Data Guard Broker processes. Without the broker processes running, the configuration cannot be created.
* D: Oracle Net connectivity to the PROD database instance must be established on the primary host. This is because the Data Guard Broker requires network accessibility to communicate with the primary database and manage the configuration.
* E: When the configuration is created, the Data Guard Broker configuration files are indeed automatically created in the locations specified by the DG_BROKER_CONFIG_FILEn parameters on the primary database.
It's important to note that the command will not automatically add the PRODSBY1 standby database to the configuration (thus B and C are not correct), and there is no requirement for the standby database to have Oracle Net connectivity defined on the primary host for the execution of this command (making F incorrect as well).
References: This information can be validated in Oracle's Data Guard Broker documentation, which outlines the requirements for setting up and managing a Data Guard configuration using the Data Guard Broker.

NEW QUESTION # 38

......

1z1-076 □ for free by simply entering ➡ www.easy4engine.com □ website □Latest 1z1-076 Exam Forum

- 1z1-076 Boot Camp □ 1z1-076 Reliable Real Exam □ 1z1-076 Latest Exam Duration □ Enter □ www.pdfvce.com □ and search for □ 1z1-076 □ to download for free □1z1-076 Latest Exam Duration
- Unparalleled Oracle Latest Training – Marvelous 1z1-076 Latest Dumps Ppt □ Easily obtain ▷ 1z1-076 ◁ for free download through ➡ www.dumpsmaterials.com □ □1z1-076 Valid Test Syllabus
- Unparalleled Oracle Latest Training – Marvelous 1z1-076 Latest Dumps Ppt □ Copy URL ▶ www.pdfvce.com ◀ open and search for ▶ 1z1-076 ◀ to download for free □1z1-076 Boot Camp
- Knowledge 1z1-076 Points ☂ Latest 1z1-076 Exam Forum □ Braindump 1z1-076 Free □ Search for □ 1z1-076 □ and download exam materials for free through " www.pdfdumps.com " □1z1-076 Lead2pass
- 100% Pass-Rate Oracle 1z1-076 Latest Training - Perfect Pdfvce - Leader in Certification Exam Materials □ Search for 《 1z1-076 》 and download exam materials for free through （ www.pdfvce.com ） □1z1-076 Reliable Real Exam
- 1z1-076 Training Materials: Oracle Database 19c: Data Guard Administration - 1z1-076 Cram PDF - 1z1-076 Exam Guide □ Search for ➤ 1z1-076 □ and download it for free immediately on ☀ www.practicevce.com □☀□ □Reliable 1z1-076 Exam Review
- www.stes.tyc.edu.tw, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, www.stes.tyc.edu.tw, homehubstudy.com, www.stes.tyc.edu.tw, greatstepgh.com, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, ncon.edu.sa, jmaelearning.net, Disposable vapes

What's more, part of that LatestCram 1z1-076 dumps now are free: https://drive.google.com/open?id=1Sthb1AfrcY1pGuKrAOe9CEY9sck28xqF