

높은적중율을자랑하는1Z0-082적중율높은시험덤프덤프는Oracle Database Administration I시험패스의조건



그 외, Pass4Test 1Z0-082 시험 문제집 일부가 지금은 무료입니다: https://drive.google.com/open?id=1pXDEvS7FLcCy6W_QkSLFMI1eBUTTfxa

지금 같은 경쟁력이 심각한 상황에서 Oracle 1Z0-082 시험 자격증만 소지한다면 연봉 상승 등 일상 생활에서 많은 도움이 될 것입니다. Oracle 1Z0-082 시험 자격증 소지자들의 연봉은 당연히 Oracle 1Z0-082 시험 자격증이 없는 분들보다 높습니다. 하지만 문제는 Oracle 1Z0-082 시험 패스하기가 너무 어렵습니다. Pass4Test는 여러분의 연봉 상승을 도와드리겠습니다.

Oracle 1Z0-082 시험은 Oracle Database 19C 인증 경로의 일부입니다. 이 인증은 업계에서 매우 존경 받고 있으며 전 세계적으로 인정 받고 있습니다. 데이터베이스 관리자로서의 경력을 발전시키려는 사람에게는 필수 인증입니다. 인증은 응시자가 Oracle 데이터베이스 및 관련 인프라를 관리하고 유지하는 데 필요한 지식과 기술을 가지고 있음을 보여줍니다.

>> 1Z0-082 적중율 높은 시험덤프 <<

Oracle 1Z0-082 인증시험

Pass4Test의 Oracle 1Z0-082 덤프를 공부하면 100% Oracle 1Z0-082 시험 패스를 보장해드립니다. 만약 Oracle 1Z0-082 덤프 자료를 구매하여 공부한 후 시험에 탈락할 시 불합격 성적표와 주문번호를 메일로 보내오시면 덤프 비용을 바로 환불해드립니다. 저희 Pass4Test Oracle 1Z0-082 덤프로 자격증 부자 되세요.

오라클 1Z1-082 (오라클 데이터베이스 관리 I) 시험은 오라클 데이터베이스를 관리하고 운영하는 능력과 지식을 증명하고자 하는 개인들을 위한 자격증 시험입니다. 이 시험은 데이터베이스 설치, 구성 및 유지 관리와 관련된 작업을 수행할 수 있는 능력을 검증합니다. 이 자격증은 오라클 데이터베이스 관리자 인증 협회 (OCA) 자격증을 취득하고자 하는 개인들에게 필수적인 시험입니다.

오라클 1Z0-082 시험은 오라클 데이터베이스 관리자 자격증을 취득하고자 하는 IT 전문가들을 대상으로 하는 자격증 시험입니다. 이 시험은 후보자들의 기본 데이터베이스 개념, 오라클 데이터베이스의 설치 및 구성, 데이터베이스 인스턴스 관리, 저장소 구조 및 보안, 백업 및 복원, 그리고 성능 튜닝에 대한 지식과 기술을 측정합니다. 이는 보다 고급화된 오라클 데이터베이스 관리자 자격증을 위한 기초적인 시험으로, 더 나은 직업 기회를 제공할 수 있습니다.

최신 Oracle Database 19c 1Z0-082 무료 샘플문제 (Q60-Q65):

질문 # 60

Examine this description of the TRANSACTIONS table:

Which two SQL statements execute successfully? (Choose two.)

- A. SELECT customer_id AS 'CUSTOMER-ID', transaction_date AS DATE, amount + 100 'DUES AMOUNT' FROM transactions;

- B. SELECT customer_id CUSTID, transaction_date TRANS_DATE, amount + 100 DUES FROM transactions;
- C. SELECT customer_id AS "CUSTOMER-ID", transaction_date AS DATE, amount + 100 "DUES" FROM transactions;
- D. SELECT customer_id AS CUSTOMER-ID, transaction_date AS TRANS_DATE, amount + 100 "DUES AMOUNT" FROM transactions;
- E. SELECT customer_id AS "CUSTOMER-ID", transaction_date AS "DATE", amount + 100 DUES FROM transactions;

정답: B,E

질문 # 61

Which three statements are true about sequences in a single instance Oracle database?

- A. A sequence can Issue duplicate values.
- B. A sequence's unallocated cached values are lost if the instance shuts down.
- C. A sequence can only be dropped by a DBA.
- D. A sequence number that was allocated can be rolled back if a transaction fails.
- E. Sequences can always have gaps.
- F. Two or more tables cannot have keys generated from the same sequence.

정답: A,B,F

질문 # 62

The CUSTOMERS table has a CUST_CREDIT_LIMIT column of data type NUMBER.

Which two queries execute successfully? (Choose two.)

- A. SELECT NVL2(cust_credit_limit * .15, 'Not Available') FROM customers;
- B. SELECT NVL(cust_credit_limit * .15, 'Not Available') FROM customers;
- C. SELECT NVL2(cust_credit_limit, TO_CHAR(cust_credit_limit * .15), 'Not Available') FROM customers;
- D. SELECT NVL(TO_CHAR(cust_credit_limit * .15), 'Not Available') FROM customers;
- E. SELECT TO_CHAR(NVL(cust_credit_limit * .15, 'Not Available')) FROM customers;

정답: A,D

질문 # 63

You execute this command:

CREATE SMALLFILE TABLESPACE sales

DATAFILE '/u01/app/oracle/sales01.dbf

SIZE 5G

SEGMENT SPACE MANAGEMENT AUTO;

Which two actions must you take to ensure UNDOTBS01 is used as the default UNDO tablespace? (Choose two.)

- A. It must be smaller than the smallest BIGFILE tablespace
- B. Any data files added to the tablespace must have a size of 5 gigabytes
- C. It uses the database default blocksize
- D. Free space is managed using freelists
- E. It is a locally managed tablespace

정답: C,E

질문 # 64

You want to use table compression suitable for OLTP that will:

1. Compress rows for all DML statements on that table
2. Minimize the overheads associated with compression

Which compression option is best suited for this?

- A. ROW STORE COMPRESS BASIC
- B. COLUMN STORE COMPRESS FOR ARCHIVE LOW

https://drive.google.com/open?id=1pXDEvS7FLcCy6W_QkxSLFMI1eBUTTFxa