

Professional-Cloud-Developer시험대비덤프데모문제 & Professional-Cloud-Developer최신버전덤프자료

IBM Cloud Professional
Developer v6 C1000-166

시험덤프데모



참고: DumpTOP에서 Google Drive로 공유하는 무료, 최신 Professional-Cloud-Developer 시험 문제집이 있습니다:
https://drive.google.com/open?id=1d-t73JcN_HlQfuiogLzmg2Jziq4JdWtj

Google인증Professional-Cloud-Developer시험은 현재 치열한 IT경쟁 속에서 열기는 더욱더 뜨겁습니다. 응시자들도 더욱더 많습니다. 하지만 난이도난 전혀 낮아지지 않고 이지도 어려운 시험입니다. 어쨌든 개인적인 지식 장악도 나 정보기술 등을 테스트하는 시험입니다. 보통은Google인증Professional-Cloud-Developer시험을 넘기 위해서는 많은 시간과 신경이 필요합니다.

Google Professional-Cloud-Developer 인 증은 Google Cloud 플랫폼에서 확장 가능한 클라우드 솔루션을 구축하고 배포 하는 데 대한 전문 지식을 보여 주려는 클라우드 개발자에게 중요한 자격 증명입니다. 이 인 증은 개발자가 업계 내에서 경력을 발전시키고 인정을받는 데 도움이 될 수 있습니다. 또한 회사가 확장 가능한 클라우드 솔루션을 구축 하고 배포하는 데 도움이되는 자격을 갖춘 클라우드 개발자를 식별하고 고용 할 수 있습니다.

>> Professional-Cloud-Developer시험대비 덤프데모문제 <<

Professional-Cloud-Developer최신버전 덤프자료, Professional-Cloud-Developer최고품질 덤프문제

Google Professional-Cloud-Developer인 증 시험은 현재IT업계에서 아주 인기 있는 시험입니다.많은 IT인사들이 관련 자격증을 취득하려고 노력하고 있습니다.Google Professional-Cloud-Developer인 증 시험에 대한 열기는 식지 않습니다.Google Professional-Cloud-Developer자격증은 여러분의 사회생활에 많은 도움이 될 것이며 연봉상승 등 생활보장에 업그레이드 될 것입니다.

Google Professional-Cloud-Developer Certification 시험은 전문가가 GCP 응용 프로그램 개발에 대한 지식과 기술을 검증 할 수있는 훌륭한 기회입니다. 클라우드 컴퓨팅 산업에서 매우 가치있는 인 증이며 수많은 경력 기회를 열 수 있습니다. 시험에 관심이있는 응시자는 GCP에 대한 응용 프로그램 개발에 대한 실습 경험이 있어야하며 Google이 제공하는 교육 리소스를 활용해야 합니다.

최신 Cloud Developer Professional-Cloud-Developer 무료샘플문제 (Q374-Q379):

질문 # 374

You are creating and running containers across different projects in Google Cloud. The application you are developing needs to access Google Cloud services from within Google Kubernetes Engine (GKE). What should you do?

- A. Use a Google service account to run the Pod with Workload Identity.
- B. Store the Google service account credentials as a Kubernetes Secret.
- C. Use a Google service account with GKE role-based access control (RBAC).
- D. Assign a Google service account to the GKE nodes.

정답: A

설명:

<https://cloud.google.com/kubernetes-engine/docs/concepts/workload-identity>

질문 # 375

You are creating a Google Kubernetes Engine (GKE) cluster and run this command:

The command fails with the error:

You want to resolve the issue. What should you do?

- A. Request additional Compute Engine quota in the GCP Console.
- B. Decouple services in the cluster, and rewrite new clusters to function with fewer cores.
- C. Open a support case to request additional GKE quota.
- **D. Request additional GKE quota in the GCP Console.**

정답: D

질문 # 376

You recently joined a new team that has a Cloud Spanner database instance running in production. Your manager has asked you to optimize the Spanner instance to reduce cost while maintaining high reliability and availability of the database. What should you do?

- A. Use Cloud Trace to monitor the requests per sec of incoming requests to Spanner, and reduce Spanner processing units by small increments until you find the minimum capacity required.
- B. Use Snapshot Debugger to check for application errors, and reduce Spanner processing units by small increments until you find the minimum capacity required.
- **C. Use Cloud Monitoring to monitor the CPU utilization, and reduce Spanner processing units by small increments until you find the minimum capacity required.**
- D. Use Cloud Logging to check for error logs, and reduce Spanner processing units by small increments until you find the minimum capacity required.

정답: C

설명:

Explanation

https://cloud.google.com/spanner/docs/compute-capacity#increasing_and_decreasing_compute_capacity

질문 # 377

You are a developer at a financial institution. You use Cloud Shell to interact with Google Cloud services. User data is currently stored on an ephemeral disk, however a recently passed regulation mandates that you can no longer store sensitive information on an ephemeral disk. You need to implement a new storage solution for your user data. You want to minimize code changes. Where should you store your user data?

- A. Store user data on a Cloud Shell home disk and log in at least every 120 days to prevent its deletion.
- B. Store user data in a Cloud Storage bucket.
- **C. Store user data on a persistent disk in a Compute Engine instance.**
- D. Store user data in BigQuery tables.

정답: C

질문 # 378

You are supporting a business-critical application in production deployed on Cloud Run. The application is reporting HTTP 500 errors that are affecting the usability of the application. You want to be alerted when the number of errors exceeds 15% of the requests within a specific time window. What should you do?

- A. Create a Cloud Function that consumes the Cloud Monitoring API. Use Cloud Composer to trigger the Cloud Function daily and alert you if the number of errors is above the defined threshold.

