

Exam 1z1-809 Practice | Certification 1z1-809 Dumps



P.S. Free & New 1z1-809 dumps are available on Google Drive shared by TroytecDumps: <https://drive.google.com/open?id=1scvMTpOJzI8mr0QOOn8bEjT2HN55bRI>

Our to-the-point and trustworthy Java SE 8 Programmer II Exam Questions in three formats for the Oracle 1z1-809 certification exam will surely assist you to qualify for Oracle 1z1-809 Certification. Do not underestimate the value of our Oracle 1z1-809 exam dumps because it is the make-or-break point of your career.

Oracle 1z1-809 exam is an advanced level certification exam that validates a candidate's skills and knowledge in Java programming language. 1z1-809 exam is ideal for experienced Java developers who want to enhance their skills and take their career to the next level. To prepare for the exam, candidates should have a good understanding of Java programming language and its core concepts and should take advantage of various study materials available to them.

Oracle created 1z1-809 Exam to help professionals validate their skills and knowledge and certify their advanced Java programming abilities. Java SE 8 Programmer II certification exam lasts 2.5 hours and consists of 85 multiple choice and short answer questions.

>> Exam 1z1-809 Practice <<


Certification 1z1-809 Dumps & Dump 1z1-809 File

Once you compare our 1z1-809 study materials with the annual real exam questions, you will find that our 1z1-809 exam questions are highly similar to the real exam questions. We have strong strengths to assist you to pass the exam. All in all, we hope that you are brave enough to challenge yourself. Our 1z1-809 learning prep will live up to your expectations. It will be your great loss to miss our 1z1-809 practice engine.

Oracle Java SE 8 Programmer II Sample Questions (Q129-Q134):

NEW QUESTION # 129

Given the code fragment:



What is the result?

- A. An exception is thrown at runtime.
- B. 2014-05-04T00:00.000
- C. May 04, 2014T00:00:00.000
- D. 5/4/14T00:00:00.000

Answer: A

NEW QUESTION # 130

Given the code fragment:

```
public void recDelete (String dirName) throws IOException {  
    File [ ] listOffFiles = new File (dirName) .listFiles();  
    if (listOffFiles != null && listOffFiles.length >0) {  
        for (File aFile : listOffFiles) {  
            if (aFile.isDirectory ()) {  
                recDelete (aFile.getAbsolutePath ());  
            } else {  
                if (aFile.getName ().endsWith (".class"))  
                    aFile.delete ();  
            }  
        }  
    }  
}
```

Assume that Projects contains subdirectories that contain .class files and is passed as an argument to the recDelete () method when it is invoked.

What is the result?

- A. The method deletes all the .class files in the Projects directory and its subdirectories.
- B. The method executes and does not make any changes to the Projects directory.
- C. The method throws an IOException.
- D. The method deletes the .class files of the Projects directory only.

Answer: A

NEW QUESTION # 131

Given:

```
class Student {  
    String course, name, city;  
    public Student (String name, String course, String city) {  
        this.course = course; this.name = name; this.city = city;  
    }  
    public String toString() {  
        return course + " : " + name + " : " + city;  
    }  
}
```

and the code fragment:

```
List<Student> stds = Arrays.asList(  
    new Student ("Jessy", "Java ME", "Chicago"),  
    new Student ("Helen", "Java EE", "Houston"),  
    new Student ("Mark", "Java ME", "Chicago"));  
stds.stream()  
    .collect(Collectors.groupingBy(Student::getCourse))  
    .forEach(src, res) -> System.out.println(src));
```

What is the result?

[Java EE: Helen:Houston]

- A. [Java EE: Helen:Houston]
- B. [Java ME: Jessy:Chicago, Java ME: Mark:Chicago]
Java EE
- C. Java ME
[Java ME: Jessy:Chicago, Java ME: Mark:Chicago]
- D. A compilation error occurs.

Answer: C

NEW QUESTION # 132

Given:

```
interface P { public void method1(); }
interface Q extends P { public void method1(); }
interface R extends P { public void method2(); }
interface S { public default void method() { } }
interface T { public void method1(); public void method2(); }
interface U { public void method1(); public abstract void method2(); }
```

Which two interfaces can you use to create lambda expressions? (Choose two.)

- A. T
- B. U
- C. P
- D. S
- E. R
- F. Q

Answer: C,D

NEW QUESTION # 133

Given the code fragments:

```
class Employee {
    Optional<Address> address;
    Employee (Optional<Address> address) {
        this.address = address;
    }
    public Optional<Address> getAddress() { return address; }
}
class Address {
    String city = "New York";
    public String getCity { return city; }
    public String toString() {
        return city;
    }
}
and
Address address = null;
Optional<Address> addr1 = Optional.ofNullable (address);
Employee e1 = new Employee (addr1);
String eAddress = (addr1.isPresent()) ? addr1.get().getCity() : "City Not
available";
What is the result?
```

- A. City Not available
- B. New York
- C. null
- D. A NoSuchElementException is thrown at run time.

Answer: C

NEW QUESTION # 134

• • • • •

TroytecDumps offers Oracle 1z1-809 practice tests for the evaluation of Java SE 8 Programmer II exam preparation. Oracle 1z1-809 practice test is compatible with all operating systems, including iOS, Mac, and Windows. Because this is a browser-based 1z1-809 Practice Test, there is no need for installation.

Certification 1z1-809 Dumps: <https://www.troytecdumps.com/1z1-809-troytec-exam-dumps.html>

- [illegible]

BONUS!!! Download part of TroytecDumps 1z1-809 dumps for free: <https://drive.google.com/open?id=1scvMTpOJzI8mr0QOOdm8bEjT2HN55bRI>