

# F5 F5CAB1 PDF Questions - Pass Your Exam With Ease



Users of VCETorrent software can attempt multiple BIG-IP Administration Install, Initial Configuration, and Upgrade (F5CAB1) practice exams to assess and improve preparation for the examination. Customers can view their previous attempts' scores and see their mistakes. It helps test takers take the final BIG-IP Administration Install, Initial Configuration, and Upgrade (F5CAB1) exam without making mistakes. The web-based version of the F5CAB1 practice exam can be taken online. It means you can take this mock test via any browser like MS Edge, Firefox, Chrome, Internet Explorer, and Safari.

The F5 F5CAB1 certification will further demonstrate your expertise in your profession and remove any room for ambiguity on the hiring committee's part. People need to increase their level by getting the F5 F5CAB1 Certification. You can choose flexible timings for the learning F5 F5CAB1 exam questions online and practice with F5 F5CAB1 exam dumps any time.

>> **F5CAB1 Certification Book Torrent** <<

## Latest F5CAB1 Exam Cram, F5CAB1 Study Plan

There are lots of benefits of obtaining a certificate, it can help you enter a better company, have a high position in the company, improve you wages etc. Our F5CAB1 test materials will help you get the certificate successfully. We have channel to obtain the latest information about the exam, and we ensure you that you can get the latest information about the F5CAB1 Exam Dumps timely. Furthermore, you can get the downloading link and password for F5CAB1 test materials within ten minutes after purchasing.

## F5 BIG-IP Administration Install, Initial Configuration, and Upgrade Sample Questions (Q28-Q33):

### NEW QUESTION # 28

Which of the following are resource allocation (provisioning) settings for BIG-IP modules?  
(Choose two.)

- A. Limited
- B. Nominal
- C. Dedicated
- D. Maximum

**Answer: B,C**

Explanation:

BIG-IP module provisioning determines how CPU, memory, and disk resources are allocated to each licensed module. F5 defines a specific set of supported provisioning levels.

Valid provisioning (resource allocation) settings

Nominal

- \* Allocates a standard, balanced amount of system resources to a module.
- \* Intended for typical production deployments where multiple modules may be provisioned at the same time.

Dedicated

- \* Allocates all available system resources to a single module.
- \* Used when the BIG-IP device is dedicated to running only one module (for example, ASM-only or APM-only deployments).
- \* No other modules can be provisioned when one is set to Dedicated.

These two options are valid and supported provisioning levels.

Why the other options are incorrect

Maximum

- \* This is not a valid BIG-IP provisioning level.
- \* BIG-IP does not use "Maximum" as a resource allocation setting.

Limited

- \* This is also not a supported provisioning level.
- \* BIG-IP uses levels such as None, Minimal, Nominal, and Dedicated (module-dependent), not Limited.

#### NEW QUESTION # 29

Refer to the exhibit.

An organization has purchased a BIG-IP license that includes all available modules but has chosen to provision only the modules they require.

The exhibit displays the current resource allocation from the System # Resource Provisioning page.

Based on the information provided, which F5 modules have been provisioned?

- A. TMM, DNS, APS
- **B. LTM, DNS, APM**
- C. LTM, APM
- D. DNS, APM

**Answer: B**

Explanation:

The exhibit shows the Current Resource Allocation for:

- \* CPU
- \* Disk
- \* Memory

In particular, the Memory Allocation bar displays the modules that are currently provisioned.

Memory is the most reliable indicator because BIG-IP allocates memory only to modules that are actively provisioned.

From the exhibit:

- \* MGMT (Management) - always present
- \* TMM (Traffic Management Microkernel) - indicates LTM is provisioned
- \* GTM - this label indicates that the DNS module is provisioned (GTM = Global Traffic Manager, now called DNS)
- \* APM - explicitly shown, indicating Access Policy Manager is provisioned

Therefore, the provisioned modules are:

- \* LTM (implied by TMM allocation)
- \* DNS/GTM
- \* APM

This matches Option C: LTM, DNS, APM.

#### NEW QUESTION # 30

A BIG-IP Administrator discovers malicious brute-force attempts to access the BIG-IP device on the management interface via SSH.

The administrator needs to restrict SSH access to the management interface.

Where should this be accomplished?

- **A. System > Configuration**
- B. Network > Interfaces
- C. Network > Self IPs
- D. System > Platform

**Answer: A**

Explanation:

The BIG-IP management interface (MGMT port) is controlled through System settings, not through the Network menu. SSH access on the management interface is configured here:

System # Configuration # Device # General # SSH Access / SSH IP Allow

This section allows the administrator to:

- \* Enable or disable SSH service
- \* Restrict SSH access to specific IP addresses or subnets
- \* Apply security policies to the management interface

Why the other options are incorrect:

A). Network > Interfaces

\* Used for data-plane physical interface settings, not management plane SSH restrictions.

B). Network > Self IPs

\* Controls in-band management or data-plane access, not the dedicated management port.

D). System > Platform

\* Used for hostname, time zone, LCD contrast, hardware settings - not SSH security on the management port.

Therefore, restricting SSH access to the management interface must be done under:

#System # Configuration # Device # General

Which corresponds to Option C.

### NEW QUESTION # 31

The BIG-IP Administrator needs to update access to the Configuration Utility to include the 172.28.31.0/24 and 172.28.65.0/24 networks.

From the TMOS Shell (tmsh), which command should the BIG-IP Administrator use to complete this task?

- **A. modify /sys httpd allow add { 172.28.31.0/255.255.255.0 172.28.65.0/255.255.255.0 }**
- B. modify /sys httpd permit add { 172.28.31.0/255.255.255.0 172.28.65.0/255.255.255.0 }
- C. modify /sys httpd allow add { 172.28.31.0 172.28.65.0 }

**Answer: A**

Explanation:

Access to the BIG-IP Configuration Utility (TMUI) is controlled through the /sys httpd allowlist.

This list defines which IP addresses or subnets are allowed to connect to the management web interface.

To allow two new subnets - 172.28.31.0/24 and 172.28.65.0/24 - the administrator must add both subnets to the existing list without removing current entries.

In tmsh, subnet entries must be specified in network/netmask format, for example:

172.28.31.0/255.255.255.0

The correct tmsh command to append these networks is:

modify /sys httpd allow add { 172.28.31.0/255.255.255.0 172.28.65.0/255.255.255.0 }

Why the other options are incorrect:

Option B:

\* IPs are listed without masks, which is invalid for subnet-based access control.

\* The system requires network/netmask format.

Option C:

\* The command uses permit instead of allow, which is not a valid attribute of /sys httpd.

\* The correct keyword must be allow.

Thus, only Option A correctly adds both permitted subnets in the proper tmsh format.

### NEW QUESTION # 32

A BIG-IP Administrator needs to install a HotFix on a standalone BIG-IP device, which has HD1.1 as the Active Boot Location. The administrator has already re-activated the license and created a UCS archive.

In which sequence should the administrator perform the remaining steps?

- A. Install HotFix in HD1.2, Install base Image in HD1.2, Activate HD1.2
- B. Activate HD1.2, Install base Image in HD1.2, Install HotFix in HD1.2
- **C. Install base Image in HD1.2, Install HotFix in HD1.2, Activate HD1.2**
- D. Install HotFix in HD1.1, Reboot the BIG-IP device, Install UCS Archive

**Answer: C**

Explanation:

When installing a HotFix on a BIG-IP device, F5 best practices require:

- \* Installing the base TMOS image on a new, unused boot volume (HD1.2)
- \* This ensures the upgrade happens on a clean volume.
- \* The existing active boot location remains untouched for rollback.
- \* Installing the HotFix onto the SAME new boot volume (HD1.2)
- \* HotFixes must be applied on top of a base version.
- \* They cannot be installed on an empty volume.
- \* They must match the base image version.
- \* Activating the new boot volume (HD1.2)
- \* The system reboots into the updated software stack.
- \* Activation happens after base + HotFix installation is complete.

This sequence is exactly shown in Option C:

Install base Image in HD1.2

Install HotFix in HD1.2

Activate HD1.2

Why the other options are incorrect:

A). Install HotFix before base image

\* Impossible.

\* HotFix requires an installed base version first.

B). Installing HotFix on HD1.1 (active boot volume)

\* Not recommended.

\* Upgrading in-place removes rollback safety.

\* HotFix cannot be applied cleanly without applying base image first.

D). Activate HD1.2 before installing anything

\* You cannot activate an empty boot volume.

\* Activation only occurs after the base + HotFix software is installed.

### NEW QUESTION # 33

.....

A lot of our candidates used up all examination time and leave a lot of unanswered questions of the F5CAB1 exam questions. It is a bad habit. In your real exam, you must answer all questions in limited time. So you need our timer to help you on F5CAB1 Practice Guide. Our timer is placed on the upper right of the page. The countdown time will run until it is time to submit your exercises of the F5CAB1 study materials. Also, it will remind you when the time is soon running out.

**Latest F5CAB1 Exam Cram:** <https://www.vcetorrent.com/F5CAB1-valid-vce-torrent.html>

More importantly, you can pass the F5CAB1 exam and get the dreaming F5CAB1 certification, F5 F5CAB1 Certification Book Torrent We may use the information to improve our products and services We may periodically send promotional emails about new products, special offers or other information which we think you may find interesting using the email address which you have provided From time to time, we may also use your information to contact you for market research purposes, F5 F5CAB1 Certification Book Torrent WinZip (winzip.com) can do this for you.

Our F5CAB1 test questions are written by our IT experts and certified trainers who are famous in the field of F5CAB1, Reduces the complexity of integration.

More importantly, you can pass the F5CAB1 Exam and get the dreaming F5CAB1 certification, We may use the information to improve our products and services We may periodically send promotional emails about new products, special offers or other information which we think you may find interesting F5CAB1 using the email address which you have provided From time to time, we may also use your information to contact you for market research purposes.

