


NCM-MCI Exam Cost, Test NCM-MCI Engine



What's more, part of that PrepAwayPDF NCM-MCI dumps now are free: https://drive.google.com/open?id=1y8Ikgin4bYtl0_GFMhes5D2H5cpdxkzT

We will try our best to solve your problems for you. I believe that you will be more inclined to choose a good service product, such as NCM-MCI learning question. After all, everyone wants to be treated warmly and kindly, and hope to learn in a more pleasant mood. The authoritative, efficient, and thoughtful service of NCM-MCI learning question will give you the best user experience, and you can also get what you want with our NCM-MCI study materials. I hope our study materials can accompany you to pursue your dreams. If you can choose NCM-MCI test guide, we will be very happy. We look forward to meeting you.

Nutanix NCM-MCI Exam Practice Test Helps You Ace Your Nutanix Certified Expert

Nutanix Certified Master - Multicloud Infrastructure (NCM-MCI) exam is a challenging exam that needs you to perform with excellent knowledge. We recommend you to be prepared for the Nutanix Certified Master - Multicloud Infrastructure (NCM-MCI) exam as it is crucial for your professional career.

Nutanix offers you a really easy way to prepare for your Nutanix Certified Master - Multicloud Infrastructure (NCM-MCI) exam by providing the Nutanix Certified Master - Multicloud Infrastructure (NCM-MCI) practice test software. This practice test software has everything that an individual requires to pass their certification exam in the first attempt. The questions offered in the practice test software are similar to those you can expect in the real Nutanix Certified Master - Multicloud Infrastructure (NCM-MCI) exam scenario. The practice test software is also equipped with learning tools and features that will help you learn about your weak areas.

If you want to buy the high quality **Nutanix NCM-MCI Exam Dumps** for NCM-MCI exam, then PrepAwayPDF is your first choice. Do not hesitate to choose us as your loyal partner because we are the only one can help you pass Nutanix Certified Master (NCM) - Multicloud Infrastructure (NCM-MCI) test successfully. At the same time, you can get 100% guaranteed NCM-MCI exam questions and answers with high accuracy and hit rate. NCM-MCI practice test is the best source to prepare for your Nutanix Certified Master (NCM) - Multicloud Infrastructure (NCM-MCI) Certification Exam for 100 percent results.

>> NCM-MCI Exam Cost <<

100% Pass 2026 Efficient Nutanix NCM-MCI: Nutanix Certified Master - Multicloud Infrastructure v6.10 Exam Cost

Pass rate is 98.65% for NCM-MCI exam cram, and we can help you pass the exam just one time. NCM-MCI training materials cover most of knowledge points for the exam, and you can have a good command of these knowledge points through practicing, and you can also improve your professional ability in the process of learning. In addition, NCM-MCI Exam Dumps have free demo for you to have a try, so that you can know what the complete version is like. We offer you free update for one year, and the update version will be sent to your mail automatically.

What is the exam cost of the Nutanix NCM-MCI Exam

The NCM-MCI Certification Exam Cost is USD 199 for each attempt.

Nutanix Certified Master - Multicloud Infrastructure v6.10 Sample Questions (Q12-Q17):

NEW QUESTION # 12

Task 16

Running NCC on a cluster prior to an upgrade results in the following output FAIL: CVM System Partition /home usage at 93% (greater than threshold, 90%) Identify the CVM with the issue, remove the file causing the storage bloat, and check the health again by running the individual disk usage health check only on the problematic CVM do not run NCC health check Note: Make sure only the individual health check is executed from the affected node

Answer:

Explanation:

See the Explanation for step by step solution

Explanation:

To identify the CVM with the issue, remove the file causing the storage bloat, and check the health again, you can follow these steps:
Log in to Prism Central and click on Entities on the left menu.

Select Virtual Machines from the drop-down menu and find the NCC health check output file from the list. You can use the date and time information to locate the file. The file name should be something like ncc-output-YYYY-MM-DD-HH-MM-SS.log

Open the file and look for the line that says FAIL: CVM System Partition /home usage at 93% (greater than threshold, 90%). Note down the IP address of the CVM that has this issue. It should be something like X.X.X.X.

Log in to the CVM using SSH or console with the username and password provided.

Run the command `du -sh /home/*` to see the disk usage of each file and directory under /home. Identify the file that is taking up most of the space. It could be a log file, a backup file, or a temporary file. Make sure it is not a system file or a configuration file that is needed by the CVM.

Run the command `rm -f /home/<filename>` to remove the file causing the storage bloat. Replace <filename> with the actual name of the file.

Run the command `ncc health_checks hardware_checks disk_checks disk_usage_check --cvm_list=X.X.X.X` to check the health again by running the individual disk usage health check only on the problematic CVM. Replace X.X.X.X with the IP address of the CVM that you noted down earlier.

Verify that the output shows PASS: CVM System Partition /home usage at XX% (less than threshold, 90%). This means that the issue has been resolved.

#access to CVM IP by Putty

`allssh df -h #look for the path /dev/sdb3 and select the IP of the CVM`

`ssh CVM_IP`

`ls`

`cd software_downloads`

`ls`

`cd nos`

`ls -l -h`

`rm files_name`

`df -h`

`ncc health_checks hardware_checks disk_checks disk_usage_check`

NEW QUESTION # 13

Task 12

An administrator needs to create a report named VMs_Power_State that lists the VMs in the cluster and their basic details including the power state for the last month.

No other entities should be included in the report.

The report should run monthly and should send an email to `admin@syberdyne.net` when it runs.

Generate an instance of the report named VMs_Power_State as a CSV and save the zip file as

`Desktop\Files\VMs_Power_state.zip` Note: Make sure the report and zip file are named correctly. The SMTP server will not be configured.

Answer:

Explanation:

See the Explanation for step by step solution

Explanation:

To create a report named VMs_Power_State that lists the VMs in the cluster and their basic details including the power state for the last month, you can follow these steps:

Log in to Prism Central and click on Entities on the left menu.

Select Virtual Machines from the drop-down menu and click on Create Report.

Enter VMs_Power_State as the report name and a description if required. Click Next.

Under the Custom Views section, select Data Table. Click Next.

Under the Entity Type option, select VM. Click Next.

Under the Custom Columns option, add the following variables: Name, Cluster Name, vCPUs, Memory, Power State. Click Next.

Under the Time Period option, select Last Month. Click Next.

Under the Report Settings option, select Monthly from the Schedule drop-down menu. Enter admin@syberdyne.net as the Email Recipient. Select CSV as the Report Output Format. Click Next.

Review the report details and click Finish.

To generate an instance of the report named VMs_Power_State as a CSV and save the zip file as

Desktop\Files\VMs_Power_state.zip, you can follow these steps:

Log in to Prism Central and click on Operations on the left menu.

Select Reports from the drop-down menu and find the VMs_Power_State report from the list. Click on Run Now.

Wait for the report to be generated and click on Download Report. Save the file as Desktop\Files\VMs_Power_state.zip.

1. Open the Report section on Prism Central (Operations > Reports)

2. Click on the New Report button to start the creation of your custom report

3. Under the Custom Views section, select Data Table

4. Provide a title to your custom report, as well as a description if required.

5. Under the Entity Type option, select VM

6. This report can include all as well as a selection of the VMs

7. Click on the Custom Columns option and add the below variables:

a. Name - Name of the listed Virtual Machine

b. vCPUs - A combination of the vCores and vCPU's assigned to the Virtual Machine c. Memory - Amount of memory assigned to the Virtual Machine d. Disk Capacity - The total amount of assigned virtual disk capacity e. Disk Usage - The total used virtual disk capacity f. Snapshot Usage - The total amount of capacity used by snapshots (Excluding Protection Domain snapshots)

8. Under the Aggregation option for Memory and Disk Usage accept the default Average option

Columns

FOCUS Custom Columns

Custom

Column Name	Aggregation
Name	
vCPUs	-
Memory	Average
Disk Capacity	-
Disk Usage	Average
Snapshot Usage	-

9. Click on the Add button to add this custom selection to your report

10. Next click on the Save and Run Now button on the bottom right of the screen

11. Provide the relevant details on this screen for your custom report:

Report

REPORT INSTANCE NAME

DESCRIPTION

TIME PERIOD FOR REPORT

Last 24 Hours ⌵

TIMEZONE

NUTANIX ⌵

Report Format

PDF

CSV

Email Report

Report will be emailed to the following recipients

-

ADDITIONAL RECIPIENTS

Cancel

Run

12. You can leave the Time Period For Report variable at the default of Last 24 Hours

13. Specify a report output of preference (PDF or CSV) and if required Additional Recipients for this report to be mailed to. The

report can also simply be downloaded after this creation and initial run if required
14. Below is an example of this report in a CSV format:

NEW QUESTION # 14

Task 9

Part1

An administrator logs into Prism Element and sees an alert stating the following:

Cluster services down on Controller VM (35.197.75.196)

Correct this issue in the least disruptive manner.

Part2

In a separate request, the security team has noticed a newly created cluster is reporting.

CVM [35.197.75.196] is using the default password.

They have provided some new security requirements for cluster level security.

Security requirements:

Update the default password for the root user on the node to match the admin user password: Note: 192.168.x.x is not available.

To access a node use the Host IP (172.30.0.x) from a CVM or the supplied external IP address.

Update the default password for the nutanix user on the CVM to match the admin user password.

Resolve the alert that is being reported.

Output the cluster-wide configuration of the SCMA policy to Desktop\Files\output.txt before changes are made.

Enable the Advance intrusion Detection Environment (AIDE) to run on a weekly basis for the cluster.

Enable high-strength password policies for the cluster.

Ensure CVMs require SSH keys for login instead of passwords. (SSH keys are located in the Desktop\Files\SSH folder).

Ensure the clusters meets these requirements. Do not reboot any cluster components.

Answer:

Explanation:

See the Explanation for step by step solution

Explanation:

To correct the issue of cluster services down on Controller VM (35.197.75.196) in the least disruptive manner, you need to do the following steps:

Log in to Prism Element using the admin user credentials.

Go to the Alerts page and click on the alert to see more details.

You will see which cluster services are down on the Controller VM. For example, it could be cassandra, curator, stargate, etc.

To start the cluster services, you need to SSH to the Controller VM using the nutanix user credentials. You can use any SSH client such as PuTTY or Windows PowerShell to connect to the Controller VM. You will need the IP address and the password of the nutanix user, which you can find in Desktop\Files\SSH\nutanix.txt.

Once you are logged in to the Controller VM, run the command:

```
cluster status | grep -v UP
```

This will show you which services are down on the Controller VM.

To start the cluster services, run the command:

```
cluster start
```

This will start all the cluster services on the Controller VM.

To verify that the cluster services are running, run the command:

```
cluster status | grep -v UP
```

This should show no output, indicating that all services are up.

To clear the alert, go back to Prism Element and click on Resolve in the Alerts page.

To meet the security requirements for cluster level security, you need to do the following steps:

To update the default password for the root user on the node to match the admin user password, you need to SSH to the node using the root user credentials. You can use any SSH client such as PuTTY or Windows PowerShell to connect to the node. You will need the IP address and the password of the root user, which you can find in Desktop\Files\SSH\root.txt.

Once you are logged in to the node, run the command:

```
passwd
```

This will prompt you to enter a new password for the root user. Enter the same password as the admin user, which you can find in Desktop\Files\SSH\admin.txt.

To update the default password for the nutanix user on the CVM to match the admin user password, you need to SSH to the CVM using the nutanix user credentials. You can use any SSH client such as PuTTY or Windows PowerShell to connect to the CVM.

You will need the IP address and the password of the nutanix user, which you can find in Desktop\Files\SSH\nutanix.txt.

Once you are logged in to the CVM, run the command:

```
passwd
```

This will prompt you to enter a new password for the nutanix user. Enter the same password as the admin user, which you can find in Desktop\Files\SSH\admin.txt.

To resolve the alert that is being reported, go back to Prism Element and click on Resolve in the Alerts page.

To output the cluster-wide configuration of SCMA policy to Desktop\Files\output.txt before changes are made, you need to log in to Prism Element using the admin user credentials.

Go to Security > SCMA Policy and click on View Policy Details. This will show you the current settings of SCMA policy for each entity type.

Copy and paste these settings into a new text file named Desktop\Files\output.txt.

To enable AIDE (Advanced Intrusion Detection Environment) to run on a weekly basis for the cluster, you need to log in to Prism Element using the admin user credentials.

Go to Security > AIDE Configuration and click on Enable AIDE. This will enable AIDE to monitor file system changes on all CVMs and nodes in the cluster.

Select Weekly as the frequency of AIDE scans and click Save.

To enable high-strength password policies for the cluster, you need to log in to Prism Element using the admin user credentials.

Go to Security > Password Policy and click on Edit Policy. This will allow you to modify the password policy settings for each entity type.

For each entity type (Admin User, Console User, CVM User, and Host User), select High Strength as the password policy level and click Save.

To ensure CVMs require SSH keys for login instead of passwords, you need to log in to Prism Element using the admin user credentials.

Go to Security > Cluster Lockdown and click on Configure Lockdown. This will allow you to manage SSH access settings for the cluster.

Uncheck Enable Remote Login with Password. This will disable password-based SSH access to the cluster.

Click New Public Key and enter a name for the key and paste the public key value from Desktop\Files\SSH\id_rsa.pub. This will add a public key for key-based SSH access to the cluster.

Click Save and Apply Lockdown. This will apply the changes and ensure CVMs require SSH keys for login instead of passwords. Part1

Enter CVM ssh and execute:

```
cluster status | grep -v UP
```

```
cluster start
```

If there are issues starting some services, check the following:

Check if the node is in maintenance mode by running the ncli host ls command on the CVM. Verify if the parameter Under Maintenance Mode is set to False for the node where the services are down. If the parameter Under Maintenance Mode is set to True, remove the node from maintenance mode by running the following command:

```
* nutanix@cvm$ ncli host edit id=<host id> enable-maintenance-mode=false
```

 You can determine the host ID by using ncli host ls.

See the troubleshooting topics related to failed cluster services in the Advanced Administration Guide available from the Nutanix Portal's Software Documentation page. (Use the filters to search for the guide for your AOS version). These topics have information about common and AOS-specific logs, such as Stargate, Cassandra, and other modules.

* Check for any latest FATALs for the service that is down. The following command prints all the FATALs for a CVM. Run this command on all CVMs.

```
nutanix@cvm$ for i in `svnrips`; do echo "CVM: $i"; ssh $i "ls -ltr /home/nutanix/data/logs/*.FATAL"; done
```

 NCC Health Check:

```
cluster_services_down_check (nutanix.com) Part2 Update the default password for the root user on the node to match the admin user password echo -e "CHANGING ALL AHV HOST ROOT PASSWORDS.\nPlease input new password: "; read -rs password1; echo "Confirm new password: "; read -rs password2; if [ "$password1" == "$password2" ]; then for host in $(hostips); do echo Host $host; echo $password1 | ssh root@$host "passwd --stdin root"; done; else echo "The passwords do not match"; fi
```

 Update the default password for the nutanix user on the CVM sudo passwd nutanix Output the cluster-wide configuration of the SCMA policy ncli cluster get-hypervisor-security-config Output Example:

```
nutanix@NTNX-372a19a3-A-CVM:10.35.150.184:~$ ncli cluster get-hypervisor-security-config
```

 Enable Aide : false Enable Core : false Enable High Strength P... : false Enable Banner : false Schedule : DAILY Enable iTLB Multihit M... : false Enable the Advance intrusion Detection Environment (AIDE) to run on a weekly basis for the cluster.

```
ncli cluster edit-hypervisor-security-params enable-aide=true
```

```
ncli cluster edit-hypervisor-security-params schedule=weekly
```

Enable high-strength password policies for the cluster.

```
ncli cluster edit-hypervisor-security-params enable-high-strength-password=true
```

 Ensure CVMs require SSH keys for login instead of passwords

<https://portal.nutanix.com/page/documents/kbs/details?targetId=kA060000008gb3CAA>

- Network Switch
- NTP Servers
- SNMP
-
- Security
 - Cluster Lockdown**
 - Data-at-rest Encryption
 - Filesystem Whitelists
 - SSL Certificate
-
- Users and Roles
 - Authentication
 - Local User Management
 - Role Mapping

Cluster Lockdown

Cluster is not locked down.

Cluster lockdown makes your connection to the cluster more secure. To lock down the cluster, delete all keys in the cluster and disable remote login with password.

Enable Remote Login with Password

[+ New Public Key](#)

Name	Key	
Test	ssh-rsa AAAAB3NzaClyc2EAA...	✕
ABC-Lnx-Pubkey	ssh-rsa AAAAB3NzaClyc2EAA...	✕

Name

Key

[← Back](#) [Save](#)

PuTTY Configuration

Category:

- Keyboard
- Bell
- Features
- Window
 - Appearance
 - Behaviour
 - Translation
 - Selection
 - Colours
- Connection
 - Data
 - Proxy
 - SSH**
 - Kex
 - Host keys
 - Cipher
 - Auth**
 - X11
 - Tunnels
 - Bugs
 - More bugs

Basic options for your PuTTY session

Specify the destination you want to connect to

Host Name (or IP address) Port

Connection type: SSH Serial Other:

Load, save or delete a stored session

Saved Sessions:

Default Settings

Close window on exit: Always Never Only on clean exit



NEW QUESTION # 15

Task 13

The application team is reporting performance degradation for a business-critical application that runs processes all day on Saturdays.

The team is requesting monitoring of processor, memory and storage utilization for the three VMs that make up the database cluster for the application: ORA01, ORA02 and ORA03.

The report should contain tables for the following:

At the cluster level, only for the current cluster:

The maximum percentage of CPU used

At the VM level, including any future VM with the prefix ORA:

The maximum time taken to process I/O Read requests

The Maximum percentage of time a VM waits to use physical CPU, out of the local CPU time allotted to the VM.

The report should run on Sundays at 12:00 AM for the previous 24 hours. The report should be emailed to appdev@cyberdyne.net when completed.

Create a report named Weekends that meets these requirements

Note: You must name the report Weekends to receive any credit. Any other objects needed can be named as you see fit. SMTP is not configured.


A: Click Next.

Click on Add to add this custom view to your report. Click Next.

Under the Report Settings option, select Weekly from the Schedule drop-down menu and choose Sunday as the day of week. Enter 12:00 AM as the time of day. Enter appdev@cyberdyne.net as the Email Recipient. Select CSV as the Report Output Format.

Click Next.

Review the report details and click Finish.



Answer:

Explanation:

See the Explanation for step by step solution

Explanation:

To create a report named Weekends that meets the requirements, you can follow these steps:

Log in to Prism Central and click on Entities on the left menu.

Select Virtual Machines from the drop-down menu and click on Create Report.

Enter Weekends as the report name and a description if required. Click Next.

Under the Custom Views section, select Data Table. Click Next.

Under the Entity Type option, select Cluster. Click Next.

Under the Custom Columns option, add the following variable: CPU Usage (%). Click Next.

Under the Aggregation option for CPU Usage (%), select Max. Click Next.

Under the Filter option, select Current Cluster from the drop-down menu. Click Next.

Click on Add to add this custom view to your report. Click Next.

Under the Custom Views section, select Data Table again. Click Next.

Under the Entity Type option, select VM. Click Next.

Under the Custom Columns option, add the following variables: Name, I/O Read Latency (ms), VM Ready Time (%). Click Next.

Under the Aggregation option for I/O Read Latency (ms) and VM Ready Time (%), select Max. Click Next.

Under the Filter option, enter ORA* in the Name field. This will include any future VM with the prefix OR

NEW QUESTION # 16

Topic 1, Performance Based Questions

Environment

You have been provisioned a dedicated environment for your assessment which includes the following:

Workstation

* windows Server 2019

* All software/tools/etc to perform the required tasks

* Nutanix Documentation and whitepapers can be found in desktop\files\Documentation

* Note that the workstation is the system you are currently toggled into Nutanix Cluster

* There are three clusters provided. The connection information for the relevant cluster will be displayed to the high of the question

Please make sure you are working on the correct cluster for each item Please ignore any licensing violations

* Cluster A is a 3-node cluster with Prism Central 2022.6 where most questions will be performed

* Cluster B is a one-node cluster and has one syslog item and one security item to perform

* Cluster D is a one-node cluster with Prism Central 5.17 and has a security policy item to perform Important Notes

* If the text is too small and hard to read, or you cannot see an of the GUI. you can increase/decrease the zoom of the browser with CTRL + , and CTRL + (the plus and minus keys) You will be given 3 hours to complete the scenarios for Nutanix NCMCI Once you click the start button below, you will be provided with:

- A Windows desktop A browser page with the scenarios and credentials (Desktop\instructions) Notes for this exam delivery: The browser can be scaled to Improve visibility and fit all the content on the screen.
- Copy and paste hot-keys will not work Use your mouse for copy and paste.
- The Notes and Feedback tabs for each scenario are to leave notes for yourself or feedback for
- Make sure you are performing tasks on the correct components.
- Changing security or network settings on the wrong component may result in a falling grade.
- Do not change credentials on an component unless you are instructed to.
- All necessary documentation is contained in the Desktop\Files\Documentation directory Task 1 An administrator has been asked to configure a storage for a distributed application which uses large data sets across multiple worker VMs. The worker VMs must run on every node. Data resilience is provided at the application level and low cost per GB is a Key Requirement.

Configure the storage on the cluster to meet these requirements. Any new object created should include the phrase Distributed_App in the name.

Answer:

Explanation:

See the Explanation for step by step solution

Explanation:

To configure the storage on the cluster for the distributed application, you can follow these steps:

Log in to Prism Element of cluster A using the credentials provided.

Go to Storage > Storage Pools and click on Create Storage Pool.

Enter a name for the new storage pool, such as Distributed_App_Storage_Pool, and select the disks to include in the pool. You can choose any combination of SSDs and HDDs, but for low cost per GB, you may prefer to use more HDDs than SSDs.

Click Save to create the storage pool.

Go to Storage > Containers and click on Create Container.

Enter a name for the new container, such as Distributed_App_Container, and select the storage pool that you just created, Distributed_App_Storage_Pool, as the source.

Under Advanced Settings, enable Erasure Coding and Compression to reduce the storage footprint of the data. You can also disable Replication Factor since data resilience is provided at the application level. These settings will help you achieve low cost per GB for the container.

Click Save to create the container.

Go to Storage > Datastores and click on Create Datastore.

Enter a name for the new datastore, such as Distributed_App_Datastore, and select NFS as the datastore type. Select the container that you just created, Distributed_App_Container, as the source.

Click Save to create the datastore.

The datastore will be automatically mounted on all nodes in the cluster. You can verify this by going to Storage > Datastores and clicking on Distributed_App_Datastore. You should see all nodes listed under Hosts.

You can now create or migrate your worker VMs to this datastore and run them on any node in the cluster. The datastore will provide low cost per GB and high performance for your distributed application.

NEW QUESTION # 17

.....

Test NCM-MCI Engine: <https://www.prepawaypdf.com/Nutanix/NCM-MCI-practice-exam-dumps.html>

- Nutanix NCM-MCI Practice Test: Tips and Tricks from www.pdf dumps.com Open website www.pdf dumps.com and search for « NCM-MCI » for free download NCM-MCI Test Dumps Demo
- 100% Pass Quiz Nutanix NCM-MCI Marvelous Exam Cost www.pdfvce.com is best website to obtain NCM-MCI for free download Mock NCM-MCI Exam
- NCM-MCI New APP Simulations NCM-MCI Sample Exam Exam NCM-MCI Fees Search for ☀ NCM-MCI ☀ and easily obtain a free download on 「 www.dumpsquestion.com 」 Test NCM-MCI Guide
- Test NCM-MCI Pass4sure Latest NCM-MCI Exam Vce NCM-MCI Valid Exam Braindumps Open ☀ www.pdfvce.com ☀ enter ☀ NCM-MCI ☀ and obtain a free download NCM-MCI Reliable Exam Tutorial
- Dumps NCM-MCI Questions Valid NCM-MCI Test Pattern Dumps NCM-MCI Questions Search on ⇒

