


# **C-ADBTP-2601 Exam Preparation & C-ADBTP-2601 Exam Questions & C-ADBTP-2601 Online Test**



With rigorous analysis and summary of C-ADBTP-2601 exam, we have made the learning content easy to grasp and simplified some parts that beyond candidates' understanding. In addition, we add diagrams and examples to display an explanation in order to make the interface more intuitive. Our C-ADBTP-2601 Exam Questions will ease your pressure of learning, using less Q&A to convey more important information, thus giving you the top-notch using experience. With our C-ADBTP-2601 practice engine, you will have the most relaxed learning period with the best pass percentage.

You deserve this opportunity to win and try to make some difference in your life if you want to attend the C-ADBTP-2601 exam and get the certification by the help of our C-ADBTP-2601 practice braindumps. As we all know, all companies will pay more attention on the staffs who have more certifications which is a symbol of better understanding and efficiency on the job. Our C-ADBTP-2601 Study Materials have the high pass rate as 98% to 100%, hope you can use it fully and pass the exam smoothly.

**>> Brain C-ADBTP-2601 Exam <<**

## **SAP - C-ADBTP-2601 - Latest Brain Administrating SAP Business Technology Platform(C\_ADBTP\_2601) Exam**

Actually our C-ADBTP-2601 study materials cover all those traits and they are your prerequisites for successful future. Providing various and efficient C-ADBTP-2601 exam preparation with reasonable prices and discounts, satisfy your need with considerate after-sales services and we give back all your refund entirely once you fail the C-ADBTP-2601 test unluckily. All those features roll into one. They can greatly solve your problem-solving abilities.

# SAP Administrating SAP Business Technology Platform(C\_ADBTP\_2601) Sample Questions (Q10-Q15):

## NEW QUESTION # 10

### SIMULATION

Create a Service Instance in Cloud Foundry

Enable a service instance of the HTML5 Application Repository Service for Cloud Foundry.

Create a Service Instance in a Cloud Foundry Environment

In your SAP BTP cockpit, in the EU HCM Dev subaccount, create the service instance html5-eu-hcm-dev for the HTML5 Application Repository Service with the service plan app-host in the Cloud Foundry space activity-recording

### Answer:

Explanation:

See the Explanation below for complete solution.

Explanation:

Before you start

Log in to SAP BTP Cockpit.

Open the correct Global Account.

Go to Directories.

Open Human Resources.

Open the EU HCM Dev subaccount.

This matters because the task must be completed in EU HCM Dev, and the service instance must be created in the specific Cloud Foundry space activity-recording. SAP Help also confirms that the HTML5 Application Repository is used in the Cloud Foundry environment and that the app-host plan is the host service used to store HTML5 application content.

Step 1 - Open the Cloud Foundry space

In EU HCM Dev, go to:

Cloud Foundry

Spaces

Select the space:

activity-recording

SAP Help describes creating Cloud Foundry service instances by first navigating to the subaccount, opening Cloud Foundry Spaces, selecting the target space, and then using that space's Services > Service Instances area.

Step 2 - Open Service Instances in the space

Inside the activity-recording space, go to:

Services

Service Instances

This is the Cloud Foundry-space-level location used for creating service instances in that space.

Step 3 - Start creating the new instance

Click Create.

A wizard opens for the new service instance. SAP Help describes this as the standard cockpit flow for creating service instances in Cloud Foundry spaces.

Step 4 - Choose the required service

In the service selection, choose:

HTML5 Application Repository Service

SAP Help documents the HTML5 Application Repository as the service used for centrally storing HTML5 applications' static content on SAP BTP in the Cloud Foundry environment.

Step 5 - Choose the required service plan

Select the service plan:

app-host

SAP Help states that the app-host service plan is used to deploy applications to the HTML5 Application Repository.

Step 6 - Enter the instance name

Set the service instance name to:

html5-eu-hcm-dev

Then continue and confirm creation.

SAP Help recommends using a CLI-friendly name for service instances, and the task gives the exact required name.

Step 7 - Verify the space is correct

Before final confirmation, verify the target Cloud Foundry space is:

activity-recording

This is important because Cloud Foundry service instances are created within a specific space, not only at the subaccount level.

Step 8 - Create and confirm

Click Create or Finish.

Wait for the status to change from in-progress to created.

SAP Help notes that after creation, the instance appears in the service instances table and its status can be checked there.

Final expected result

Inside EU HCM Dev, in Cloud Foundry space activity-recording, you should have a service instance with:

Service: HTML5 Application Repository Service

Plan: app-host

Instance Name: html5-eu-hcm-dev

Common mistakes to avoid

Creating the instance in the wrong subaccount; it must be EU HCM Dev.

Creating it in the wrong Cloud Foundry space; it must be activity-recording.

Choosing the wrong service; use HTML5 Application Repository Service.

Choosing the wrong plan; use app-host. SAP Help specifically links app-host with hosting deployed HTML5 app content.

Typing the wrong instance name; use exactly html5-eu-hcm-dev.

## NEW QUESTION # 11

### SIMULATION

Task 3: Create Subaccounts with Default Provider and Region

In the Human Resources directory, create the subaccount EU HCM Dev (Description: Human Resources Development) with subdomain btpops#####-eu-hcm-dev in the region Amazon Web Services (AWS) → Europe (Frankfurt) cf-eu10.2.

In the Human Resources directory, create the subaccount EU HCM Test (Description: Human Resources Testing) with subdomain btpops#####-eu-hcm-test using EU HCM Dev as source subaccount.3.

In the Human Resources directory, create the subaccount EU HCM Prod (Description: Human Resources Production) with subdomain btpops#####-eu-hcm-prod using EU HCM Dev as source subaccount. Set the subaccount as used in production.

### Answer:

Explanation:

See the Explanation below for complete solution.

Explanation:

You must create these 3 subaccounts inside the Human Resources directory:

EU HCM Dev

EU HCM Test

EU HCM Prod

Important:

Replace ##### with your global account number

Enter names, descriptions, and subdomains exactly

EU HCM Prod must be marked as used in production

Task 3 - Create Subaccounts with Default Provider and Region

Before You Start

Log in to the SAP BTP Cockpit.

Open the correct Global Account.

Go to Directories.

Open the Human Resources directory.

Why this matters:

All 3 subaccounts in this task must be created inside Human Resources. If you create them anywhere else, the result will be incorrect.

Step 1 - Open the Human Resources Directory

What to do

In the left menu, choose Directories.

In the list, select Human Resources.

Explanation:

This is the parent directory where the required HR subaccounts must be created.

What to verify

You should now be inside the Human Resources directory.

Step 2 - Start Creating EU HCM Dev

What to do

Inside Human Resources, open Subaccounts.

Click Create → Subaccount.

Explanation:

This opens the form to create the first HR subaccount.

Step 3 - Enter Values for EU HCM Dev

What to do

Enter the following:

Display Name / Name: EU HCM Dev

Description: Human Resources Development

Subdomain: btpops#####-eu-hcm-dev

Set the region as:

Cloud Provider: Amazon Web Services (AWS)

Region: Europe (Frankfurt)

Technical Region / Environment: cf-eu10

Then click Create.

Explanation:

This creates the development subaccount for HR and defines the required provider and region.

This first subaccount is important because it will be used as the source subaccount for the next two subaccounts.

What to verify

After creation, you should see:

EU HCM Dev

under the Human Resources directory.

Step 4 - Confirm EU HCM Dev Exists

What to do

Check the subaccounts list in Human Resources.

Explanation:

You must make sure EU HCM Dev is available before you create the next subaccounts, because both EU HCM Test and EU HCM Prod must use it as the source subaccount.

What to verify

You should see:

EU HCM Dev

If it is missing, create it correctly before moving on.

Step 5 - Start Creating EU HCM Test

What to do

Still in the Human Resources directory, click Create → Subaccount again.

Explanation:

This opens the form for the test subaccount.

Step 6 - Enter Values for EU HCM Test

What to do

Enter:

Display Name / Name: EU HCM Test

Description: Human Resources Testing

Subdomain: btpops#####-eu-hcm-test

Then select:

Source Subaccount: EU HCM Dev

Then click Create.

Explanation:

This creates the testing subaccount by using EU HCM Dev as the source subaccount.

This helps keep the configuration aligned with the development subaccount.

What to verify

After creation, you should see:

EU HCM Test

under Human Resources.

Step 7 - Start Creating EU HCM Prod

What to do

In Human Resources, click Create → Subaccount once more.

Explanation:

This opens the form for the production subaccount.

Step 8 - Enter Values for EU HCM Prod

What to do

Enter:

Display Name / Name: EU HCM Prod  
Description: Human Resources Production  
Subdomain: btpops#####-eu-hcm-prod  
Then select:

Source Subaccount: EU HCM Dev  
Enable:

Used in Production: Yes  
Then click Create.

Explanation:

This creates the production HR subaccount based on EU HCM Dev and marks it as a production system.  
The production setting is mandatory here.

What to verify

After creation, you should see:

EU HCM Prod  
under Human Resources, and it should be marked as used in production.

Final Expected Result for Task 3

Inside the Human Resources directory, you must have these 3 subaccounts:

1. EU HCM Dev

Description: Human Resources Development

Subdomain: btpops#####-eu-hcm-dev

Region: Amazon Web Services (AWS) → Europe (Frankfurt) cf-eu10

2. EU HCM Test

Description: Human Resources Testing

Subdomain: btpops#####-eu-hcm-test

Source Subaccount: EU HCM Dev

3. EU HCM Prod

Description: Human Resources Production

Subdomain: btpops#####-eu-hcm-prod

Source Subaccount: EU HCM Dev

Used in Production: Yes

Common Mistakes to Avoid

1. Creating the subaccounts in the wrong directory

All 3 must be created inside:

Human Resources

Not under:

Global Account

Americas

Eurasia

Partner

2. Wrong subdomain values

Use exactly:

btpops#####-eu-hcm-dev

btpops#####-eu-hcm-test

btpops#####-eu-hcm-prod

Only replace ##### with your global account number.

3. Wrong region for EU HCM Dev

It must be:

Amazon Web Services (AWS)

Europe (Frankfurt)

cf-eu10

4. Wrong source subaccount

For both:

EU HCM Test

EU HCM Prod

you must select:

EU HCM Dev

5. Forgetting the production flag

For EU HCM Prod, make sure:

Used in Production is enabled

## NEW QUESTION # 12

### SIMULATION

#### Enable Service Subscriptions

In the entitlements of a directory, add a service plan for a service subscription. Assign and create this subscription to/in a subaccount of the directory.

#### Task 1: Entitle a Service in a Directory

In your SAP BTP cockpit, enable entitlement management for your Partner directory.

In your Partner directory, entitle the standard (Application) service plan for the SAP Build Work Zone, standard edition.

#### Answer:

##### Explanation:

See the Explanation below for complete solution.

##### Explanation:

##### Before You Start

Log in to the SAP BTP Cockpit.

Open the correct Global Account.

Go to Directories.

Open the Partner directory.

##### Why this matters:

Both actions in this task must be done at the Partner directory level, not directly in a subaccount.

##### Step 1 - Open the Partner Directory

##### What to do

In the left navigation, click Directories.

Select Partner.

##### Explanation:

This opens the directory where you must manage entitlements for this task.

##### What to verify

You should now be inside the Partner directory page.

##### Step 2 - Open Entitlements

##### What to do

Inside the Partner directory, go to Entitlements.

##### Explanation:

This is the area where you manage quota and service plan assignments for the directory and its subaccounts.

##### What to verify

You should see the entitlements page for Partner.

##### Step 3 - Enable Entitlement Management for the Partner Directory

##### What to do

In the Entitlements area, look for the option to Enable Entitlement Management.

Click Enable.

##### Explanation:

A directory must have entitlement management enabled before you can add and manage service plans there.

##### What to verify

After enabling, the Partner directory should allow entitlement assignment and management.

##### Step 4 - Start Adding a Service Plan

##### What to do

In the Entitlements page of the Partner directory, click Configure Entitlements or Add Service Plans.

##### Explanation:

This opens the service catalog where you can select the service and plan to add.

##### What to verify

You should see the list of available services and plans.

##### Step 5 - Find the Required Service

##### What to do

Search for or scroll to:

SAP Build Work Zone, standard edition

Select that service.

##### Explanation:

You must choose the exact service named in the task. Be careful not to select a different SAP Build service by mistake.

##### What to verify

The selected service should be:

SAP Build Work Zone, standard edition

Step 6 - Select the Correct Service Plan

What to do

Under the selected service, choose the service plan:

standard (Application)

Add the plan to the entitlement configuration.

Explanation:

This task requires the standard (Application) service plan specifically.

Do not choose another plan if more than one is listed.

What to verify

The selected plan should read exactly:

standard (Application)

Step 7 - Save the Entitlement Changes

What to do

Click Add, Save, or Confirm depending on the screen.

Then click Save for the entitlement configuration.

Explanation:

This commits the new service plan entitlement to the Partner directory.

What to verify

After saving, the entitlements list for Partner should include:

SAP Build Work Zone, standard edition

plan: standard (Application)

Final Expected Result for Task 1

Inside the Partner directory:

Entitlement management is enabled

The service SAP Build Work Zone, standard edition is entitled

The plan standard (Application) is added

Common Mistakes to Avoid

1. Working in the wrong level

Do this in:

Partner directory

Not in:

Global Account

Subaccount

Another directory

2. Forgetting to enable entitlement management first

If entitlement management is not enabled for the directory, you may not be able to add the service plan properly.

3. Choosing the wrong service

Be sure you select:

SAP Build Work Zone, standard edition

Not another SAP Build service.

4. Choosing the wrong plan

You must select:

standard (Application)

## NEW QUESTION # 13

### SIMULATION

Enable a Cloud Foundry Environment

Task 2: Enable and Configure a Cloud Foundry Environment

In your SAP BTP cockpit, in the EU HCM Dev subaccount, enable the Cloud Foundry environment in the cf-eu10-004 landscape.

Set the instance name to cf-eu-hcm-dev and the org name to btpops#####-eu-hcm-dev.

In the EU HCM Dev subaccount, create a space with the name activity-recording.

In the EU HCM Dev subaccount, create a space quota with the name half-org-quot a. Halve the available org quota for memory, routes, service, and instance memory for an unlimited number of app instances. Assign the space quota to activity-recording.

### Answer:

Explanation:

See the Explanation below for complete solution.

Explanation:

Before you start

Log in to SAP BTP Cockpit.

Open the correct Global Account.

Go to Directories.

Open Human Resources.

Open the EU HCM Dev subaccount.

This matters because the task must be completed specifically in EU HCM Dev. SAP documents that Cloud Foundry is enabled at subaccount level, and the system creates a Cloud Foundry org linked to that subaccount.

Part 1 - Enable the Cloud Foundry environment

Step 1 - Open the subaccount overview

In EU HCM Dev, go to Overview.

Explanation:

SAP Help describes the cockpit flow for enabling Cloud Foundry from the subaccount Overview page.

What to verify

You should see a Cloud Foundry section on the overview page.

Step 2 - Start enabling Cloud Foundry

In the Cloud Foundry section, click Enable Cloud Foundry.

Explanation:

This starts creation of the Cloud Foundry organization for the subaccount. SAP notes that when you enable Cloud Foundry in a subaccount, the system automatically creates a Cloud Foundry org for it.

Step 3 - Enter the required Cloud Foundry values

In the enablement dialog, enter:

Landscape: cf-eu10-004

Instance Name: cf-eu-hcm-dev

Org Name: btpops#####-eu-hcm-dev

Then confirm by clicking Create or Enable.

Explanation:

The task gives you the exact landscape and naming values to use. SAP documentation shows that enabling Cloud Foundry in the cockpit requires naming the Cloud Foundry instance and org.

What to verify

After the process completes, the subaccount should show Cloud Foundry as enabled, with the org created for EU HCM Dev.

□ Part 2 - Create the space

Step 4 - Open Spaces

In EU HCM Dev, after Cloud Foundry is enabled, open:

Cloud Foundry

Spaces

Explanation:

SAP Help shows that spaces are created from the Spaces area after Cloud Foundry is enabled in the subaccount.

□ Step 5 - Create the space

Click Create Space.

Enter:

Space Name: activity-recording

Confirm by clicking Create.

□ Explanation:

This creates the required Cloud Foundry space inside the org for EU HCM Dev. SAP's cockpit documentation and setup guides show this as the standard next step after enabling the environment.

What to verify

You should now see:

activity-recording

in the list of Cloud Foundry spaces.

Part 3 - Create the space quota

Step 6 - Open Cloud Foundry Space Quotas

In EU HCM Dev, open:

Cloud Foundry

Space Quotas

Explanation:

SAP Help states that, in the Cloud Foundry environment, the quotas allocated to a subaccount can be further distributed by creating space quota plans, and these are managed from the Cloud Foundry Space Quotas area.

Step 7 - Create a new space quota

Click Create Space Quota or New Space Quota.

Enter the quota name:

half-org-quota

Explanation:

This creates a quota plan that you will assign to the required space. SAP Help describes creating space quota plans in the subaccount and then assigning them to spaces.

Step 8 - Set quota values to half of the org quota

In the quota form, set the values to half of the available org quota for:

Memory

Routes

Services

Instance Memory

For App Instances, set:

Unlimited

Then save the quota.

Explanation:

The simulation asks you to halve the available org quota for those four dimensions. SAP Help confirms that space quotas are used to limit resource consumption inside the org by defining values such as memory, routes, and service instances, and that these plans can then be assigned to spaces.

How to calculate "half"

Use the current org quota values shown in the Cloud Foundry quota screens and divide each by 2 before entering it.

Examples:

If org memory = 2 GB, enter 1 GB

If routes = 20, enter 10

If services = 200, enter 100

If instance memory = 2 GB, enter 1 GB

What to verify

The new quota plan should exist as:

half-org-quota

with the reduced values saved.

Part 4 - Assign the quota to the space

Step 9 - Assign the quota to activity-recording

Open the newly created quota:

half-org-quota

Choose Assign Spaces or Assign to Spaces

Select:

activity-recording

Save the assignment

Explanation:

SAP Help states that after creating a space quota, you assign it to one or more spaces from the space quota management flow.

What to verify

The quota half-org-quota should now be assigned to:

activity-recording

Final expected result

Inside EU HCM Dev:

Cloud Foundry is enabled

landscape is cf-eu10-004

instance name is cf-eu-hcm-dev

org name is btpops#####-eu-hcm-dev

space activity-recording exists

space quota half-org-quota exists

memory, routes, services, and instance memory are each set to half of the available org quota app instances are unlimited quota half-org-quota is assigned to activity-recording Common mistakes to avoid Enabling Cloud Foundry in the wrong subaccount; it must be EU HCM Dev.

Using the wrong landscape; the task explicitly requires cf-eu10-004.

Typing the wrong org name; use exactly btpops#####-eu-hcm-dev.

Forgetting to create the space before assigning the quota.

Entering full org quota instead of half.

Limiting app instances to a number instead of leaving them unlimited.

Creating the quota but not assigning it to activity-recording.

## NEW QUESTION # 14

.....

While all of us enjoy the great convenience offered by C-ADBTP-2601 information and cyber networks, we also found ourselves more vulnerable in terms of security because of the inter-connected nature of information and cyber networks and multiple sources of potential risks and threats existing in C-ADBTP-2601 information and cyber space. Taking this into consideration, our company can provide the best electronic C-ADBTP-2601 Exam Torrent for you in this website. I strongly believe that under the guidance of our C-ADBTP-2601 test torrent, you will be able to keep out of troubles way and take everything in your stride.

**C-ADBTP-2601 Dump File:** [https://www.testsdumps.com/C-ADBTP-2601\\_real-exam-dumps.html](https://www.testsdumps.com/C-ADBTP-2601_real-exam-dumps.html)









While if you choose valid C-ADBTP-2601 practice questions, you should not only pay attention on C-ADBTP-2601 exam preparation quality but also service term such as pass guaranteed & money back guaranteed, You believe if they can do C-ADBTP-2601 practice exam online several time they will pass exams easily, Presiding over the line of our C-ADBTP-2601 practice materials over ten years, our experts are proficient as elites who made our C-ADBTP-2601 learning questions, and it is their job to officiate the routines of offering help for you.

Opening Additional Templates to Run Macros, The `CFindReplaceDialog` Brain C-ADBTP-2601 Exam class encapsulates the standard find/replace dialog used in many Windows applications, While if you choose Valid C-ADBTP-2601 Practice Questions, you should not only pay attention on C-ADBTP-2601 exam preparation quality but also service term such as pass guaranteed & money back guaranteed.

## Latest C-ADBTP-2601 Exam Materials: Administrating SAP Business Technology Platform(C\_ADBTP\_2601) give you the most helpful Training Dumps

You believe if they can do C-ADBTP-2601 practice exam online several time they will pass exams easily, Presiding over the line of our C-ADBTP-2601 practice materials over ten years, our experts are proficient as elites who made our C-ADBTP-2601 learning questions, and it is their job to officiate the routines of offering help for you.

In case your answer is high great then we guarantee C-ADBTP-2601 you that you are on the right region, You will not be bothered by such trifles.

- [www.examcollectionpass.com](http://www.examcollectionpass.com) SAP C-ADBTP-2601 Desktop-based Practice Test Software  Open   
[www.examcollectionpass.com](http://www.examcollectionpass.com)    enter  C-ADBTP-2601    and obtain a free download  Latest Test C-ADBTP-2601 Simulations
- Quiz 2026 The Best SAP Brain C-ADBTP-2601 Exam  Copy URL ▶ [www.pdfvce.com](http://www.pdfvce.com) ◀ open and search for ▷ C-ADBTP-2601 ◁ to download for free  C-ADBTP-2601 Latest Test Format
- C-ADBTP-2601 Premium Files  C-ADBTP-2601 Testking  C-ADBTP-2601 PdfDumps  Search for { C-ADBTP-2601 } and download it for free on 《 [www.pdfdumps.com](http://www.pdfdumps.com) 》 website  C-ADBTP-2601 Premium Files
- C-ADBTP-2601 Premium Files  C-ADBTP-2601 Dump Check  C-ADBTP-2601 Testking  Go to website ( [www.pdfvce.com](http://www.pdfvce.com) ) open and search for ⇒ C-ADBTP-2601 ⇐ to download for free ⇔ C-ADBTP-2601 Premium Files
- Free PDF C-ADBTP-2601 - Administrating SAP Business Technology Platform(C\_ADBTP\_2601) Accurate Brain Exam  Download [ C-ADBTP-2601 ] for free by simply entering 「 [www.validtorrent.com](http://www.validtorrent.com) 」 website  C-ADBTP-2601 Latest Exam Fee
- Newest Brain C-ADBTP-2601 Exam - Leader in Certification Exams Materials - Correct C-ADBTP-2601 Dump File  Search for  C-ADBTP-2601  and download it for free on ► [www.pdfvce.com](http://www.pdfvce.com)  website  Test C-ADBTP-2601 Cram
- C-ADBTP-2601 Latest Practice Questions  C-ADBTP-2601 Dumps Free  C-ADBTP-2601 Training Kit  Open 【 [www.vce4dumps.com](http://www.vce4dumps.com) 】 and search for ➡ C-ADBTP-2601   to download exam materials for free  C-ADBTP-2601 Latest Test Format
- C-ADBTP-2601 Dumps Free  C-ADBTP-2601 Testking  C-ADBTP-2601 PDF Download  Immediately open  [www.pdfvce.com](http://www.pdfvce.com)  and search for { C-ADBTP-2601 } to obtain a free download  C-ADBTP-2601 Dump Check
- [www.testkingpass.com](http://www.testkingpass.com) SAP C-ADBTP-2601 Desktop-based Practice Test Software  Open   
[www.testkingpass.com](http://www.testkingpass.com)    enter  C-ADBTP-2601    and obtain a free download  C-ADBTP-2601 Free Study Material
- C-ADBTP-2601 PDF Download  C-ADBTP-2601 PDF Download  C-ADBTP-2601 Latest Test Format  Search for “ C-ADBTP-2601 ” and download it for free on ➡ [www.pdfvce.com](http://www.pdfvce.com)  website  New C-ADBTP-2601

