


NCM-MCI-6.10試験解説 & NCM-MCI-6.10合格受験記



2026年Xhs1991の最新NCM-MCI-6.10 PDFダンプおよびNCM-MCI-6.10試験エンジンの無料共有: https://drive.google.com/open?id=1BSV6mkXA7vsFTHb_PyML9uztG_ukehcx

NCM-MCI-6.10の無料デモでは、世界で発生している最新のポイントを追跡できるように、Nutanix1年間で無料で更新できます。NCM-MCI-6.10試験トレントの試験の質問は多かれ少なかれ白熱した問題に関係しており、Xhs1991試験の準備をするお客様は終日試験のトレースを保持するのに十分な時間がない必要があるため、当社のNCM-MCI-6.10模擬試験は役立ちますあなたがあなたが無視したホットポイントを補うための助けになるツールとして。したがって、Nutanix Certified Master - Multicloud Infrastructure (NCM-MCI)試験に合格する自信が増し、確実にNCM-MCI-6.10試験に合格する率が上がります。

Xhs1991のNCM-MCI-6.10参考書は間違いなくあなたが一番信頼できるNCM-MCI-6.10試験に関連する資料です。まだそれを信じていないなら、すぐに自分で体験してください。そうすると、きっと私の言葉を信じるようになります。Xhs1991のサイトをクリックして問題集のデモをダウンロードすることができますから、ご利用ください。PDF版でもソフト版でも提供されていますから、先ず体験して下さい。問題集の品質を自分自身で確かめましょう。

>> NCM-MCI-6.10試験解説 <<

Nutanix NCM-MCI-6.10合格受験記、NCM-MCI-6.10試験

大方の人は成功への近道がないとよく言われますけど、IT人材にとって、私達のNCM-MCI-6.10問題集はあなたの成功へショートカットです。Xhs1991のNCM-MCI-6.10問題集を通して、他の人が手に入れない資格認証を簡単に受け取ります。早めによりよい仕事を探しできて、長閑な万元以上の月給がある生活を楽しみます。

Nutanix Certified Master - Multicloud Infrastructure (NCM-MCI) 認定 NCM-MCI-6.10 試験問題 (Q14-Q19):

質問 # 14

An administrator is experiencing an unidentified issue which is causing inode exhaustion on CVMs in Cluster

1. The time between receiving alerts and exhaustion is too short; the administrator needs to lower the alert thresholds to allow more time to clean up inodes until the issue has been identified and resolution implemented.

From Prism Element, modify the appropriate alert policy setting critical threshold for Cluster 1 to 60% and warning threshold to 45%. Ensure the check runs every minute and is not resolved without administrator action.

正解:

解説:

See the Explanation below for detailed answer.

Explanation:

Here is the step-by-step solution to modify the alert policy from the Prism Element (PE) interface for Cluster 1.

1. Access Cluster 1 Prism Element

* From the main Prism Central dashboard, navigate to Hardware > Clusters.

* Find Cluster 1 in the list and click its name. This will open the specific Prism Element login page for that cluster.

- * Log in to Cluster 1's Prism Element interface.
- 2. Modify the Alert Policy
- * In the Cluster 1 PE interface, click the gear icon (Settings) in the top-right corner.
- * From the left-hand menu, select Alert Policies.
- * In the search bar, type inode to find the correct policy.
- * Select the checkbox for the policy named cvm_inode_usage_high.
- * Click the Update button.
- * In the "Update Alert Policy" dialog, configure the following settings:
 - * Warning Threshold (%): Change the value to 45.
 - * Critical Threshold (%): Change the value to 60.
 - * Check Interval (Secs): Change the value to 60 (to run the check every minute).
 - * Auto Resolve: Uncheck this box (to ensure the alert is not resolved without administrator action).
- * Click Save.

質問 # 15

Task 13

An administrator found a CentOS VM, Cent_Down, on the cluster with a corrupted network stack. To correct the issue, the VM will need to be restored from a previous snapshot to become reachable on the network again.

VM credentials:

Username: root

Password: nutanix/4u

Restore the VM and ensure it is reachable on the network by pinging 172.31.0.1 from the VM.

Power off the VM before proceeding.

正解:

解説:

See the Explanation for step by step solution.

Explanation:

To restore the VM and ensure it is reachable on the network, you can follow these steps:

Log in to the Web Console of the cluster where the VM is running.

Click on Virtual Machines on the left menu and find Cent_Down from the list. Click on the power icon to power off the VM.

Click on the snapshot icon next to the power icon to open the Snapshot Management window.

Select a snapshot from the list that was taken before the network stack was corrupted. You can use the date and time information to choose a suitable snapshot.

Click on Restore VM and confirm the action in the dialog box. Wait for the restore process to complete.

Click on the power icon again to power on the VM.

Log in to the VM using SSH or console with the username and password provided.

Run the command ping 172.31.0.1 to verify that the VM is reachable on the network. You should see a reply from the destination IP address.

Go to VMS from the prism central gui

Select the VM and go to More -> Guest Shutdown

Go to Snapshots tab and revert to latest snapshot available

power on vm and verify if ping is working

質問 # 16

The DB team is requesting an SQL database instance and has requested it be configured for best performance.

This VM has been migrated from a 3 tier solution into Nutanix.

The database VM hosts 4 databases, each set to a 20 GB limit. Logs are expected to not grow beyond 20 GB and should be limited to within 25% to avoid runaway processes. Do not configure more storage than is needed.

The VM that has been migrated is identified as sql3532. Once the VM has been properly reconfigured, the DBA team will reconfigure the OS and database.

The VM should be configured as per KB-3532.

While this VM is being tested, make sure it is the first VM to power up in the event the node it is on goes down.

To maximize performance, ensure as much of the VM as possible will be kept on SSD drives.

Note: The VM does not need to be powered on. The VM should remain on the default container and should not be configured with a volume group. No network is required at this time.

正解:

解説:

See the Explanation below for detailed answer.

Explanation:

Here is the step-by-step solution to reconfigure the sql3532 virtual machine.

This task is performed from the Prism Element interface for the cluster the VM is on (e.g., Cluster 1).

1. Locate and Update the VM

- * From the Prism Element main dashboard, navigate to the VM view.
- * Find the VM named sql3532 in the VM table.
- * Select the checkbox next to sql3532 and click the Update button.

2. Configure HA Priority and Flash Mode

In the "Update VM" dialog, configure the HA and SSD performance settings:

* HA Priority:

- * Find the VM High Availability section.
- * Select the High Priority radio button. This ensures it is one of the first VMs to power on during an HA event.

* Flash Mode (SSD Performance):

- * Scroll down to the Flash Mode section.
- * Check the box to Enable Flash Mode. This pins the VM's vDisks to the SSD tier, satisfying the requirement to keep as much of the VM as possible on SSDs, especially since it's on the default (hybrid) container.

3. Reconfigure Disks (per KB-3532)

While still in the "Update VM" dialog, scroll to the Disks section to add the new data and log disks. The key to "best performance" (KB-3532) is to place Data and Logs on separate vSCSI controllers.

* (The VM already has an OS disk, which we will assume is on scsi.0.)

* Add Data Disk:

- * Click the + Add New Disk button.
- * Storage Container: default (as required).
- * Size: 80 GB (for the 4 x 20 GB databases).
- * Bus Type: SCSI.
- * Device Index: 1. (This creates a new vSCSI controller, scsi.1, for the data disk).

* Click Add.

* Add Log Disk:

- * Click the + Add New Disk button.
- * Storage Container: default (as required).
- * Size: 20 GB.
- * Bus Type: SCSI.
- * Device Index: 2. (This creates a third vSCSI controller, scsi.2, for the log disk).

* Click Add.

4. Save Configuration

- * After adding the disks and setting HA/Flash Mode, click the main Save button at the bottom of the "Update VM" dialog.

The VM is now configured with high availability, its storage is pinned to SSD, and its disk layout follows performance best practices by separating the OS, Data, and Log I/O paths onto three different controllers.

質問 # 17

The security team has provided some new security requirements for cluster level security on Cluster 2.

Security requirements:

- * Update the password for the root user on the Cluster 2 node to match the admin user password.
- Note: The 192.168.x.x network is not available. To access a node use the host IP (172.30.0.x) from the CVM.
- * Output the cluster-wide configuration of the SCMA policy to desktop\output.txt before changes are made.
 - * Enable the Advanced Intrusion Detection Environment (AIDE) to run on a weekly basis for the hypervisor and cvms for Cluster 2.
 - * Enable high-strength password policies for the hypervisor and cluster.
 - * Ensure CVMs require SSH keys for login instead of passwords. (SSH keys are located in the desktop\Files\SSH folder.) Ensure the cluster meets these requirements. Do not reboot any cluster components.

Note: Please ensure you are modifying the correct components.

正解:

解説:

See the Explanation below for detailed answer.

Explanation:

Here is the step-by-step solution to apply the security requirements to Cluster 2.

1. Access Cluster 2 Prism Element

First, we must access the Prism Element (PE) interface for Cluster 2, as most security settings are cluster-specific.

- * From the Prism Central dashboard, navigate to Hardware > Clusters.
- * Find Cluster 2 in the list and click its name. This will open the Prism Element login page for that specific cluster in a new tab.
- * Log in to Cluster 2's Prism Element using the admin credentials.

2. Requirement: Update Node Root Password

This task syncs the root password for all AHV hypervisor nodes with the cluster's admin user password.

- * In the Cluster 2 PE interface, click the gear icon (Settings) in the top right corner.
- * Select Cluster Lockdown from the left-hand menu.
- * Click the Set Root Password on All Hosts button.
- * A dialog box will appear. Enter the current admin password (the one you just used to log in) into both the New Password and Confirm New Password fields.
- * Click Save. This will propagate the admin password to the root user on all nodes in Cluster 2.

3. Requirement: Add CVM SSH Key

This task adds the security team's public key to the admin user, which is required before we can disable password-based login.

- * On the desktop, navigate to the Files > SSH folder.
- * Open the id_rsa.pub file (or equivalent public key file) with Notepad.
- * Copy the entire string of text (e.g., ssh-rsa AAAA...).
- * In the Cluster 2 PE interface, go to Settings (gear icon) > User Management.
- * Select the admin user and click Modify User.
- * Paste the copied public key into the Public Keys text box.
- * Click Save.

4. Requirement: Apply SCMA Policies (All other requirements)

The remaining requirements are all applied via the command line on a CVM using Nutanix's Security Configuration Management Automation (SCMA).

- * Access the CVM:
- * Find a CVM IP for Cluster 2 by going to Hardware > CVMs in the PE interface.
- * Open an SSH client (like PuTTY) and connect to that CVM's IP address.
- * Log in with the username admin and the corresponding password.
- * Output Current Policy (Req 2):
- * Before making changes, run the following command to see the current policy:

```
ncli scma status
```

- * Copy the entire output from your SSH terminal.
- * Open Notepad on the desktop, paste the copied text, and Save the file to the desktop as output.txt.

- * Apply New Policies (Req 3, 4, 5):

- * Run the following commands one by one. The cluster will apply them immediately without a reboot.

- * Enable AIDE (Req 3):

```
ncli scma update aide-status=enabled aide-schedule=weekly
```

- * Enable High-Strength Passwords (Req 4):

```
ncli scma update password-policy=high
```

- * Require SSH Keys for CVMs (Req 5):

```
ncli scma update ssh-login=keys-only
```

Verification

You can verify all changes by running the status command again. The output should now reflect the new, hardened security posture.

```
ncli scma status
```

- * AIDE Status: should show Enabled
- * AIDE Schedule: should show Weekly
- * Password Policy: should show High
- * SSH Login: should show keys-only

質問 # 18

The Infosec team has requested that all operational tasks performed within Cluster 1 be properly logged to include the top 4 severity levels and pushed to their syslog system using highest reliability possible for analysis. This is to include any Virtual Machine changes only.

The Infosec team has also requested that monitor logs for the given RSyslog Server Module be included for now. No extra logs should be included.

No other clusters should connect to this syslog server.

Syslog configuration:

- * Syslog Name: Corp_Syslog
- * Syslog IP: 34.142.155.231
- * Port: TCP/514

Ensure only Cluster 1 is configured to meet these requirements.

正解:

解説:

See the Explanation below for detailed answer.

Explanation:

Here is the step-by-step solution to configure syslog for Cluster 1.

1. Access Cluster 1 Prism Element

Since the requirement is to only configure Cluster 1 and not other clusters, this task must be performed in the Prism Element (PE) interface for Cluster 1.

- * From the main Prism Central dashboard, navigate to Hardware > Clusters.
- * Find Cluster 1 in the list and click its name. This will open the specific Prism Element login page for that cluster.
- * Log in to Cluster 1's Prism Element interface.

2. Add the Syslog Server

- * In the Cluster 1 PE interface, click the gear icon (Settings) in the top-right corner.
- * From the left-hand menu, select Syslog.
- * In the "Remote Syslog Server" section, click the + Add Syslog Server button.
- * Fill in the server details as required:
 - * Name: Corp_Syslog
 - * IP Address: 34.142.155.231
 - * Port: 514
 - * Protocol: TCP (This provides the highest reliability, as requested).
- * Click Save.

3. Configure Log Modules and Severities

Now, we must specify which logs to send to the new server.

- * On the same Syslog settings page, find the "Syslog Configuration" section and click the Configure button (or Modify if a default is present).
- * A dialog box "Select Modules and Levels" will appear.
- * Uncheck all modules to ensure no extra logs are sent.
- * Check the box for the RSyslog Server Module (or rsyslog_forwarder).
- * For this module, check the boxes for the severities: Critical, Warning, and Info.
- * Check the box for the ApiServer module.
- * This module logs all operational tasks and audit trails, which includes all Virtual Machine changes.
- * For this module, check the boxes for the top severity levels: Critical, Warning, and Info.
- * Ensure no other modules (like Stargate, Cerebro, Zookeeper, etc.) are checked.
- * Click Save.

Cluster 1 is now configured to send its audit logs (including VM changes) and its own syslog monitoring logs to the Corp_Syslog server via TCP, fulfilling all security requirements.

Topic 2, Performance Based Questions Set 2

Environment

You have been provisioned a dedicated environment for your assessment which includes the following:

Workstation

- * windows Server 2019
- * All software/tools/etc to perform the required tasks
- * Nutanix Documentation and whitepapers can be found in desktop\files\Documentation
- * Note that the workstation is the system you are currently toggled into Nutanix Cluster
- * There are three clusters provided. The connection information for the relevant cluster will be displayed to the high of the question Please make sure you are working on the correct cluster for each item Please ignore any licensing violations
- * Cluster A is a 3-node cluster with Prism Central 2022.6 where most questions will be performed
- * Cluster B is a one-node cluster and has one syslog item and one security item to perform
- * Cluster D is a one-node duster with Prism Central 5.17 and has a security policy item to perform Important Notes
- * If the text is too small and hard to read, or you cannot see an of the GUI. you can increase/decrease the zoom of the browser with CTRL + , and CTRL + (the plus and minus keys) You will be given 3 hours to complete the scenarios for Nutanix NCMCI Once you click the start button below, you will be provided with:
 - A Windows desktop A browser page with the scenarios and credentials (Desktop\instructions) Notes for this exam delivery.

- The browser can be scaled to Improve visibility and fit all the content on the screen.
- Copy and paste hot-keys will not work Use your mouse for copy and paste.
 - The Notes and Feedback tabs for each scenario are to leave notes for yourself or feedback for
 - Make sure you are performing tasks on the correct components.
 - Changing security or network settings on the wrong component may result in a falling grade.
 - Do not change credentials on an component unless you are instructed to.
 - All necessary documentation is contained in the Desktop\Files\Documentation directory

質問 # 19

.....

Xhs1991はあなたの100パーセントの合格率を保証します。例外がないです。いまXhs1991を選んで、あなたが始めたいトレーニングを選んで、しかも次のテストに受かったら、最も良いソース及び市場適合性と信頼性を得ることができます。Xhs1991のNutanixのNCM-MCI-6.10問題集と解答はNCM-MCI-6.10認定試験に一番向いているソフトです。

NCM-MCI-6.10合格受験記: <https://www.xhs1991.com/NCM-MCI-6.10.html>

我々の専門家たちは毎日更新状態を検査してますから、もし更新されたら、最新のNCM-MCI-6.10試験参考書をあなたのメールアドレスに送られます、Nutanix NCM-MCI-6.10試験解説 認定資格を取得すると、より良い仕事の機会とより高い給料を得ることができます、Nutanix NCM-MCI-6.10試験解説 試験に受かるために大量の時間とトレーニング費用を費やした受験生がたくさんいます、Xhs1991 NCM-MCI-6.10合格受験記は成功の扉ですから、Xhs1991 NCM-MCI-6.10合格受験記を利用してください、Nutanix NCM-MCI-6.10試験解説 失望することはありません、あなたNCM-MCI-6.10問題集を購入してから、一年間の無料更新サービスをていきたいと思います。

一喜一憂しながら、ため息と吐き気を繰り返し、涙を流す俺 こんなにも惨めでNCM-MCI-6.10情けない女王クイーンがいるだろうか、ベンチに下がってのんびりゲームの成り行きを見ていればいい ウェイトレスがやってきて、グラスに冷たい水を注いだ。

NCM-MCI-6.10試験の準備方法 | 効率的なNCM-MCI-6.10試験解説試験 | 認定するNutanix Certified Master - Multicloud Infrastructure (NCM-MCI)合格受験記

我々の専門家たちは毎日更新状態を検査してますから、もし更新されたら、最新のNCM-MCI-6.10試験参考書をあなたのメールアドレスに送られます、認定資格を取得すると、より良い仕事の機会とより高い給料を得ることができます。

試験に受かるために大量の時間とトレーニング費用を費やした受験生NCM-MCI-6.10試験解説がたくさんいます、Xhs1991は成功の扉ですから、Xhs1991を利用してください、失望することはありません。

- NCM-MCI-6.10最新テスト □ NCM-MCI-6.10合格率 □ NCM-MCI-6.10最新テスト □ 今すぐ【www.passtest.jp】を開き、{ NCM-MCI-6.10 }を検索して無料でダウンロードしてくださいNCM-MCI-6.10無料サンプル
- 実用的なNCM-MCI-6.10試験解説試験-試験の準備方法-素敵なNCM-MCI-6.10合格受験記 □ □ www.goshiken.com □を開き、“NCM-MCI-6.10”を入力して、無料でダウンロードしてくださいNCM-MCI-6.10合格率
- NCM-MCI-6.10日本語版トレーニング □ NCM-MCI-6.10最新テスト □ NCM-MCI-6.10認証資格 □ 検索するだけで▶ www.goshiken.com ◀から{ NCM-MCI-6.10 }を無料でダウンロードNCM-MCI-6.10テスト内容
- NutanixのNCM-MCI-6.10認定試験の最高問題集 □ Open Webサイト □ www.goshiken.com □検索⇒ NCM-MCI-6.10 ≙無料ダウンロードNCM-MCI-6.10最新テスト
- NCM-MCI-6.10日本語版参考書 □ NCM-MCI-6.10無料サンプル □ NCM-MCI-6.10参考書 □ Open Webサイト▶ www.mogjexam.com □検索▶ NCM-MCI-6.10 □無料ダウンロードNCM-MCI-6.10受験対策書
- NCM-MCI-6.10入門知識 □ NCM-MCI-6.10テスト内容 □ NCM-MCI-6.10模擬モード □ (NCM-MCI-6.10) の試験問題は【 www.goshiken.com 】で無料配信中NCM-MCI-6.10受験対策書
- NCM-MCI-6.10入門知識 □ NCM-MCI-6.10日本語解説集 □ NCM-MCI-6.10復習資料 □ ▶ NCM-MCI-6.10 ◀の試験問題は { www.goshiken.com }で無料配信中NCM-MCI-6.10試験対応
- NCM-MCI-6.10参考書勉強 ✓ NCM-MCI-6.10最新テスト □ NCM-MCI-6.10受験体験 □ { NCM-MCI-6.10 }を無料でダウンロード▶ www.goshiken.com □で検索するだけNCM-MCI-6.10テスト内容
- NCM-MCI-6.10参考書 □ NCM-MCI-6.10認証資格 ◀ NCM-MCI-6.10参考書 □ 《 www.mogjexam.com 》を

入力して《 NCM-MCI-6.10 》を検索し、無料でダウンロードしてくださいNCM-MCI-6.10復習資料

- NCM-MCI-6.10無料サンプル □ NCM-MCI-6.10合格率 □ NCM-MCI-6.10参考書 □ > www.goshiken.com □で□ NCM-MCI-6.10 □を検索して、無料でダウンロードしてくださいNCM-MCI-6.10参考書勉強
- 人気のあるNCM-MCI-6.10試験解説 - 有効的なNutanix 認定トレーニング - 100%パスレートNutanix Nutanix Certified Master - Multicloud Infrastructure (NCM-MCI) □ 【 www.passtest.jp 】には無料の《 NCM-MCI-6.10 》問題集がありますNCM-MCI-6.10認証資格
- www.stes.tyc.edu.tw, sparxsocial.com, thinkoraa.com, www.tdx001.com, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, www.stes.tyc.edu.tw, alyssawsajs540135.ttblogs.com, www.stes.tyc.edu.tw, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, www.stes.tyc.edu.tw, Disposable vapes

さらに、Xhs1991 NCM-MCI-6.10ダンプの一部が現在無料で提供されています: https://drive.google.com/open?id=1BSV6mkXA7vsFTHb_PyML9uztG_ukehcx