


# JN0-481学習範囲、JN0-481最新テスト



無料でクラウドストレージから最新のCertJuken JN0-481 PDFダンプをダウンロードする：<https://drive.google.com/open?id=1PBDjDYB60Yaw2rekDTGc5l3loXc8FjRD>

JN0-481テストトレントは高品質で、主に合格率に反映されます。JN0-481テストトレントは、過去数年間の試験問題と業界動向に基づいて、業界の専門家によって慎重に編集されています。さらに重要なことは、時間の変化に基づいてJN0-481試験資料を速やかに更新し、タイムリーに送信することです。教材を使用している人の99%が試験に合格し、証明書に合格しています。これは、間違いなく、JN0-481テストトレントの合格率が99%であることを示しています。

JuniperのJN0-481試験のために不安なのですか。弊社のソフトは買うかどうかまだ疑問がありますか。そうであれば、無料で弊社の提供するJuniperのJN0-481のデモをダウンロードしてみよう。我々提供する資料はあなたの需要だと知られています。あなたのJuniperのJN0-481試験に参加する圧力を減ってあなたの効率を高めるのは我々の使命だと思います。

>> JN0-481学習範囲 <<

## JN0-481最新テスト & JN0-481合格体験談

CertJukenは、これまでで最高のJN0-481学習ガイドだけでなく、最も効率的な顧客のサーバーも提供することで、この分野で最も人気のある評判を所有しています。JN0-481認定資格を取得し、希望するより高い給与を達成するための最善かつ最速の方法をご案内します。JN0-481試験の準備により、JN0-481学習質問の成績が向上し、生活の状態を変えることができます。専門的な知識の蓄積です。JN0-481ブレインダンプでより成功するでしょう。

## Juniper Data Center, Specialist (JNCIS-DC) 認定 JN0-481 試験問題 (Q50-Q55):

### 質問 # 50

You are building an IP fabric and have decided to use Junos devices to create an EBGp underlay. You must ensure that traffic is load balanced throughout your fabric.

You must also ensure that regardless of the path used through the fabric that all traffic is handled consistently and load balanced

predictably.

According to Juniper Networks, what are three best practices that you should employ to help you achieve the desired behavior? (Choose three.)

- A. Each leaf device should be a different model including linecards and port density.
- B. All spine devices should be the same model including linecards and port density.
- C. All leaf devices should be the same model including linecards and port density.
- D. Each leaf device must use the same link speed for all uplinks to the spine devices.
- E. Leaf devices should use a variety of link speeds for each uplink to the spine devices.

正解: B、C、D

#### 質問 # 51

What are two system-defined user roles that are available in Juniper Apstra? (Choose two.)

- A. viewer
- B. authorized
- C. user
- D. root

正解: A、C

解説:

Juniper Apstra provides four system-defined user roles that are available in the Apstra GUI environment. They are: administrator, device\_ztp, viewer, and user. Based on the web search results, we can infer the following statements:

viewer: This role includes permissions to only view various elements in the Apstra system, such as blueprints, devices, design, resources, external systems, platform, and others. Users with this role cannot create, edit, or delete any element.

user: This role includes permissions to view and edit various elements in the Apstra system, such as blueprints, devices, design, resources, external systems, platform, and others. Users with this role cannot create or delete any element.

authorized: This is not a system-defined user role in Juniper Apstra. It is a term used to describe users who have been authenticated by an external system, such as LDAP, Active Directory, TACACS+, or RADIUS.

root: This is not a system-defined user role in Juniper Apstra. It is a term used to describe the superuser account on a Linux system, which has full access to all commands and files. Creating a user in the Apstra GUI does not provide that user access to the Apstra platform via SSH. To access the Apstra platform via SSH, you must create a local Linux system user.

#### 質問 # 52

You are receiving cable, interface, and BGP anomalies from several devices within the data center fabric. In Juniper Apstra, how would you troubleshoot these types of errors?

- A. In the UI, go to Time Voyager and revert to the last working version.
- B. In the UI, go to Devices and confirm that agent connectivity is fine.
- C. In the UI, verify device connectivity by consulting the cable map.
- D. In the UI, access the console to the devices and review the interface states.

正解: C

解説:

The cable map is a graphical representation of the physical connections between the devices in the data center fabric. It shows the status of the cables, interfaces, and BGP sessions for each device. You can use the cable map to identify and troubleshoot any cable, interface, or BGP anomalies that may occur in the fabric. You can also filter the cable map by device name, device type, device role, device state, cable state, interface state, or BGP state.

#### 質問 # 53

How does Apstra use Fabric Device Management to ensure consistency across the network?


- A. By assigning different agents to devices based on their location
- B. By enforcing uniform configurations on all network devices
- C. By randomly assigning system IDs to devices

- D. By adjusting the color-coding of cables in the data center

正解: B

#### 質問 # 54

Which two statements about ESI values are correct for the server connections to the fabric shown in the exhibit? (Choose two.)



- A. A valid ESI value for Server A is 0x00.10.10.10.10.10.10.10.10.
- B. A valid ESI value for Server A is 0x00.00.00.00.00.00.00.00.00.
- C. A valid ESI value for Server B is 0x00.00.00.00.00.00.00.00.00.
- D. A valid ESI value for Server B is 0x00.20.20.20.20.20.20.20.20.

正解: A、C

解説:

To answer this question, we need to understand the concept of ESI values in EVPN LAGs. An ESI is a 10-byte value that identifies an Ethernet segment, which is a set of links that connect a multihomed device (such as a server) to one or more PE devices (such as leaf switches) in an EVPN network. The same ESI value must be configured on all the PE devices that connect to the same Ethernet segment. This allows the PE devices to form an EVPN LAG, which supports active-active or active-standby multihoming for the device. The ESI value can be manually configured (type 0) or automatically derived from LACP (type 1) or other methods. In the exhibit, Server A is connected to two leaf switches (QFX 5210) using a LAG with LACP enabled. Server B is connected to three leaf switches (QFX 5120) using a LAG with LACP enabled.

#### 質問 # 55

.....

これは高効率の時代であり、JuniperおそらくJN0-481証明書を通じてのみ競争力を証明する方法が最も簡単です。ただし、他の問題に巻き込まれる可能性があるため、多くの人にとって時間は限られています。CertJuken JN0-481学習教材を使用すると、すべての問題が疑いなく簡単に解決されます。信頼できる有効なJN0-481試験トレントだけでなく、最も柔軟な学習方法も提供できます。また、他の多くのお客様と同様に、Data Center, Specialist (JNCIS-DC)試験に合格する必要があることを確認できます。

**JN0-481最新テスト:** <https://www.certjuken.com/JN0-481-exam.html>

クライアントはJN0-481学習ツールを購入した後、オンラインカスタマーサービスの使用方法と使用プロセス中に発生する問題について相談できます、Juniper JN0-481学習範囲 弊社は自分の商品に自信を持っています、JuniperのJN0-481試験を準備するのは残念ですが、合格してからあなたはITに関する仕事から美しい未来を持っています、すべての更新サービスは弊社のJuniperのJN0-481ソフトを購入した後の一年間で無料です、JN0-481練習問題のように、あらゆる面でユーザーのニーズを真剣に検討する練習問題がないです、JN0-481学習教材の的中率が高いですので、多くの方はJN0-481試験に合格しました、Juniper JN0-481学習範囲 余分なペニーはすべてその価値に値します。

重い靴の響罵る聲につれて土塗れの破れシャツ、破れズボン、JN0-481破れ帽の行列は、黒い影の如く、次第々々に明く灯の点いて居る日本人街の横町へと動いて行く、明日は朝一で子供とオモチャ屋に並ぶ予定なんだぞ、クライアントはJN0-481学習ツールを購入した後、オンラインカスタマーサービスの使用方法と使用プロ

セス中に発生する問題について相談できます。

## 試験の準備方法-信頼的なJN0-481学習範囲試験-認定するJN0-481最新テスト

弊社は自分の商品に自信を持っています、JuniperのJN0-481試験を準備するのは残念ですが、合格してからあなたはITに関する仕事から美しい未来を持っています、すべての更新サービスは弊社のJuniperのJN0-481ソフトを購入した後の一年間で無料です。

JN0-481練習問題のように、あらゆる面でユーザーのニーズを真剣に検討する練習問題がないです。

- [illegible]

P.S.CertJukenがGoogle Driveで共有している無料の2026 Juniper JN0-481ダンプ: <https://drive.google.com/open?id=1PBDjDYB60Yaw2rekDTGc5l3loXe8FjRD>