

New FCSS_SDW_AR-7.6 Test Fee, FCSS_SDW_AR-7.6 Valid Test Simulator



ACTUAL FORTINET FCSS_CDS_AR-7.6
PUBLIC CLOUD SECURITY ARCHITECT
CERTIFICATION PRACTICE TEST



Some people prefer books, some check videos, and some hire online tutors, to clear the FCSS_SDW_AR-7.6 exam. It all depends on you what you like the most. If you learn better by books, go for it but if you are busy, and don't have much time to consult a list of books for studying, it's better to get the most probable FCSS - SD-WAN 7.6 Architect (FCSS_SDW_AR-7.6) exam questions. We are sure that you will learn well and can crack Fortinet FCSS_SDW_AR-7.6 exam easily.

Our FCSS_SDW_AR-7.6 preparation exam can provide all customers with the After-sales service guarantee. The After-sales service guarantee is mainly reflected in to many aspects. The most important one is that we can promise that our FCSS_SDW_AR-7.6 study questions will meet the customer demand for privacy protection. As is known to us, the privacy protection of customer is very important, No one wants to breach patient. So our FCSS_SDW_AR-7.6 Actual Exam pays high attention to protect the privacy of all customers.

>> New FCSS_SDW_AR-7.6 Test Fee <<

Fortinet New FCSS_SDW_AR-7.6 Test Fee: FCSS - SD-WAN 7.6 Architect - Free4Dump Gives Warm Service & Excellent Valid Test Simulator

If you want to learn FCSS_SDW_AR-7.6 practice guide anytime, anywhere, then we can tell you that you can use our products on a variety of devices. If you are convenient, you can choose to study on the computer. If you live in an environment without a computer, you can read FCSS_SDW_AR-7.6 simulating exam on your mobile phone. Of course, the premise is that you have already downloaded the APP version of FCSS_SDW_AR-7.6 Study Materials. If you don't have an electronic product around you, or you don't have a network, you can use a printed PDF version of FCSS_SDW_AR-7.6 training materials.

Fortinet FCSS - SD-WAN 7.6 Architect Sample Questions (Q28-Q33):

NEW QUESTION # 28

Refer to the exhibit. The exhibit shows output of the command `diagnose sys sdwan service4` collected on a FortiGate device. The administrator wants to know through which interface FortiGate will steer traffic from local users on subnet 10.0.1.0/255.255.255.192 and with a destination of the social media application Facebook.

Based on the exhibits, which two statements are correct? (Choose two.)

Diagnose output

```
fgt1_1 # diagnose sys sdwan service4

Service(1): Address Mode(IPV4) flags=0x4200 use-shortcut-sla use-shortcut
Tie break: cfg
Shortcut priority: 2
Gen(1), TOS(0x0/0x0), Protocol(0): src(1->65535):dst(1->65535), Mode(priority),
link-cost-factor ( latency), link-cost-threshold(10), health-check (Corp_HC)
Members(2):
  1: Seq_num (2 port2 underlay), alive, latency: 0.906, selected
  2: Seq_num (1 port1 underlay), alive, latency: 1.079, selected
Application Control(2): Microsoft.Portal(41469,0) Business(0,29)
Src address(1):
  10.0.1.0-10.0.1.255

Service(2): Address Mode(IPV4) flags=0x4200 use-shortcut-sla use-shortcut
Tie break: cfg
Shortcut priority: 2
Gen(1), TOS(0x0/0x0), Protocol(0): src(1->65535):dst(1->65535), Mode(priority),
link-cost-factor ( latency), link-cost-threshold(10), health-check (Corp_HC)
Members(1):
  1: Seq_num (2 port2 underlay), alive, selected
Application Control(2): Social.Media(0,23) General.Interest(0,12)
Src address(1):
  10.0.1.0-10.0.1.255

Service(3): Address Mode(IPV4) flags=0x4200 use-shortcut-sla use-shortcut
Tie break: cfg
Shortcut priority: 2
Gen(1), TOS(0x0/0x0), Protocol(0): src(1->65535):dst(1->65535), Mode(sla hash-
mode=round-robin)
Members(3):
  1: Seq_num(4 HQ_T1 overlay), alive, sla(0x3), gid(0), cfg_order(0),
local cost(0), selected
  2: Seq_num(5 HQ_T2 overlay), alive, sla(0x3), gid(0), cfg_order(1),
local cost(0), selected
  3: Seq_num(6 HQ_T3 overlay), alive, sla(0x3), gid(0), cfg_order(2),
local cost(0), selected
Src address(1):
  10.0.1.0-10.0.1.255

Dst address(1):
  0.0.0.0-255.255.255.255
```

- A. When FortiGate cannot recognize the application of the flow, it steers the traffic through the preferred member of rule 3, HQ_T1.
- B. There is no service defined for the Facebook application, so FortiGate applies service rule 3 and directs the traffic to headquarters.
- C. FortiGate steers traffic for social media applications according to the service rule 2 and steers traffic through port2.
- D. When FortiGate cannot recognize the application of the flow, it load balances the traffic through the tunnels HQ_T1, HQ_T2, HQ_T3.

Answer: C,D

Explanation:

Service rule 2 includes Social.Media (0,23), which matches Facebook, and only port2 is selected and alive.

If the application is not identified, service rule 3 (with mode=round-robin) distributes traffic across HQ_T1, HQ_T2, and HQ_T3.

NEW QUESTION # 29

Refer to the exhibits.

Exhibit A



| <input type="checkbox"/> | # | Name | From | To | Source | Destination |
|-------------------------------------|------------------------|---------------|--|--|--|--|
| <input checked="" type="checkbox"/> | 1 | DIA | <input checked="" type="checkbox"/> D-LAN <input checked="" type="checkbox"/> LAN | <input checked="" type="checkbox"/> underlay | <input checked="" type="checkbox"/> LAN-net | <input checked="" type="checkbox"/> all |
| <input type="checkbox"/> | Implicit (2/2 Total:1) | | | | | |
| <input type="checkbox"/> | 2 | Implicit Deny | any | any | <input checked="" type="checkbox"/> all <input checked="" type="checkbox"/> all | <input checked="" type="checkbox"/> all <input checked="" type="checkbox"/> all |

Exhibit B



```
View Install Log

Copy device global objects

validation error on firewall policy 1, by dynamic interface check

Vdom copy failed:
error 42 - entry not exist. detail: Dynamic interface "LAN" mapping undefined for device branch2_fgt

Copy objects for vdom root
```

Exhibit A shows a policy package definition. Exhibit B shows the install log that the administrator received when he tried to install the policy package on FortiGate devices.

Based on the output shown in the exhibits, what can the administrator do to solve the issue?

- A. Use a metadata variable instead of a dynamic interface to define the firewall policy.
- B. Dynamic mapping should be done automatically. Review the LAN interface configuration for branch2_fgt.
- C. Create dynamic mapping for the LAN interface for all devices in the installation target list.
- D. Policies can refer to only one LAN source interface. Keep only the D-LAN, which is the dynamic LAN interface.

Answer: C

NEW QUESTION # 30

SD-WAN interacts with many other FortiGate features. Some of them are required to allow SD-WAN to steer the traffic. Which three configuration elements that you must configure before FortiGate can steer traffic according to SD-WAN rules? (Choose three.)

- A. Interfaces
- B. Security profiles
- C. Firewall policies
- D. Traffic shaping
- E. Routing

Answer: A,C,E

Explanation:

Interfaces must be defined and added as SD-WAN members to participate in traffic steering. Routing is required so FortiGate knows how to reach destinations through SD-WAN paths. Firewall policies are needed to permit traffic and allow SD-WAN rules to take effect.

NEW QUESTION # 31

Refer to the exhibits. An administrator is testing application steering in SD-WAN. Before generating test traffic, the administrator collected the information shown in the first exhibit. After generating GoToMeeting test traffic, the administrator examined the corresponding traffic log on FortiAnalyzer, which is shown in the second exhibit. The administrator noticed that the traffic matched the implicit SD-WAN rule, but they expected the traffic to match rule ID 1. Which two reasons explain why some log messages show that the traffic matched the implicit SD-WAN rule? (Choose two.)

SD-WAN service details

```
branch_fgt # diagnose sys sdwan service4

Service(1): Address Mode(IPV4) flags=0x4200 use-shortcut-sla use-shortcut
Tie break: cfg
Shortcut priority: 2
Gen(2), TOS(0x0/0x0), Protocol(0): src(1->65535):dst(1->65535), Mode
(manual)
Members(2):
  1: Seq_num(1 port1 underlay), alive selected
  2: Seq_num(2 port2 underlay), alive selected
Application Control(3): Microsoft.Portal(41469,0) Salesforce(16920,0)
Collaboration(0,28)
Src address(1):
10.0.1.0-10.0.1.255

Service(2): Address Mode(IPV4) flags=0x4200 use-shortcut-sla use-shortcut
Tie break: cfg
Shortcut priority: 2
Gen(2), TOS(0x0/0x0), Protocol(0): src(1->65535):dst(1->65535), Mode
(manual)
Members(1):
  1: Seq_num(2 port2 underlay), alive selected
Application Control(3): Facebook(15832,0) LinkedIn(16331,0) Game(0,8)
Src address(1):
10.0.1.0-10.0.1.255

branch_fgt # diagnose sys sdwan internet-service-app-ctrl-list
List App Ctrl Database Entry(IPv4) in Kernel:

Max_App_Ctrl_Size=32768 Num_App_Ctrl_Entry=6

Microsoft.Portal (41469 28): IP=184.27.181.201 6 443
MSN.Game(16135 8): IP=13.107.246.36 6 443
Salesforce(16920 29): IP=23.205.255.92 6 443
GoToMeeting (16354 28): IP=23.205.106.86 6 443
GoToMeeting (16354 28): IP=23.212.249.144 6 443
Facebook(15832 23): IP=31.13.80.36 6 443

branch1_fgt # get router info routing-table all
...
S*  0.0.0.0/0 [1/0] via 192.2.0.2, port1, [1/0]
    [1/0] via 192.2.0.10, port2, [1/0]
...
```

GoToMeeting traffic log on FortiAnalyzer

| Destination IP | Service | Application | Security Event List | SD-WAN Rule Name | Destination Interface |
|----------------|---------|-------------|---------------------|------------------|-----------------------|
| 23.212.248.205 | HTTPS | GoToMeeting | APP 2 | | port2 |
| 23.205.106.86 | HTTPS | GoToMeeting | APP 2 | Critical-DIA | port1 |
| 23.205.106.86 | HTTPS | GoToMeeting | APP 2 | Critical-DIA | port1 |
| 23.205.106.86 | HTTPS | GoToMeeting | APP 2 | Critical-DIA | port1 |
| 23.212.249.144 | HTTPS | GoToMeeting | APP 2 | Critical-DIA | port1 |
| 23.212.249.144 | HTTPS | GoToMeeting | APP 2 | Critical-DIA | port1 |
| 23.212.249.144 | HTTPS | GoToMeeting | APP 2 | | port2 |
| 23.205.106.86 | HTTPS | GoToMeeting | APP 2 | | port2 |



- A. FortiGate could not refresh the routing information on the session after the application was detected.
- B. The session 3-tuple did not match any of the existing entries in the ISDB application cache.
- C. Full SSL inspection is not enabled on the matching firewall policy.
- D. No configured SD-WAN rule matches the traffic related to the collaboration application GoToMeeting

Answer: A,B

Explanation:

The session 3-tuple did not match any of the existing entries in the ISDB application cache.

SD-WAN app steering using Internet Service DB relies on a cache of app IP/port "3-tuples". If the first packets of a new session don't match an entry (e.g., GoToMeeting uses an IP not yet in cache), the session is steered by the implicit rule. That's why some logs show "implicit," while others (when the cache later has a match) hit your explicit rule.

FortiGate could not refresh the routing information on the session after the application was detected.

The path is chosen at session setup. If the app is recognized after the session is established and FortiGate can't (or isn't allowed to) re-route mid-session, it keeps the original SD-WAN decision (implicit rule) for that flow. Subsequent sessions may match the explicit rule once the app/IP is known.

NEW QUESTION # 32

Refer to the exhibit. An administrator configures SD-WAN rules for a DIA setup using the FortiGate GUI. The page to configure the source and destination part of the rule looks as shown in the exhibit. The GUI page shows no option to configure an application as the destination of the SD-WAN rule Why?

Priority Rule

Name

Status Enabled Disabled

Source

Address FORTINET

User group +

Destination

Address +

Internet service +

Outgoing Interfaces

- A. You cannot use applications as the destination when FortiGate is used for a DIA setup.
- **B. You must enable the feature first using the GUI menu System > Feature Visibility.**
- C. FortiGate allows the configuration of applications as the destination of SD-WAN rules only on the CLI.
- D. You must enable the feature on the CLI.

Answer: B

Explanation:

To configure applications as destinations in SD-WAN rules via the GUI, the Application Control feature must be enabled in System > Feature Visibility. Once enabled, the GUI displays the application-based options.

NEW QUESTION # 33

.....

Do you want your IT capability to be most authoritatively recognized? One of the best method is to pass the FCSS_SDW_AR-7.6 certification exam. The FCSS_SDW_AR-7.6 exam software designed by our Free4Dump will help you master FCSS_SDW_AR-7.6 Exam skills. Besides, abundant materials, user-friendly design and one-year free update after payment are the best favor for you to pass FCSS_SDW_AR-7.6 exam.

FCSS_SDW_AR-7.6 Valid Test Simulator: https://www.free4dump.com/FCSS_SDW_AR-7.6-braindumps-torrent.html

At the same time, regardless of which mode you use, FCSS_SDW_AR-7.6 test guide will never limit your download times and the number of concurrent users, These FCSS_SDW_AR-7.6 PDF questions are also printable, so you can grab a hard copy if you have time to spare for a quick review, Guaranteed FCSS_SDW_AR-7.6 Exam questions with FCSS_SDW_AR-7.6 pdf Dumps, Every online news or emails about our FCSS_SDW_AR-7.6: FCSS - SD-WAN 7.6 Architect collect will be solved in two hours even at night.

If you want to specify a range that does not start from FCSS_SDW_AR-7.6 the length, you must specify another keyword, ge, as discussed next, You see, I'm trying to save you money!

At the same time, regardless of which mode you use, FCSS_SDW_AR-7.6 Test Guide will never limit your download times and the number of concurrent users, These FCSS_SDW_AR-7.6 PDF questions are also printable, so you can grab a hard copy if you have time to spare for a quick review.

Free PDF Quiz 2026 FCSS_SDW_AR-7.6: Authoritative New FCSS - SD-WAN 7.6 Architect Test Fee

Guaranteed FCSS_SDW_AR-7.6 Exam questions with FCSS_SDW_AR-7.6 pdf Dumps, Every online news or emails about our FCSS_SDW_AR-7.6: FCSS - SD-WAN 7.6 Architect collect will be solved in two hours even at night.

