

# SAP C-BW4H-2505덤프샘플문제체험 - C-BW4H-2505 완벽한시험공부자료

## 인기자격증 C-C4H450-04인증덤프 샘플문제 시험덤프 최신자료

ITDumpsKR의 엘리트는 다년간 IT업계에 종사한 노하우로 높은 적중율을 자랑하는 SAP C-C4H450-04덤프를 연구제작하였습니다. 한국어 온라인서비스가 가능하기에 SAP C-C4H450-04덤프에 관하여 궁금한 점이 있으신 분은 구매전 문의하시면 됩니다. SAP C-C4H450-04덤프로 시험에서 좋은 성적 받고 자격증 취득하시길 바랍니다.

## 최신 SAP Certified Integration Associate C-C4H450-04 무료샘플문제 (Q54-Q59):

### 질문 #54

How can you determine if a field in the message mapping in SAP Cloud Platform Integration is an extension field?

- A. By the WSDL naming convention
- B. By the mapping functions
- C. By the used namespace
- D. By the mapping icon

정답C

### 질문 #55

Which transaction codes do you use to register and activate the IDoc service on SAP ERP?

- A. SICF and IDoc, respectively
- B. IDoc and RBDMIDOC, respectively
- C. SRTIDOC and SICF, respectively
- D. SICF and RBDMIDOC, respectively

정답C

### 질문 #56

Which of the following business functions are supported by SAP S/4HANA Settlement Management?  
Note: There are 3 correct Answers to this question

- A. Calendar-based settlement
- B. Evaluated receipt settlement
- C. Advance payments
- D. Business-volume-related rebates
- E. Accrual conditions

정답A,B,C

### 질문 #57

Which of the following views can be maintained for a material with material type SERV (Service

BONUS!!! ITDumpsKR C-BW4H-2505 시험 문제집 전체 버전을 무료로 다운로드하세요: [https://drive.google.com/open?id=1WDxE-atgbYr32HVoi2fm\\_LcGekUrKPP-](https://drive.google.com/open?id=1WDxE-atgbYr32HVoi2fm_LcGekUrKPP-)

SAP C-BW4H-2505인증시험은 현재IT인사들 중 아주 인기 있는 인증시험입니다.SAP C-BW4H-2505시험패스는 여러분의 하시는 일과 생활에서 많은 도움을 줄뿐만 아니라 중요한 건 여러분의IT업계에서의 자기만의 자리를 지키실 수 있습니다.이렇게 좋은 시험이니 많은 분들이 응시하려고 합니다,하지만 패스율은 아주 낮습니다.

ITDumpsKR에서 제공해드리는 SAP인증C-BW4H-2505시험덤프자료를 구입하시면 퍼펙트한 구매후 서비스를 약속드립니다. ITDumpsKR에서 제공해드리는 덤프는 IT업계 유명인사들이 자신들의 노하우와 경험을 토대로 하여 실제 출제되는 시험문제를 연구하여 제작한 최고품질의 덤프자료입니다. SAP인증C-BW4H-2505시험은 ITDumpsKR 표SAP인증C-BW4H-2505덤프자료로 시험준비를 하시면 시험패스는 아주 간단하게 할 수 있습니다. 구매하기전 PDF버전 무료샘플을 다운받아 공부하세요.

>> SAP C-BW4H-2505덤프샘플문제 체험 <<

## 시험준비에 가장 좋은 C-BW4H-2505덤프샘플문제 체험 덤프 샘플문제 다운

만약 아직도SAP C-BW4H-2505인증시험 위하여 많은 시간과 정력을 소모하며 열심히 공부하고 있습니까? 아직도

어떻게하면 SAP C-BW4H-2505 인증 시험을 빠르게 취득할 수 있는 방법을 못하고 계십니까? 지금 ITDumpsKR에서 SAP C-BW4H-2505 인증 시험을 안전하게 넘을 수 있도록 대책을 내드리겠습니다. 아주 신기한 효과가 있을 것입니다.

## SAP C-BW4H-2505 시험요강:

주제	소개
주제 1	<ul style="list-style-type: none"> <li>• SAP BW</li> <li>• 4HANA Data Flow: This section of the exam measures the practical ability of SAP Consultants to load data within the SAP BW</li> <li>• 4HANA environment. It assesses familiarity with data movement and transformation processes across different layers of the system.</li> </ul>
주제 2	<ul style="list-style-type: none"> <li>• SAP BW</li> <li>• 4HANA Project and the Modeling Process: This section of the exam assesses how Data Engineers guide and contribute to SAP BW</li> <li>• 4HANA projects. It includes knowledge of modeling workflows, project lifecycle stages, and collaboration strategies within project teams.</li> </ul>
주제 3	<ul style="list-style-type: none"> <li>• Fundamentals: This section of the exam measures the foundational understanding of SAP Consultants and covers essential terms and concepts related to SAP BW</li> <li>• 4HANA and SAP Business Data Cloud. It focuses on the core framework and architecture necessary to navigate and work with these platforms.</li> </ul>
주제 4	<ul style="list-style-type: none"> <li>• Data Acquisition into SAP BW</li> <li>• 4HANA: This section tests how Data Engineers manage data integration into SAP BW</li> <li>• 4HANA from multiple sources. It covers essential knowledge of tools and processes used for data extraction, transformation, and loading into the SAP environment.</li> </ul>
주제 5	<ul style="list-style-type: none"> <li>• SAP BW</li> <li>• 4HANA Modeling: This section targets the skills of Data Engineers in selecting appropriate modeling options and applying best practices like LSA++ within SAP BW</li> <li>• 4HANA. It focuses on designing scalable, high-performing data models.</li> </ul>
주제 6	<ul style="list-style-type: none"> <li>• SAP Analytics Tools and SAP Analytics Cloud: This section evaluates the skills of SAP Consultants in using tools like SAP Analytics Cloud, Lumira, and Analysis for Office to visualize and interpret data. It focuses on the consultant's ability to apply business intelligence tools within the SAP ecosystem.</li> </ul>
주제 7	<ul style="list-style-type: none"> <li>• SAP BW Query Design: This section of the exam assesses the ability of Data Engineers to create and run queries using SAP BW</li> <li>• 4HANA. It evaluates how well candidates can work with query components to retrieve and structure data effectively for reporting and analysis.</li> </ul>
주제 8	<ul style="list-style-type: none"> <li>• InfoObjects and InfoProviders: This section tests the knowledge of Data Engineers in working with InfoObjects and InfoProviders in SAP BW</li> <li>• 4HANA. It involves handling data structures used for organizing, storing, and accessing analytical data.</li> </ul>

## 최신 SAP Certified Associate C-BW4H-2505 무료 샘플문제 (Q73-Q78):

### 질문 # 73

You create an SAP HANA HDI Calculation View.

What are some of the reasons to choose the data category Cube with Star Join instead of data category Dimension? Note: There are 3 correct answers to this question.

- A. You can create restricted columns.
- B. You can aggregate measures as a sum.
- C. You can provide default time characteristics.
- D. You can persist transactional data.

- E. You can combine master data transactional data.

**정답: B,C,E**

**설명:**

When creating an SAP HANA HDI Calculation View, choosing the data category Cube with Star Join over Dimension depends on the specific requirements of your data model. Below is a detailed explanation of why the verified answers are correct.

\* Data Category Dimension:

\* Used for modeling master data or reference data.

\* Does not support measures or aggregations.

\* Typically used for descriptive attributes (e.g., customer names, product descriptions).

\* Data Category Cube with Star Join:

\* Used for modeling transactional data with measures and dimensions.

\* Supports star schema designs, combining fact tables (measures) and dimension tables (attributes).

\* Enables advanced features like aggregations, time characteristics, and joins between master and transactional data.

\* Star Join:

\* A star join connects a fact table (containing measures) with dimension tables (containing attributes) in a star schema.

\* It is optimized for performance and scalability in analytical queries.

Key Concepts:

\* Option A: You can combine master data transactional data.

\* Why Correct? The Cube with Star Join data category is specifically designed to combine transactional data (fact tables) with master data (dimension tables). This enables comprehensive reporting and analysis.

\* Option B: You can persist transactional data.

\* Why Incorrect? Persisting transactional data is not a feature of the Cube with Star Join data category. Persistence is typically handled at the database or application layer.

\* Option C: You can provide default time characteristics.

\* Why Correct? The Cube with Star Join data category supports default time characteristics (e.g., fiscal year, calendar year), which are essential for time-based reporting and analysis.

\* Option D: You can create restricted columns.

\* Why Incorrect? Restricted columns are a feature of calculation views but are not specific to the Cube with Star Join data category. They can also be created in Dimension views.

\* Option E: You can aggregate measures as a sum.

\* Why Correct? The Cube with Star Join data category supports aggregations, such as summing measures. This is a key feature for analyzing transactional data.

Verified Answer Explanation:

\* SAP HANA Modeling Guide: The guide explains the differences between data categories like Dimension and Cube with Star Join, highlighting their respective use cases.

\* SAP Note 2700850: This note provides examples of scenarios where Cube with Star Join is preferred over Dimension, emphasizing its ability to handle transactional data and aggregations.

\* SAP Best Practices for HANA Modeling: SAP recommends using Cube with Star Join for analytical models that require combining master and transactional data, providing default time characteristics, and performing aggregations.

**질문 # 74**

Where is the button that automatically generates a process chain?

- A. In the app called Process Chain Editor
- B. In the editor of a data transfer process
- C. In the editor of a data flow object
- D. In the SAP GUI transaction for Process Chain Maintenance

**정답: C**

**설명:**

In SAP BW/4HANA, process chains are used to automate and schedule tasks such as data loads, transformations, and activations. The ability to automatically generate a process chain is available in specific editors within the SAP BW/4HANA environment. Below is an explanation of the correct answer:

D). In the editor of a data flow object The data flow object in SAP BW/4HANA represents the end-to-end flow of data from source to target. When working with data flow objects (e.g., in the Data Flow Editor), you can automatically generate a process chain by clicking a dedicated button. This feature simplifies the creation of process chains by analyzing the data flow and creating the necessary steps (e.g., extraction, transformation, loading, and activation) in the process chain.

\* Steps to Generate a Process Chain:

\* Open the data flow object in the Data Flow Editor.

\* Locate the "Generate Process Chain" button (usually represented by a chain icon).

\* Click the button to automatically create a process chain based on the defined data flow.

1: The SAP BW/4HANA Modeling Guide highlights this functionality as part of the data flow modeling capabilities. It emphasizes that the automatic generation of process chains is tightly integrated into the data flow editor for ease of use.

Incorrect Options A. In the app called Process Chain Editor While the Process Chain Editor is used to manually create or modify process chains, it does not have a button to automatically generate a process chain based on a data flow. The Process Chain Editor is primarily used for editing existing chains rather than generating new ones.

Reference: The SAP BW/4HANA documentation specifies that the Process Chain Editor is a manual tool for managing process chains, not for automatic generation.

B). In the editor of a data transfer process The editor for a Data Transfer Process (DTP) allows you to configure data extraction, transformation, and loading between objects. However, it does not include a button to automatically generate a process chain. While DTPs are often part of process chains, their editor focuses on individual DTP configurations rather than generating entire chains.

Reference: The SAP BW/4HANA Data Transfer Process Guide confirms that DTP editors are limited to configuring individual processes, not generating full process chains.

C). In the SAP GUI transaction for Process Chain Maintenance The SAP GUI transaction for Process Chain Maintenance (e.g., RSPC) is used to manage and monitor process chains. However, it does not provide a button to automatically generate a process chain. This transaction is primarily for maintaining existing chains rather than creating new ones.

Reference: The SAP BW/4HANA Administration Guide states that the Process Chain Maintenance transaction is focused on monitoring and manual adjustments, not automatic generation.

Conclusion The correct location of the button that automatically generates a process chain is: In the editor of a data flow object.

This functionality streamlines the creation of process chains by leveraging the predefined data flow, ensuring that all necessary steps are included in the chain.

## 질문 # 75

In a BW query with cells you need to overwrite the initial definition of a cell. Which cell types can you use?

Note: There are 2 correct answers to this question.

- A. Formula cell
- B. Selection cell
- C. Help cell
- D. Reference cell

정답: A,B

### 설명:

In SAP BW (Business Warehouse), when working with queries that include cells, you can define and manipulate these cells to meet specific reporting requirements. Cells in a BW query are used to display data based on certain conditions or calculations. If you need to overwrite the initial definition of a cell, you have specific options available.

\* Formula Cell: A formula cell allows you to perform calculations using other cells or key figures within the query. You can define complex formulas to derive new values. When you need to overwrite the initial definition of a cell, you can use a formula cell to redefine how the value is calculated. This flexibility makes it possible to change the behavior of the cell dynamically based on your requirements.

\* Selection Cell: A selection cell enables you to apply specific filters or selections to the data displayed in the cell. By defining a selection cell, you can control which data is included or excluded from the cell's output. Overwriting the initial definition of a cell can involve changing the selection criteria applied to the cell, thus altering the subset of data it represents.

\* Reference Cell: A reference cell simply points to another cell and displays its value. It does not allow for any overwriting or modification of the initial definition because it merely references an existing cell without introducing new logic or conditions.

\* Help Cell: Help cells are used to provide additional information or context within a query but do not participate in calculations or selections. They cannot be used to overwrite the initial definition of a cell since their purpose is purely informational.

\* Formula Cells: These are ideal for recalculating or redefining the value of a cell based on custom logic or mathematical operations. For example, if you initially defined a cell to show revenue, you could overwrite this definition by creating a formula cell that calculates profit instead.

\* Selection Cells: These are perfect for applying different filters or conditions to alter the dataset represented by the cell. For instance, if a cell initially shows sales data for all regions, you can overwrite this by specifying a selection cell that only includes data from a particular region.

Cell Types Overview: Why Formula and Selection Cells? SAP Data Engineer - Data Fabric Context: In the broader context of SAP Data Engineer - Data Fabric, understanding how to manipulate and redefine cells within BW queries is crucial for building flexible and dynamic reports. The Data Fabric concept emphasizes seamless integration and transformation of data across various sources,

and mastering query design- including cell manipulation-is essential for effective data modeling and reporting. For more detailed information, you can refer to official SAP documentation on BW Query Design and Cell Definitions, as well as training materials provided in SAP Learning Hub related to SAP BW and Data Fabric implementations. By selecting Formula cell and Selection cell, you ensure that you have the necessary tools to effectively overwrite and redefine cell behaviors within your BW queries.

\* SAP Learning Hub - BW Query with Cells

#### 질문 # 76

You need to derive an architecture overview model from a key figure matrix. Which is the first step you need to take?

- A. Identify transformations.
- B. Identify sources.
- C. Analyze storage requirements.
- D. Define data marts.

정답: D

#### 질문 # 77

What are some of the benefits of using an InfoSource in a data flow? Note: There are 2 correct answers to this question.

- A. Realizing direct access to source data without storing them
- B. Providing the delta extraction information of the source data
- C. Splitting a complex transformation into simple parts without storing intermediate data
- D. Enabling a data transfer process (DTP) to process multiple sequential transformations

정답: C,D

#### 설명:

An InfoSource in SAP BW/4HANA is a logical object used in data flows to facilitate the movement and transformation of data between source systems and target objects (e.g., DataStore Objects, InfoCubes). Let's analyze each option to determine why A and C are correct:

\* Explanation: An InfoSource allows you to break down a complex transformation into smaller, manageable steps. This modular approach simplifies the design and maintenance of data flows.

Importantly, the intermediate results are not stored permanently, which optimizes storage usage and improves performance.

\* In SAP BW/4HANA, InfoSources act as intermediate layers that streamline data processing by enabling step- by-step transformations without creating additional persistent storage layers.

2. Providing the delta extraction information of the source data (Option B) Explanation: Delta extraction is typically handled by the source system or the Data Transfer Process (DTP), not by the InfoSource itself.

The InfoSource is primarily a logical container for organizing and transforming data, not for managing delta mechanisms.

Reference: Delta handling is configured at the source system or extractor level and is managed through DTP settings. The InfoSource does not play a direct role in this process.

3. Enabling a data transfer process (DTP) to process multiple sequential transformations (Option C) Explanation: An InfoSource can be used to chain multiple transformations together, allowing a single DTP to process these transformations sequentially. This capability enhances the flexibility and efficiency of data flows by consolidating multiple steps into a single process.

Reference: In SAP BW/4HANA, InfoSources serve as intermediaries that enable seamless integration of multiple transformations within a single DTP, reducing complexity and improving performance.

4. Realizing direct access to source data without storing them (Option D) Explanation: Direct access to source data without storage is achieved through Virtual Providers or other real-time data access mechanisms, not through InfoSources. InfoSources are designed to temporarily hold transformed data during the data flow process.

Reference: Virtual Providers bypass the need for physical storage by directly accessing source data.

InfoSources, on the other hand, are part of the physical data flow architecture and involve temporary storage of transformed data.

Conclusion The correct answers are A (Splitting a complex transformation into simple parts without storing intermediate data) and C (Enabling a data transfer process (DTP) to process multiple sequential transformations). These benefits highlight the flexibility and efficiency that InfoSources bring to data modeling and transformation processes in SAP BW/4HANA.

#### 질문 # 78

.....

SAP C-BW4H-2505인증시험은 전문적인 관련지식을 테스트하는 인증시험입니다. ITDumpsKR는 여러분이SAP C-BW4H-2505인증시험을 통과할 수 있도록 도와주는 사이트입니다. 많은 분들이 많은 시간과 돈을 들여 혹은 여러 학원 등을 다니면서SAP C-BW4H-2505인증시험패스에 노력을 다합니다. 하지만 우리ITDumpsKR에서는 20시간 좌우만 투자하면 무조건SAP C-BW4H-2505시험을 패스할 수 있도록 도와드립니다.

**C-BW4H-2505완벽한 시험공부자료 :** <https://www.itdumpskr.com/C-BW4H-2505-exam.html>

- C-BW4H-2505최신 시험 최신 덤프자료 □ C-BW4H-2505시험대비 덤프데모문제 □ C-BW4H-2505최신 덤프샘플문제 □ 오픈 웹 사이트▶ [www.exampassdump.com](http://www.exampassdump.com) ◀검색□ C-BW4H-2505 □무료 다운로드C-BW4H-2505인증자료
- C-BW4H-2505덤프샘플문제 체험 100% 시험패스 공부자료 □ 지금 ▶ [www.itdumpskr.com](http://www.itdumpskr.com) □□□을(를) 열고 무료 다운로드를 위해✓ C-BW4H-2505 □✓□를 검색하십시오C-BW4H-2505최신 업데이트 시험덤프문제
- C-BW4H-2505인증시험대비 덤프공부 □ C-BW4H-2505최신 덤프샘플문제 □ C-BW4H-2505인증시험대비 덤프공부 □ ▶ [kr.fast2test.com](http://kr.fast2test.com) ◀에서▶ C-BW4H-2505 □를 검색하고 무료로 다운로드하세요C-BW4H-2505 최고품질 덤프샘플문제
- C-BW4H-2505덤프샘플문제 체험 덤프는 PDF,테스트엔진,온라인버전 세가지 버전으로 제공 □ 시험 자료를 무료로 다운로드하려면 《 [www.itdumpskr.com](http://www.itdumpskr.com) 》을 통해 「 C-BW4H-2505 」를 검색하십시오C-BW4H-2505시험패스 가능한 공부문제
- 최신 C-BW4H-2505덤프샘플문제 체험 덤프샘플문제 다운로드 ☀ 무료 다운로드를 위해 지금 > [www.itdumpskr.com](http://www.itdumpskr.com) □에서⇒ C-BW4H-2505 ◀검색C-BW4H-2505최신 업데이트 시험덤프문제
- C-BW4H-2505덤프샘플문제 체험 시험준비에 가장 좋은 인기시험 덤프 데모문제 □ 무료 다운로드를 위해 지금 ▶ [www.itdumpskr.com](http://www.itdumpskr.com) □에서> C-BW4H-2505 □검색C-BW4H-2505시험대비 최신 덤프모음집
- C-BW4H-2505최신 업데이트 덤프공부 □ C-BW4H-2505완벽한 공부문제 □ C-BW4H-2505완벽한 공부문제 □ 【 C-BW4H-2505 】를 무료로 다운로드 하려면[ [www.pass4test.net](http://www.pass4test.net) ]웹사이트를 입력하세요C-BW4H-2505최신 업데이트 시험덤프문제
- 높은 통과율 C-BW4H-2505덤프샘플문제 체험 시험덤프문제 □ ☀ [www.itdumpskr.com](http://www.itdumpskr.com) □☀□의 무료 다운로드 ▶ C-BW4H-2505 □페이지가 지금 열립니다C-BW4H-2505최신 시험 최신 덤프자료
- 최신버전 C-BW4H-2505덤프샘플문제 체험 공부자료 □ 무료로 쉽게 다운로드하려면▶ [www.exampassdump.com](http://www.exampassdump.com) □에서> C-BW4H-2505 ◀를 검색하세요C-BW4H-2505시험패스 가능한 공부문제
- C-BW4H-2505덤프샘플문제 체험 덤프는 PDF,테스트엔진,온라인버전 세가지 버전으로 제공 □ 무료 다운로드를 위해▶ C-BW4H-2505 □를 검색하려면✓ [www.itdumpskr.com](http://www.itdumpskr.com) □✓□을(를) 입력하십시오C-BW4H-2505시험대비 최신 덤프자료
- 최신 C-BW4H-2505덤프샘플문제 체험 인기덤프 □ 무료 다운로드를 위해> C-BW4H-2505 □를 검색하려면 ( [www.koreadumps.com](http://www.koreadumps.com) ) 을(를) 입력하십시오C-BW4H-2505최고품질 덤프샘플문제
- [www.stes.tyc.edu.tw](http://www.stes.tyc.edu.tw), [palangshim.com](http://palangshim.com), [www.188ym.cc](http://www.188ym.cc), [qiita.com](http://qiita.com), [bbs.yx3.com](http://bbs.yx3.com), [hhi.instructure.com](http://hhi.instructure.com), [myportal.utt.edu.tt](http://myportal.utt.edu.tt), [myportal.utt.edu.tt](http://myportal.utt.edu.tt), [myportal.utt.edu.tt](http://myportal.utt.edu.tt), [myportal.utt.edu.tt](http://myportal.utt.edu.tt), [myportal.utt.edu.tt](http://myportal.utt.edu.tt), [myportal.utt.edu.tt](http://myportal.utt.edu.tt), [myportal.utt.edu.tt](http://myportal.utt.edu.tt), [myportal.utt.edu.tt](http://myportal.utt.edu.tt), [myportal.utt.edu.tt](http://myportal.utt.edu.tt), [app.eduprimes.com](http://app.eduprimes.com), [www.stes.tyc.edu.tw](http://www.stes.tyc.edu.tw), [www.stes.tyc.edu.tw](http://www.stes.tyc.edu.tw), Disposable vapes

2026 ITDumpsKR 최신 C-BW4H-2505 PDF 버전 시험 문제집과 C-BW4H-2505 시험 문제 및 답변 무료 공유:  
[https://drive.google.com/open?id=1WDxE-atgBYr32HVoi2fm\\_LcGekUrKpp-](https://drive.google.com/open?id=1WDxE-atgBYr32HVoi2fm_LcGekUrKpp-)