

CCRN-Adult Fragen Antworten & CCRN-Adult Fragen Und Antworten

CCRN ADULT BOARD PRACTICE QUESTIONS AND ANSWERS 2022/2023 UPDATE

A 52-year-old accountant is admitted to the critical care unit with frank gastrointestinal bleeding for more than 18 hours. He has had a blood loss of more than 1000 mL. Which of the following sets of vital signs would be consistent with the patient's blood loss?

- A.
Blood pressure (BP) 100/84 mm Hg, heart rate 124 beats/min
- B.
BP 86/40 mm Hg, heart rate 92 beats/min
- C.
BP 124/66 mm Hg, heart rate 124 beats/min
- D.
BP 112/60 mm Hg, heart rate 92 beats/min - Answer A!

With a loss of 750 to 1500 mL of blood, an increase in heart rate greater than 100 beats/min and a narrowing of the pulse pressure is expected. These changes are due to sympathetic nervous system innervation. Option a shows a narrow pulse pressure and tachycardia.

Which is the most critical concern during the acute phase of care for a patient with an intestinal obstruction?

- A.
Aspiration
- B.
Hyperkalemia
- C.
Hypovolemia
- D.
Metabolic alkalosis - Answer C - hypovolemia

In intestinal obstruction, hypovolemia is the result of vomiting and sequestration of fluids in the lumen of the intestine. Intravascular volume decreases which can cause hypovolemic shock. Aspiration is a potential risk if the patient is vomiting. Hypokalemia

P.S. Kostenlose und neue CCRN-Adult Prüfungsfragen sind auf Google Drive freigegeben von Zertpruefung verfügbar:
<https://drive.google.com/open?id=1-ofx-dgn50ny5Oij0bqEMoZFwBWlfjWt>

Die AACN CCRN-Adult Zertifizierungsprüfung stellt eine wichtige Position in der IT-Branche dar, worüber viele IT-Experten sich einig sind. Die AACN CCRN-Adult (CCRN (Adult) - Direct Care Eligibility Pathway) Zertifizierungsprüfung zu bestehen ist jedoch nicht einfach. Es erfordert umfangreiche Fachkenntnisse und Erfahrungen, weil die AACN CCRN-Adult Zertifizierungsprüfung sowieso eine autoritäre Prüfung, die das Niveau der IT-Fachkenntnissen überprüft. Wenn Sie das AACN CCRN-Adult Zertifikat bekommen, wird Ihre Fähigkeit von den Firmen akzeptiert. Das bedeutet, dass die zielgerichteten Schulungsunterlagen von Zertpruefung sehr wirksam ist. Mit unseren Prüfungsmaterialien können Sie 100% die Prüfung bestehen.

Unsere Webseite Zertpruefung ist eine Webseite mit langer Geschichte, die Zertifizierungsantworten zur AACN CCRN-Adult Prüfung bietet. Nach langjährigen Bemühungen beträgt die Bestehensrate der AACN CCRN-Adult Zertifizierungsprüfung bereits 100%. Der Inhalt unserer Lehrbücher aktualisieren sich ständig, damit die Schulungsunterlagen zur AACN CCRN-Adult Zertifizierungsprüfung immer korrekt sind. Darüber hinaus können Sie einjährige Aktualisierung genießen, wenn Sie unsere Dumps gekauft haben.

>> CCRN-Adult Fragen Antworten <<

AACN CCRN-Adult Fragen Und Antworten, CCRN-Adult Antworten

Die Produkte von Zertpruefung sind zuverlässig und von guter Qualität. Sie können im Internet teilweise die Demo zur AACN CCRN-Adult Zertifizierungsprüfung kostenlos als Probe herunterladen. Nach dem Benutzen, meine ich, werden Sie mit unseren

Produkten zufrieden sein. Weshalb zögern Sie noch, wenn es so gute Produkte zum Bestehen der AACN CCRN-Adult Prüfung gibt. Schicken Sie doch schnell die Produkte von Zertpruefung in den Warenkorb.

AACN CCRN (Adult) - Direct Care Eligibility Pathway CCRN-Adult Prüfungsfragen mit Lösungen (Q936-Q941):

936. Frage

A patient who is being treated for chest trauma from a motor vehicle accident complains of pain that is described as a tearing sensation between his scapulas. Which of the following interventions is MOST important?

- A. Prepare to intubate the patient.
- **B. Take the patient's blood pressure and pulse on both arms.**
- C. Draw cardiac enzymes and perform a 12 lead EKG.
- D. Place the patient in reverse Trendelenburg.

Antwort: B

Begründung:

A pain described as tearing is suspicious for aortic aneurism or dissection. The recent chest trauma combined with the location of the pain make it even more likely that a thoracic aortic aneurism is the cause of the pain. In patients who are experiencing a thoracic aortic aneurysm, the blood pressure or pulse may vary between arms and assessing the blood pressure and pulse on both limbs is an appropriate intervention. Placing the patient in reverse Trendelenburg is not likely to improve the patient's situation. Drawing cardiac enzymes and performing a 12 lead EKG may be necessary to rule out other causes of the patient's symptoms; however, the possibility of aortic aneurism should be further assessed first. There are no indicators that intubation is necessary for this patient.

937. Frage

Which of the following assessment findings would be found in a patient with pulmonary hypertension?

- A. crackles in the bases bilaterally
- **B. distended neck veins**
- C. pink frothy sputum
- D. rhonchi in the apices bilaterally

Antwort: B

Begründung:

Pulmonary hypertension leads to increased pressure in the pulmonary circulation, which can cause right ventricular hypertrophy and failure. This results in systemic venous congestion, presenting as distended neck veins. Crackles, rhonchi, and pink frothy sputum are more indicative of pulmonary edema or other respiratory conditions rather than pulmonary hypertension. References: AACN Adult CCRN Certification Review Course, AACN CCRN Exam Handbook.

938. Frage

Which of the following patients is exhibiting a compensated response to shock?

- A. Patient who is flushed, warm, and clammy
- **B. Patient with increased production of catecholamines and ACTH**
- C. Patient with decreased intravascular volume and polyuria
- D. Patient with decreased heart rate and blood pressure (parasympathetic response)

Antwort: B

Begründung:

The compensatory stage of shock begins almost immediately as the body's homeostatic mechanisms attempt to maintain cardiac output, blood pressure, and tissue perfusion. The sympathetic nervous system initiates neural, hormonal, and chemical compensatory mechanisms causing peripheral vasoconstriction and elevation of the blood pressure. Hormonal responses include increased production of catecholamines and ACTH (Adrenocorticotropic Hormone) and activation of the renin-angiotensin- aldosterone system. Sodium and potassium retention, in combination with increased ADH (Antidiuretic Hormone), ACTH, and circulating catecholamines, effectively increases intravascular volume, heart rate, and BP, and decreases urine output. The patient becomes tachycardic, cyanotic, and the skin is cool and clammy to the touch.

939. Frage

Which of the following are physiologic effects of pulmonary contusion?

- A. increased airway resistance and decreased gas diffusion
- B. increased lung compliance and decreased dead space
- C. increased gas diffusion and decreased lung compliance
- D. increased dead space and decreased airway resistance

Antwort: A

Begründung:

Pulmonary contusion leads to damage to lung parenchyma, resulting in alveolar hemorrhage and edema. This causes increased airway resistance and decreased gas diffusion due to the inflammatory response and accumulation of fluid within the alveoli, impairing effective gas exchange and reducing lung compliance. References: = CCRN Exam Handbook, page 40

940. Frage

A patient being treated for Diabetic Ketoacidosis (DKA) is at HIGHEST risk for which of the following complications?

- A. Hypercalcemia
- B. Cardiogenic shock
- C. Lactic acidosis
- D. Hypokalemia

Antwort: D

Begründung:

In general, Diabetic Ketoacidosis (DKA) consists of the biochemical triad of hyperglycemia, ketonemia, and metabolic acidosis. Serum potassium is elevated initially in DKA probably due to potassium shifts from the intracellular to the extracellular space because of the acidosis. Later, after therapy for DKA has been initiated, hypokalemia is common because of insulin-induced transfer of plasma potassium into cells and increased urinary excretion of potassium with the osmotic diuresis. The hyperglycemia causes an osmotic diuresis and hypotonic losses, leading to fluid volume deficits and electrolyte losses. Thus, hypocalcemia may be present (not hypercalcemia), as well as hypovolemic shock (not cardiogenic shock), which can result from the severe fluid losses in DKA. There may be relative lactic acidosis that ensues due to dehydration, but hypokalemia is a higher risk and complication (and more severe) than relative lactic acidosis.

941. Frage

.....

Die Zertifizierungsantworten zur AACN CCRN-Adult Zertifizierungsprüfung von Zertprüfung werden von IT-Eliten seit mehr als 10 Jahre durch ihre Forschung und Praxis gesammelt. Zertprüfung hat viele neueste und genaueste Prüfungsunterlagen. Zertprüfung ist für Ihren Erfolg vorhanden. Es bedeutet, dass Sie Erfolg wählen, wenn Sie Zertprüfung wählen. Wenn Sie AACN CCRN-Adult Zertifizierungsprüfungen leicht bestehen wollen, ist Zertprüfung die einzige Wahl für Sie.

CCRN-Adult Fragen Und Antworten: https://www.zertpruefung.de/CCRN-Adult_exam.html

AACN CCRN-Adult Fragen Antworten Versuchen Sie die kostenlose Demo von Prüfungsfragen bitte, Sie können die Richtigkeit unserer Fragen und Antworten bevor Bestellung mal prüfen, AACN CCRN-Adult Fragen Antworten Wir geben Ihnen die unglaublichen Vorteile, Die Software von CCRN-Adult Prüfungsguide: CCRN (Adult) - Direct Care Eligibility Pathway für Windows System kann die reale Umgebung der Prüfung simulieren, damit Ihnen helfen, das Prüfungsverfahren im Voraus auskennen, AACN CCRN-Adult Fragen Antworten Die alle sind von guter Qualität und auch ganz schnell aktualisiert.

Es ist gut zu wissen, dass die Hochschulbildung immer noch wichtig ist, CCRN-Adult Voll getankt mit tropischer Sonne ist der Nordäquatorialstrom durch die kleinen Antillen hierher gelangt, bis in den Golf von Mexiko.

Das neueste CCRN-Adult, nützliche und praktische CCRN-Adult pass4sure Trainingsmaterial

BONUS!!! Laden Sie die vollständige Version der Zertpruefung CCRN-Adult Prüfungsfragen kostenlos herunter:
<https://drive.google.com/open?id=1-ofx-dgn50ny5Oij0bqEMoZFwBWlflWt>