


Analytics-Admn-201復習時間 & Analytics-Admn-201模擬試験サンプル



無料でクラウドストレージから最新のJpshiken Analytics-Admn-201 PDFダンプをダウンロードする：<https://drive.google.com/open?id=15AKdFBz3F3UPuNegT-El6K-H2YrCoZXd>

練習資料は通常、試験に必要な試験問題を復習、練習、および記憶するためのツールと見なされ、それらに多くの時間を費やすことで、勝つ可能性を高めることができます。ただし、当社のAnalytics-Admn-201トレーニング資料は、従来の練習資料よりも条件が良く、効果的に使用できます。Analytics-Admn-201実践ガイドが非常に多くのヘルプを提供できるように、ヘルプを提供することが主な責任であると考えています。最も一般的なのは、Analytics-Admn-201試験問題の効率性です。20〜30時間勉強します。

Salesforce Analytics-Admn-201 認定試験の出題範囲：

トピック	出題範囲

トピック 1	インストールと構成: このセクションでは、サーバーエンジニアのスキルを評価します。Tableau Server のインストールプロセス、インストールパスの理解、アイデンティティストアオプション、SSO 統合、SSL 設定、サイレントインストールなどについて学習します。また、キャッシュの設定、プロセスの分散、サイトのカスタマイズ、ユーザークォータの設定など、Tableau Server を構成する能力も必要です。さらに、ユーザーの追加、ユーザーのロールと権限の管理、サイトからワークブックまでの様々なレベルでの Tableau セキュリティモデルの適用も含まれます。
トピック 2	管理: このセクションでは、Tableau 管理者のスキルを評価し、Tableau Server の日常的な保守タスクを網羅します。受験者は、スケジュール、サブスクリプション、バックアップ、リストアの作成と管理方法に加え、TSM、Tabcmd、REST API などのツールの使用方法を理解する必要があります。監視、サーバー分析、ログファイルの使用、埋め込み手法に重点が置かれます。また、プロジェクト、サイト、ネストされた構造の管理、そしてエンドユーザーと管理者の能力を比較検討します。さらに、パブリッシュ、Web 作成、ビューの共有、キャッシュ、データソース認証に関する知識も問われます。
トピック 3	データへの接続と準備: このセクションでは、Tableau 管理者のスキルを評価し、Tableau Server のインターフェース、ナビゲーション、および全体的なトポロジに関する基本的な理解を網羅します。受験者は、クライアントとサーバーの両方のコンポーネントを認識し、それらの相互作用を理解し、バージョン、リリース、およびアップデートに関する情報の入手先を把握していることが求められます。また、ハードウェア、オペレーティングシステム、ブラウザ、メール設定、クラウドに関する考慮事項、ライセンスモデルなどのシステム要件にも重点を置いています。さらに、安定した導入に必要なサーバープロセス、データソースの種類、ネットワークインフラストラクチャ、ポートに関する知識も問われます。
トピック 4	移行とアップグレード: このセクションでは、システムエンジニアのスキルを評価し、Tableau Server 環境のアップグレードと移行のプロセスを網羅します。受験者は、クリーン再インストールの実行方法、サーバーを新しいハードウェアに移行する方法、そしてそのプロセスにおける下位互換性の維持方法を理解する必要があります。
トピック 5	トラブルシューティング: このセクションでは、サポートスペシャリストのスキルを評価し、Tableau Server の一般的な問題の解決方法を網羅します。受験者は、アカウントのリセット、ログのパッケージ化、サイトリソースの検証、検索インデックスの再構築、分析レポートの使用方法を理解している必要があります。また、ブラウザの Cookie の役割を理解し、必要に応じてサポートリクエストを作成することも含まれます。

>> Analytics-Admn-201復習時間 <<

実用的な Analytics-Admn-201復習時間 | 最初の試行で簡単に勉強して試験に合格する & 効率的な Salesforce Certified Tableau Server Administrator

SalesforceのAnalytics-Admn-201認証試験はIT業界にとっても重要な地位があることがみんなが、たやすくその証本をとることはではありません。いまの市場にとってもよい問題集が探すことは難しいです。Jpshikenは認定で優秀なIT資料のウェブサイトで、ここでSalesforce Analytics-Admn-201認定試験「Salesforce Certified Tableau Server Administrator」の先輩の経験と暦年の試験の材料を見つけることができるとともに部分の最新の試験の題目と詳しい回答を無料でダウンロードすることもできますよ。

Salesforce Certified Tableau Server Administrator 認定 Analytics-Admn-201 試験問題 (Q20-Q25):

質問 # 20

What process decides when a Repository failover is required?

- A. Coordination Service
- **B. Cluster Controller**
- C. Gateway
- D. Backgrounder

正解: B

解説:

In a high-availability (HA) Tableau Server setup, the Repository (PostgreSQL) has an active and passive instance. Failover occurs if the active Repository fails. Let's dive into the process:

* HA Setup:

* Two Repository instances across nodes (active/passive).

* Failover switches to the passive instance if the active one becomes unavailable (e.g., crash, network issue).

* Cluster Controller:

* Role: Monitors all processes (e.g., Repository, File Store) across nodes, detecting failures via heartbeats and status checks.

* Failover Decision: If the active Repository stops responding, Cluster Controller initiates failover, promoting the passive instance to active.

* Coordination: Works with Coordination Service (ZooKeeper) to update topology but makes the initial detection call.

* Option A (Cluster Controller): Correct.

* Why: It's the watchdog process, constantly monitoring Repository health and triggering failover when needed.

* Option B (Coordination Service): Incorrect.

* Role: ZooKeeper maintains cluster state and coordinates topology updates post-failover, but doesn't detect the failure-Cluster Controller does.

* Option C (Gateway): Incorrect.

* Role: Routes client requests-unrelated to internal process monitoring or failover.

* Option D (Backgrounder): Incorrect.

* Role: Executes background tasks-no involvement in Repository failover decisions.

Why This Matters: Understanding failover ensures HA reliability-Cluster Controller is the linchpin for resilience.

Reference: Tableau Server Documentation - "High Availability" (<https://help.tableau.com/current/server/en-us/ha.htm>).

質問 # 21

What statement correctly describes locking permissions to a project?

- A. Content permissions are locked to a project by default
- B. You can lock permissions to a project by setting the appropriate Project permission role
- **C. You can lock permissions to a project by changing Customizable to Locked**
- D. Locking permissions to projects must be enabled on the Tableau Server Settings page

正解: C

解説:

In Tableau Server, projects organize content (workbooks, data sources) and use permissions to control access. "Locking permissions" restricts how permissions are managed within a project-let's explore this exhaustively:

* Permission Management Modes:

* Managed by Owner: Default mode. Content owners (e.g., workbook publishers) can set permissions on their items, inheriting project defaults as a starting point.

* Locked to the Project: Project-level permissions are enforced, and content owners cannot modify them. This ensures consistency across all items in the project.

* How to Lock:

* In the Tableau Server web UI:

* Go to Content > Projects.

* Select a project, click Actions > Permissions.

* In the Permissions dialog, change Permissions Management from "Customizable" (Managed by Owner) to "Locked."

* Set the desired permissions (e.g., Viewer, Editor) for users/groups, which then apply uniformly to all content.

* Via REST API: Use the updateProject endpoint with "permissionsLocked": true.

* Option B (You can lock permissions to a project by changing Customizable to Locked): Correct.

* Details: This is the precise action in the UI-switching from "Customizable" to "Locked" locks permissions at the project level.

* Impact: Owners lose the ability to override permissions on individual workbooks/data sources, enforcing governance.

* Example: Set "All Users" to Viewer (Locked)-all content in the project is view-only, regardless of owner intent.

- * Option A (Locking permissions must be enabled on the Server Settings page): Incorrect.
- * Why: Locking is a per-project setting, not a server-wide toggle. The Server Settings page (via TSM) controls global configs (e.g., authentication), not project permissions.
- * Option C (Content permissions are locked by default): Incorrect.
- * Default: New projects are "Managed by Owner" (Customizable), allowing flexibility unless explicitly locked by an admin.
- * Option D (By setting the appropriate Project permission role): Incorrect.
- * Confusion: "Project permission role" isn't a term—permissions are set via rules (e.g., Viewer, Editor), but locking is a separate action (Customizable # Locked).

Why This Matters: Locking permissions ensures uniform access control, critical for regulated environments or large teams where consistency trumps flexibility.

Reference: Tableau Server Documentation - "Lock Project Permissions" (https://help.tableau.com/current/server/en-us/permissions_lock.htm).

質問 # 22

You have an installation of Tableau Server and a site that are configured to use default settings. What should you do to ensure that the users on the site can set up data-driven alerts?

- A. No action is necessary: the default settings enable data-driven alerts for the site
- B. Run the `tsm configuration set -k dataAlerts.checkIntervalInMinutes -v 60` command
- C. Enable data-driven alerts on the Tableau Services Manager Configuration page
- **D. Change the data-driven alerts setting on the new site's Settings page**

正解: D

解説:

Data-driven alerts in Tableau Server allow users to receive notifications when data in a view meets certain conditions (e.g., a sales metric exceeds a threshold). By default, this feature is disabled for a site unless explicitly enabled by an administrator.

Option C (Change the data-driven alerts setting on the new site's Settings page): This is the correct answer. In the Tableau Server web interface, a site administrator can navigate to the site's Settings > General page and enable the option "Let users create data-driven alerts." This must be done manually because the default setting for a new site is disabled. Once enabled, users with appropriate permissions (e.g., Viewer, Explorer, or Creator roles) can create alerts on views they have access to.

Option A (Enable data-driven alerts on the TSM Configuration page): This is incorrect because the TSM Configuration page (accessed via the TSM web UI or CLI) manages server-wide settings like ports, authentication, and processes, not site-specific features like data-driven alerts.

Option B (Run the `tsm configuration set -k dataAlerts.checkIntervalInMinutes -v 60` command): This is incorrect. The `dataAlerts.checkIntervalInMinutes` key controls how frequently Tableau Server checks alert conditions (default is 60 minutes), but it does not enable the feature itself. The feature must first be turned on at the site level.

Option D (No action is necessary): This is incorrect because the default setting for data-driven alerts is off for new sites, requiring explicit action to enable it.

Reference: Tableau Server Documentation - "Configure Data-Driven Alerts" (https://help.tableau.com/current/server/en-us/data_alerts.htm).

質問 # 23

What are two features of the Tableau Server user-based license? (Choose two.)

- A. Restricts the number of machine cores you can deploy
- B. A perpetual license
- **C. Enables distinct user roles**
- **D. A subscription license**

正解: C、D

解説:

Tableau Server's user-based licensing model assigns licenses to individual users (Creator, Explorer, Viewer) rather than machines or cores. Key features include:

- * Subscription license: Licenses are typically subscription-based, renewed annually or monthly, aligning with Tableau's pricing model.

- * Distinct user roles: It supports three roles (Creator, Explorer, Viewer), each with specific capabilities, enabling granular access control.

- * Option A (A subscription license): Correct. User-based licenses are subscription-based by default.

* Option B (Enables distinct user roles): Correct. The model defines Creator, Explorer, and Viewer roles.
 * Option C (Restricts the number of machine cores): Incorrect. This applies to core-based licensing, not user-based.
 * Option D (A perpetual license): Incorrect. Perpetual licenses were phased out; user-based licenses are subscription-based as of recent models.
 Reference: Tableau Server Documentation - "Licensing Overview" (https://help.tableau.com/current/server/en-us/license_usage.htm).

質問 # 24

Which two operating systems are supported for a Tableau Server installation? (Choose two.)

- A. Windows 10
- B. Windows Server 2016
- C. Windows 7
- D. Windows Server 2019

正解: B、D

解説:

Tableau Server is designed for production environments and is supported only on server-class operating systems, not desktop operating systems. As of the latest documentation (aligned with knowledge up to March 21, 2025), the supported operating systems for Tableau Server on Windows are:

Windows Server 2016

Windows Server 2019

Windows Server 2022 (added in later versions, but relevant as of 2025).

Desktop operating systems like Windows 7 or Windows 10 are not supported for production installations due to stability, security, and performance requirements.

Option A (Windows 7): Incorrect. Windows 7 is a desktop OS and is not supported for Tableau Server. It's also end-of-life as of January 2020.

Option B (Windows 10): Incorrect. Windows 10 is a desktop OS and not supported for production Tableau Server deployments, though it may be used for testing in non-production scenarios.

Option C (Windows Server 2019): Correct. This is a supported server OS for Tableau Server.

Option D (Windows Server 2016): Correct. This is also a supported server OS for Tableau Server.

Reference: Tableau Server Documentation - "System Requirements for Tableau Server" (<https://help.tableau.com/current/server/en-us/requirements.htm>).

質問 # 25

.....

お支払い後、最初に Analytics-Admn-201 練習資料を受け取りたい場合があります。心配しないで。支払いが完了するまで、オンラインワーカーが教材の注文を迅速に処理します。支払いプロセス全体は数秒続きます。それに加えて、Analytics-Admn-201 学習ガイドについて知りたいことを尋ねることができます。質問を送信すると、すぐに詳細な説明が表示されます。Analytics-Admn-201 学習教材の練習中に問題に遭遇した場合でも、問題の解決もお手伝いします。Analytics-Admn-201 ラーニングガイドでお客様の問題に対応いたします。

Analytics-Admn-201 模擬試験 サンプル: https://www.jpshiken.com/Analytics-Admn-201_shiken.html

- Analytics-Admn-201 模擬資料 □ Analytics-Admn-201 資格難易度 □ Analytics-Admn-201 関連資料 □ 今すぐ▶▶ www.topexam.jp □ を開き、▶ Analytics-Admn-201 ◀ を検索して無料でダウンロードしてください Analytics-Admn-201 日本語認定
- Analytics-Admn-201 日本語認定対策 □ Analytics-Admn-201 模擬資料 □ Analytics-Admn-201 真実試験 □ □ www.goshiken.com □ サイトにて最新 (Analytics-Admn-201) 問題集をダウンロード Analytics-Admn-201 日本語学習内容
- Analytics-Admn-201 関連資料 □ Analytics-Admn-201 テスト問題集 □ Analytics-Admn-201 ファンデーション □ □▶ www.mogiexam.com ◀ から (Analytics-Admn-201) を検索して、試験資料を無料でダウンロードしてください Analytics-Admn-201 関連復習問題集
- Analytics-Admn-201 無料ダウンロード □ Analytics-Admn-201 ファンデーション □ Analytics-Admn-201 無料ダウンロード □ 今すぐ“www.goshiken.com”で⇒ Analytics-Admn-201 ⇐ を検索して、無料でダウンロードしてください Analytics-Admn-201 関連復習問題集
- Analytics-Admn-201 無料ダウンロード □ Analytics-Admn-201 テスト難易度 □ Analytics-Admn-201 資格難易度

[illegible]

P.S. JpshikenがGoogle Driveで共有している無料かつ新しいAnalytics-Admn-201ダンプ: <https://drive.google.com/open?id=15AKdFBz3F3UPuNegT-El6K-H2YrCoZXd>