

MCD-Level-2 최신버전 인기덤프자료덤프공부자료

MuleSoft Certified Developer - Level 2 (Mule 4) 시험준비자료

MCD-Level-2

Option D : HTTP Status Code:500.Body 'Error in processing your request'

Correct Answer: C

Explanation/Reference:

When the HTTP Request operation raises an HTTP CONNECTIVITY error, it triggers an on-error-continue handler that sets a payload with 'Error in processing your request'. Since no status code is explicitly set in this handler, it defaults to 500 (INTERNAL SERVER ERROR). Therefore, the web client receives an HTTPResponse with status code 500 and body 'Error in processing your request'. References: <https://docs.mulesoft.com/mule-runtime/4.3/error-handling#on-error-continue>

QUESTION: 4

An API has been built to enable scheduling email provider. The front-end system does very little data entry validation, and problems have started to appear in the email that go to patients. A 'validate-customer' flow is added to validate the data. What is the expected behavior of the 'validate-customer' flow?

```
<flow name="validate-customer">
  <validation>
    <validation:is-email email="#{payload.customer.emailAddress}" message="Invalid email address">
      <error-mapping sourceType="VALIDATION:INVALID_EMAIL" targetType="SCHEDULE:INVALID_EMAIL_ADDRESS"/>
    </validation:is-email>
    <validation:is-schedule value="#{payload.schedule.appointmentDate}"
      regex="(^[0-9]{4}-[0-9]{2}-[0-9]{2})$" message="Invalid appointment date">
      <error-mapping sourceType="VALIDATION:MISMATCH" targetType="SCHEDULE:INVALID_APPOINTMENT_DATE"/>
    </validation:is-schedule>
    <validation:is-not-null value="#{payload.customer.name}" message="Invalid customer name">
      <error-mapping sourceType="VALIDATION:NULL" targetType="SCHEDULE:INVALID_CUSTOMER_NAME"/>
    </validation:is-not-null>
  </validation>
</flow>
```

Option A : If only the email address is invalid a VALIDATION.INVALID_EMAIL error is raised

Option B : If the email address is invalid, processing continues to see if the appointment data and customer name are also invalid

Option C : If the appointment date and customer name are invalid, a SCHEDULE.INVALID_APPOINTMENT_DATE error is raised

Option D : If all of the values are invalid the last validation error is raised: SCHEDULE.INVALID_CUSTOMER_NAME

Correct Answer: A

Explanation/Reference:

The validate-customer flow uses an until-successful scope to validate each field of the customer data. The until-successful scope executes its processors until they succeed or exhausts the maximum number of retries. If any processor fails, it raises an

<https://www.dumpsocertify.com/product/MCD-Level-2-exam>

PDF Questions & Answers

우리Pass4Test 사이트에서MuleSoft MCD-Level-2관련자료의 일부 문제와 답 등 샘플을 제공함으로 여러분은 무료로 다운받아 체험해보실 수 있습니다.체험 후 우리의Pass4Test에 신뢰감을 느끼게 됩니다.빨리 우리 Pass4Test의 덤프를 만나보세요.

Pass4Test MuleSoft MCD-Level-2덤프의 질문들과 답변들은 100%의 지식 요약과 적어도 98%의MuleSoft MCD-Level-2 시험 문제들을 커버하는 수년동안 가장 최근의MuleSoft MCD-Level-2 시험 요점들을 컨설팅 해 온 시니어 프로 IT 전문가들의 그룹에 의해 구축 됩니다. MuleSoft MCD-Level-2 시험적중을 높은 덤프로 시험패스하세요.

MCD-Level-2최신버전 인기 덤프자료 100% 시험패스 가능한 공부자료

Pass4Test는 엘리트한 전문가들의 끊임없는 연구와 자신만의 노하우로 MuleSoft MCD-Level-2덤프자료를 만들어 냈으므로 여러분의 꿈을 이루어드립니다. 기존의 MuleSoft MCD-Level-2시험문제를 분석하여 만들어낸 MuleSoft MCD-Level-2덤프의 문제와 답은 실제시험의 문제와 답과 아주 비슷합니다. MuleSoft MCD-Level-2덤프는 합격보장해드리는 고품질 덤프입니다. Pass4Test의 덤프를 장바구니에 넣고 페이지를 통한 안전결제를 진행하여 덤프를 다운받아 시험합격하세요.

최신 MuleSoft Certified Developer MCD-Level-2 무료샘플문제 (Q41-Q46):

질문 # 41

A Mule application for processing orders must log the order ID for every log message output.

What is a best practice to enrich every log message with the order ID?

- A. Set a flow variable and edit the log4/2.xml file to output the variable as part of the message pattern
- B. Use flow variables within every logger processor to log the order ID
- C. Create a custom XML SDK component to wrap the logger processor and automatically add the order ID within the connector
- **D. Use the Tracing module to set logging variables with a Mapped Diagnostic Context**

정답: D

설명:

To enrich every log message with the order ID, the developer should use the Tracing module to set logging variables with a Mapped Diagnostic Context (MDC). The Tracing module allows adding custom key-value pairs to log messages using MDC variables. The developer can use Set Logging Variables operation to set the order ID as an MDC variable and then use it in any logger processor within the same thread or event.

References:<https://docs.mulesoft.com/tracing-module/1.0/tracing-module-reference#set-logging-variables>

질문 # 42

Which configurations are required for HTTP Listener to enable mTLS authentication?

- **A. Set an appropriate keystore and truststore configuration for the listener**
- B. Set an appropriate keystore configuration and use persistent connections for the listener
- C. Set an appropriate truststore configuration and reconnection strategy for the listener
- D. Set an appropriate reconnection strategy and use persistent connections for the listener

정답: A

설명:

To enable mTLS authentication for HTTP Listener, the developer needs to set an appropriate keystore and truststore configuration for the listener. The keystore contains the certificate and private key of the Mule application that are used to prove its identity to clients. The truststore contains the certificates of trusted clients that are allowed to access the Mule application. References:<https://docs.mulesoft.com/mule-runtime/4.3/tls-configuration#mutual-authentication>

질문 # 43

A developer is working on a project that requires encrypting all data before sending it to a backend application. To accomplish this, the developer will use PGP encryption in the Mule 4 Cryptography module.

What is required to encrypt the data before sending it to the backend application?

- A. The application needs to configure HTTPS TLS context information to encrypt the data
- **B. The application needs the public key from the backend service to encrypt the data**
- C. The application needs to both the private and public keys to encrypt the data
- D. The application needs the private key from the backend service to encrypt the data

정답: B

설명:

To encrypt the data before sending it to the backend application using PGP encryption, the application needs the public key from the backend service. PGP encryption uses a public-key cryptography system, which means that each party has a pair of keys: a public key and a private key. The public key is used to encrypt data, and the private key is used to decrypt data. Therefore, to encrypt data for a specific recipient (the backend service), the application needs to use the recipient's public key. The recipient can then use its own private key to decrypt the data. References: <https://docs.mulesoft.com/mule-runtime/4.3/cryptography-pgp>

질문 # 44

What is the MuleSoft recommended method to encrypt sensitive property data?

- A. The encryption key should be identical for all environments
- B. The encryption key should be different for each environment and the sensitive data should be the same for all environments
- C. The encryption key should be identical for all environments and the sensitive data should be different for each environment
- **D. The encryption key and sensitive data should be different for each environment**

정답: D

설명:

Explanation

The MuleSoft recommended method to encrypt sensitive property data is to use the Secure Properties Tool that comes with Anypoint Studio. This tool allows encrypting properties files with a secret key and then decrypting them at runtime using the same key. The encryption key and sensitive data should be different for each environment to ensure security and avoid accidental exposure of sensitive data. References:

<https://docs.mulesoft.com/mule-runtime/4.3/secure-configuration-properties>

질문 # 45

A Mule application deployed to a standalone Mule runtime uses VM queues to publish messages to be consumed asynchronously by another flow.

In the case of a system failure, what will happen to in-flight messages in the VM queues that have been consumed?

- A. For transient queues, the message will be processed after the system comes online
- B. For any type of queue, the message will be processed after the system comes online
- C. For any type of queue, the message will be lost
- **D. For persistent queues, the message will be processed after the system comes online**

정답: D

설명:

Explanation

In case of a system failure, in-flight messages in persistent VM queues that have been consumed will be processed after the system comes online. This is because persistent VM queues store messages on disk and guarantee delivery even if there is a system crash or restart. Therefore, any in-flight messages that have been consumed but not processed will be recovered from disk and processed when the system is back online.

References: <https://docs.mulesoft.com/mule-runtime/4.3/vm-connector#persistent-queues>

질문 # 46

.....

어떻게 하면 가장 편하고 수월하게 MuleSoft MCD-Level-2 시험을 패스할 수 있을까요? 그 답은 바로 Pass4Test에서 찾아볼 수 있습니다. MuleSoft MCD-Level-2 덤프로 시험에 도전해보지 않으실래요? Pass4Test는 당신을 위해 MuleSoft MCD-Level-2 덤프로 MuleSoft MCD-Level-2 인증 시험이라는 높은 벽을 순식간에 무너뜨립니다.

MCD-Level-2 시험 패스 가능한 공부 자료: <https://www.pass4test.net/MCD-Level-2.html>

Pass4Test MCD-Level-2 시험 패스 가능한 공부 자료는 여러분이 우리 자료로 관심 가는 인증 시험에 응시하여 안전하게 자격증을 취득할 수 있도록 도와드립니다. 지난 몇 년 동안 IT 산업의 지속적인 발전과 성장을 통해 MuleSoft 인증 MCD-Level-2 시험은 IT 인증 시험 중의 이정표로 되어 많은 인기를 누리고 있습니다. Pass4Test에는 전문적인 업계인사들이 MuleSoft MCD-Level-2 시험 문제와 답에 대하여 연구하여, 시험 준비 중인 여러분들한테 유용하고 필요한 시험

가이드를 제공합니다, MuleSoft MCD-Level-2최신버전 인기 덤프자료 덤프무료샘플 문제 다운가능, Pass4Test의 퍼펙트한 덤프인 Microsoft MCD-Level-2인증시험자료의 문제와 답만 열심히 공부하면 여러분은 완전 안전하게 MuleSoft MCD-Level-2인증자격증을 취득하실 수 있습니다.

하지만, 예술이랑 선보셨다고, 결혼을 전제로 만나는 중이라고, 사실 안 들고 MCD-Level-2있는데, 그럼 끊어도 되나요, Pass4Test는 여러분이 우리 자료로 관심 가는 인증시험에 응시하여 안전하게 자격증을 취득할 수 있도록 도와드립니다.

MCD-Level-2최신버전 인기 덤프자료 100% 유효한 최신덤프

지난 몇년동안 IT산업의 지속적인 발전과 성장을 통해 MuleSoft 인증 MCD-Level-2시험은 IT인증시험중의 이정표로 되어 많은 인기를 누리고 있습니다, Pass4Test에는 전문적인 업계인사들이 MuleSoft MCD-Level-2시험문제와 답에 대하여 연구하여, 시험준비중인 여러분들한테 유용하고 필요한 시험가이드를 제공합니다.

덤프무료샘플 문제 다운가능, Pass4Test의 퍼펙트한 덤프인 Microsoft MCD-Level-2인증시험자료의 문제와 답만 열심히 공부하면 여러분은 완전 안전하게 MuleSoft MCD-Level-2인증자격증을 취득하실 수 있습니다.

- MCD-Level-2인기자격증 시험덤프 최신자료 □ MCD-Level-2최고덤프 □ MCD-Level-2최고품질 덤프문제 □ □ kr.fast2test.com □은 ⇒ MCD-Level-2 □무료 다운로드를 받을 수 있는 최고의 사이트입니다 MCD-Level-2최고덤프문제
- 시험준비에 가장 좋은 MCD-Level-2최신버전 인기 덤프자료 최신버전 문제 □ 【 www.itdumpskr.com 】을 (를) 열고 (MCD-Level-2) 를 입력하고 무료 다운로드를 받으십시오 MCD-Level-2시험유효덤프
- MCD-Level-2시험응시료 □ MCD-Level-2시험패스 □ MCD-Level-2퍼펙트 최신버전 자료 □ ▷ www.exampassdump.com <에서 《 MCD-Level-2 》를 검색하고 무료 다운로드 받기 MCD-Level-2시험대비 덤프 최신자료
- MCD-Level-2시험대비 덤프 최신자료 □ MCD-Level-2인기자격증 인증시험자료 □ MCD-Level-2인증시험 덤프문제 □ ⇒ www.itdumpskr.com □□□은 > MCD-Level-2 <무료 다운로드를 받을 수 있는 최고의 사이트입니다 MCD-Level-2시험대비 최신 덤프
- MCD-Level-2최신버전 인기 덤프자료 시험패스하여 자격증 취득하기 □ 무료로 다운로드하려면 《 www.dumpstopping.com 》로 이동하여 □ MCD-Level-2 □를 검색하십시오 MCD-Level-2시험유효덤프
- MCD-Level-2인기자격증 인증시험자료 □ MCD-Level-2인증시험 덤프문제 □ MCD-Level-2최고품질 덤프문제 □ 무료 다운로드를 위해 > MCD-Level-2 <를 검색하려면 ⇒ www.itdumpskr.com <을(를) 입력하십시오 MCD-Level-2퍼펙트 덤프공부자료
- MCD-Level-2최신버전 인기 덤프자료 퍼펙트한 덤프 ----- IT전문가의 노하우로 만들어진 시험자료 □ ▷ www.exampassdump.com <을(를) 열고 □ MCD-Level-2 □를 입력하고 무료 다운로드를 받으십시오 MCD-Level-2인기자격증 인증시험자료
- 최신버전 MCD-Level-2최신버전 인기 덤프자료 완벽한 시험자료 □ (www.itdumpskr.com) 웹사이트에서 > MCD-Level-2 □를 열고 검색하여 무료 다운로드 MCD-Level-2인기자격증 인증시험자료
- MCD-Level-2최신버전 인기 덤프자료 최신버전 시험공부자료 □ 검색만 하면 ✓ kr.fast2test.com □ ✓ □에서 ⇒ MCD-Level-2 <무료 다운로드 MCD-Level-2시험대비 덤프샘플 다운
- MCD-Level-2최신버전 인기 덤프자료 퍼펙트한 덤프 ----- IT전문가의 노하우로 만들어진 시험자료 □ ⇒ www.itdumpskr.com □의 무료 다운로드 ⇒ MCD-Level-2 <페이지가 지금 열립니다 MCD-Level-2퍼펙트 덤프 최신 데모문제
- MCD-Level-2인기자격증 인증시험자료 □ MCD-Level-2최고품질 덤프문제 □ MCD-Level-2시험대비 덤프 샘플 다운 □ □ www.koreadumps.com □에서 검색만 하면 □ MCD-Level-2 □를 무료로 다운로드할 수 있습니다 MCD-Level-2최신버전 시험덤프자료
- k12.instructure.com, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, wjhsd.instructure.com, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, bbs.t-firefly.com, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, Disposable vapes