

FSCP學習資料|在Testpdf | 100%通過快速下載



P.S. Testpdf在Google Drive上分享了免費的2026 Forescout FSCP考試題庫：https://drive.google.com/open?id=10VwE2_HMzDVJXPgekFq47MTTlo6UC4Iz

怎樣才能確保我們的生活可更快的得到改善？你需要通過FSCP認證考試，獲得證書。而Testpdf是IT專業人士的最佳選擇，獲得FSCP認證是IT職業發展的有力保證，我們高品質的題庫能幫助你做到這一點。FSCP考試題庫也會不定期的更新，為你提供最有效的學習資料。使用我們的FSCP考試題庫進行考前復習，可以節約你大量的學習時間和費用，這是最適合獲得FSCP認證的所必須的學習資料。

Forescout FSCP 考試大綱：

主題	簡介
主題 1	<ul style="list-style-type: none">Advanced Product Topics Licenses, Extended Modules and Redundancy: This section of the exam measures skills of product deployment leads and solution engineers, and covers topics such as licensing models, optional modules or extensions, high availability or redundancy configurations, and how those affect architecture and operational readiness.
主題 2	<ul style="list-style-type: none">General Review of FSCA Topics: This section of the exam measures skills of network security engineers and system administrators, and covers a broad refresh of foundational platform concepts, including architecture, asset identification, and initial deployment considerations. It ensures you are fluent in relevant baseline topics before moving into more advanced areas.]. Policy Best Practices: This section of the exam measures skills of security policy architects and operational administrators, and covers how to design and enforce robust policies effectively, emphasizing maintainability, clarity, and alignment with organizational goals rather than just technical configuration.
主題 3	<ul style="list-style-type: none">Customized Policy Examples: This section of the exam measures skills of security architects and solution delivery engineers, and covers scenario based policy design and implementation: you will need to understand business case requirements, craft tailored policy frameworks, adjust for exceptional devices or workflows, and document or validate those customizations in context.
主題 4	<ul style="list-style-type: none">Plugin Tuning User Directory: This section of the exam measures skills of directory services integrators and identity engineers, and covers tuning plugins that integrate with user directories: configuration, mapping of directory attributes to platform policies, performance considerations, and security implications.
主題 5	<ul style="list-style-type: none">Notifications: This section of the exam measures skills of monitoring and incident response professionals and system administrators, and covers how notifications are configured, triggered, routed, and managed so that alerts and reports tie into incident workflows and stakeholder communication.

>> FSCP學習資料 <<

FSCP認證指南 & FSCP最新試題

我們Testpdf不僅僅提供優質的產品給每位FSCP考生，而且提供完善的售後服務給每位考生，如果你使用了我們的產品，我們將讓你享受一年免費的更新，並且在第一時間回饋給每位考生，讓你及時得到更新的最新的考試資料，以最大效益的服務給每位FSCP考生。

最新的 Forescout Certified Professional FSCP 免費考試真題 (Q68-Q73):

問題 #68

When configuring policies, which of the following statements is true regarding this image?



- A. The external NOT does not change the meaning of "evaluate irresolvable as"
- **B. Negates the criteria inside the property**
- C. The NOT checkbox means the "Evaluate Irresolvable as" should be set to False
- D. Has no effect on irresolvable hosts
- E. The NOT checkbox means the "Evaluate Irresolvable as" should be set to True

答案: B

解題說明:

The NOT checkbox negates the criteria inside the property. According to the ForeScout Administration Guide, when the NOT checkbox is selected on a policy condition criteria, it reverses the logic of that specific criterion evaluation.

Understanding the NOT Operator in Policy Conditions:

In ForeScout policy configuration, the NOT operator is a Boolean logic operator that inverts the result of the property evaluation.

When you select the NOT checkbox:

- * Logical Inversion - The condition is evaluated normally, and then the result is inverted
- * Criteria Negation - If a criteria would normally match an endpoint, selecting NOT causes it NOT to match
- * Property-Level Operation - The NOT operator applies specifically to that individual property/criterion, not to the entire rule

Example of NOT Logic:

Without NOT:

* Condition: "Windows Antivirus Running = True"

* Result: Matches endpoints that HAVE antivirus running

With NOT:

* Condition: "NOT (Windows Antivirus Running = True)"

* Result: Matches endpoints that DO NOT have antivirus running

NOT vs. "Evaluate Irresolvable As":

According to the documentation, the NOT operator and "Evaluate Irresolvable As" are independent settings:

- * NOT operator - Negates/inverts the criteria evaluation itself
- * "Evaluate Irresolvable As" - Defines what happens when a property CANNOT be resolved (is irresolvable) These serve different purposes:

* NOT determines what value to match

* Evaluate Irresolvable As determines how to handle unresolvable properties Handling Irresolvable Criteria:

According to the administration guide documentation:

"If you do not select the Evaluate irresolvable criteria as option, the criteria is handled as irresolvable and the endpoint does not undergo further analysis." The "Evaluate Irresolvable As" checkbox allows you to define whether an irresolvable property should be treated as True or False when the property value cannot be determined. This is independent of the NOT checkbox.

Why Other Options Are Incorrect:

- * A. The NOT checkbox means the "Evaluate Irresolvable as" should be set to True - Incorrect; NOT and Evaluate Irresolvable As are independent settings
- * B. The external NOT does not change the meaning of "evaluate irresolvable as" - While technically true that NOT doesn't change the Evaluate Irresolvable setting, the answer doesn't explain what NOT actually does
- * C. Has no effect on irresolvable hosts - Incorrect; NOT negates the criterion logic regardless of whether it's resolvable
- * E. The NOT checkbox means the "Evaluate Irresolvable as" should be set to False - Incorrect; NOT and Evaluate Irresolvable As are independent Policy Condition Structure:

According to the documentation, a policy condition consists of:

- * Property criteria combined with Boolean logic operators
- * Individual criterion settings including NOT operator
- * Irresolvable handling options that are separate from the NOT operator Referenced Documentation:
- * ForeScout Administration Guide - Define policy scope
- * ForeScout eyeSight policy sub-rule advanced options
- * Handling Irresolvable Criteria section

* Working with Policy Conditions

問題 #69

Which of the following properties can be determined by the HPS Plugin? (Choose two)

- A. HTTP banner
- B. Operating System
- C. Application installed on Mac OS
- D. AD group membership
- E. External Device on Windows

答案: A,B

解題說明:

Comprehensive and Detailed Explanation From Exact Extract of Forescout Platform Administration and Deployment:

According to the Forescout HPS Inspection Engine Configuration Guide and HPS Applications Plugin documentation, the properties that can be determined by the HPS Plugin are: Operating System (C) and HTTP banner (E).

HPS Plugin Capabilities:

According to the HPS Inspection Engine guide:

"The HPS (Host Property Scanner) Inspection Engine provides host properties for detecting endpoint characteristics including operating system, services, and applications." The HPS plugin determines:

- * Operating System - OS type, version, service pack level
- * HTTP Banner - Service versions from HTTP banner scanning
- * Services and Applications - Running processes and installed software
- * System Information - Hardware vendor, NIC vendor, etc.

Operating System Detection:

According to the HPS Applications Plugin guide:

"Windows operating system information is detected by the HPS Applications Plugin, including: Release, Package/Flavor, Service Pack" The plugin detects:

- * Windows OS versions (XP, Vista, 7, 8, 10, etc.)
- * Server editions (2003, 2008, 2012, 2016, etc.)
- * Service pack levels
- * OS build information

HTTP Banner Detection:

According to the HPS Inspection Engine guide:

"Service Banner: Indicates the service and version information, as determined by Nmap. HTTP banner scanning returns service identification information." The HTTP banner property is resolved by NMAP scanning with the -sV parameter, which is part of the HPS plugin's classification capabilities.

Why Other Options Are Incorrect:

- * A. Application installed on Mac OS - The HPS Applications Plugin is for Windows applications only; it does not detect Mac OS applications
- * B. External Device on Windows - External Device detection is a separate property unrelated to HPS plugin discovery
- * D. AD group membership - This is determined by the User Directory plugin via LDAP, not the HPS plugin HPS Plugin vs. Other Plugins:

Plugins:

According to the documentation:

Property

HPS Plugin

Other Plugins

Operating System

#Yes

N/A

HTTP Banner

#Yes (NMAP)

N/A

Windows Applications

#Yes

N/A

AD Group Membership

#No

User Directory

Mac OS Applications

#No

macOS-specific

External Devices

#No

Network discovery

Referenced Documentation:

* CounterACT Endpoint Module HPS Inspection Engine Configuration Guide v10.8

* CounterACT HPS Applications Plugin Configuration Guide v2.1.4

* About the HPS Applications Plugin

問題 #70

When configuring policies, which of the following statements is true regarding the indicated property?



Select one:

- A. Negates the criteria inside the property
- B. Negates the "evaluate irresolvable as" setting
- C. Modifies the irresolvable condition to TRUE
- D. Irresolvable hosts would match the condition
- E. Negates the criteria outside the property

答案: A

解題說明:

Based on the policy condition image provided showing the NOT checkbox on "Windows Antivirus Update Data", the correct statement is that the NOT operator negates the criteria inside the property.

Understanding the NOT Operator:

When the NOT checkbox is selected on a policy condition property, it performs a logical negation (NOT operation) on the criteria evaluation. According to the Forescout Administration Guide:

The NOT operator creates an inverted evaluation:

* Without NOT: "Windows Antivirus Update Data = [value]"

* Result: Matches endpoints where the property equals the specified value

* With NOT (as shown in the image): "NOT (Windows Antivirus Update Data = [value])"

* Result: Matches endpoints where the property does NOT equal the specified value

The NOT operator negates the criteria inside the property:

* Criteria Evaluation - The property condition is evaluated normally first

* Negation Applied - The result is then inverted (TRUE becomes FALSE, FALSE becomes TRUE)

* Final Result - The endpoint matches only if the negated condition is true

Example from the Image:

The image shows:

* First criterion: "Windows Antivirus Running - 360 Sat" (AND)

* Second criterion: "NOT Windows Antivirus Update Data" (checked)

This means:

* The endpoint must have Windows Antivirus Running = True (360 Sat)

* AND the endpoint must NOT have the Windows Antivirus Update Data property value (whatever was specified)

* The NOT negates the criteria inside the property condition

NOT vs. "Evaluate Irresolvable As":

According to the documentation, these are independent settings:

Setting

Purpose

NOT Checkbox

Negates the criteria evaluation (inverts the match logic)

Evaluate Irresolvable As

Defines how to handle unresolvable properties (when data cannot be determined) The NOT operator works inside the property evaluation, while "Evaluate Irresolvable As" is a separate setting that determines behavior when a property cannot be resolved.

Why Other Options Are Incorrect:

* A. Irresolvable hosts would match the condition - The NOT operator doesn't specifically affect how irresolvable properties are handled

* C. Negates the criteria outside the property - The NOT operator is internal to the property; it negates the criteria inside, not outside

* D. Modifies the irresolvable condition to TRUE - The NOT operator doesn't modify the "Evaluate Irresolvable As" setting; these are independent

* E. Negates the "evaluate irresolvable as" setting - The NOT operator and "Evaluate Irresolvable As" are separate; NOT doesn't affect or negate that setting

Policy Condition Structure:

According to the Forescout Administration Guide:

A policy condition is structured as:

text
[NOT] [Property Name] [Operator] [Value]

Where:

* [NOT] - Optional negation operator (what the checkbox controls)

* [Property Name] - The property being evaluated

* [Operator] - The comparison operator (equals, contains, greater than, etc.)

* [Value] - The value to match against

When NOT is checked, it negates the entire criteria evaluation inside that property condition.

Referenced Documentation:

* Forescout Administration Guide v8.3

* Forescout Administration Guide v8.4

* Define policy scope documentation

* Forescout eyeSight policy sub-rule advanced options

問題 #71

What is the default recheck timer for a NAC policy?

- A. 4 hours
- **B. 8 hours**
- C. 24 hours
- D. 12 hours
- E. 2 hours

答案: **B**

解題說明:

Comprehensive and Detailed Explanation From Exact Extract of Forescout Platform Administration and Deployment:

According to the Forescout Administration Guide - Policy Main Rule Advanced Options, the default recheck timer for a NAC policy is 8 hours.

Default Policy Recheck Timer:

According to the official documentation:

"By default, both matched endpoints and unmatched endpoints are rechecked every eight hours, and on any admission event." This 8-hour default ensures that all endpoints are periodically re-evaluated against policy conditions, regardless of whether they currently match the policy.

Recheck Configuration:

According to the documentation:

When you configure a policy's main rule advanced options:

* Default Recheck Interval: 8 hours

* Customizable Range: Can be configured from 1 hour to infinite (no recheck)

* Applies to: All endpoints in the policy scope

Recheck Triggers:

According to the administration guide:

Policies recheck when:

* Recheck Timer Expires - Every 8 hours by default

* Admission Event - When specific network events occur

* SecureConnector Event - When SC status changes

Referenced Documentation:

- * Forescout Platform Policy Main Rule Advanced Options
- * Main Rule Advanced Options

問題 #72

Which of the following is an advantage of FLEXX licensing?

- A. FLEXX licensing works in V7 or on CTxx appliances
- B. FLEXX licensing is offered with V7 and V8 Resiliency and Advanced Compliance licenses
- C. With FLEXX license, you can add See + Control + Resiliency as a base License
- D. License is centralized by an appliance by combining hardware and software
- E. Licensing is centralized and managed by an Enterprise Manager

答案： E

解題說明：

Comprehensive and Detailed Explanation From Exact Extract of Forescout Platform Administration and Deployment:

According to the Forescout Licensing and Sizing Guide and official licensing documentation, the key advantage of FLEXX licensing is that licensing is centralized and managed by an Enterprise Manager, providing centralized license administration across the entire Forescout platform deployment.

FLEXX Licensing Key Advantages:

FLEXX licensing represents a significant departure from the legacy per-appliance licensing model. The primary advantages of FLEXX licensing include:

- * Centralized License Pool - Licenses are independent of hardware appliances and form a centralized, shared pool that can be deployed across multiple appliances and network segments
- * Enterprise Manager Management - License entitlements and allocations are centrally administered and managed by the Enterprise Manager
- * Portable Licenses - Licenses can be ubiquitously deployed and shared across different device types, appliance locations, and deployment scenarios (campus, data center, cloud, OT)
- * Flexible Capacity Sharing - Licensed capacity can be shared across campus, data center, cloud, and OT environments without appliance-specific restrictions
- * Scalability - Unlimited virtual appliance instances can be spun up as needed without purchasing additional appliance hardware licenses
- * Unified Customer Portal - Centralized access to license management, software downloads, documentation, and support FLEXX

Licensing Deployment Model:

With FLEXX licensing, organizations can:

- * Order software licenses separately and independent from appliances
- * Centrally manage and allocate licenses from a unified portal
- * Redistribute license capacity across appliances without manual reallocation
- * Support virtual and physical appliances equally

Why Other Options Are Incorrect:

- * A - Incorrect; FLEXX licenses are NOT controlled by individual appliances but are managed centrally at the Enterprise Manager level
- * C - Base licenses cannot simply be added together; FLEXX licensing is purchased as a unified license pool
- * D - FLEXX is offered with V8 appliances (5100 and 4100 series), not V7; CT series appliances support per-appliance licensing
- * E - FLEXX is available for 5100/4100 series and CT series (with Flexx upgrade option) in V8.0 or higher, not in V7 Referenced

Documentation:

- * Forescout Licensing and Sizing Guide
- * Forescout Flexx Licensing - What it Offers
- * Forescout Platform License Management documentation

問題 #73

.....

我們Testpdf的 Forescout的FSCP的考題資料是按照相同的教學大綱來來研究的，同時也不斷升級我們的培訓材料，所以我們的考試培訓資料包括試題及答案，和實際的考試相似度非常高，所以形成了我們Testpdf的通過率也是非常的高，這也是不可否認的事實，由此知道Testpdf Forescout的FSCP考試培訓資料對考生的幫助，而且我們的價格絕對合理，適合每位IT認證的考生。

FSCP認證指南：<https://www.testpdf.net/FSCP.html>

