

試験UiPath-ADAv1日本語認定 & 最高のUiPath-ADAv1 テスト対策書 | 大人気UiPath-ADAv1問題数



ちなみに、MogiExam UiPath-ADAv1の一部をクラウドストレージからダウンロードできます：<https://drive.google.com/open?id=178tJD0ejjLHFW46fk-M-fdg0AZfQYO8N>

調査によれば、従業員の一部の新しいメンバーは昇進する機会を求めているが、UiPath-ADAv1試験の準備に集中するために断片的な時間とエネルギーを利用する必要があるため、厄介な状況に陥っています。UiPath-ADAv1試験の教材は多くの知識を取り入れており、参照用に利用可能な関連試験バンクを提供します。これは学習習慣に一致し、試験知識の豊富な収穫をもたらします。UiPath-ADAv1試験の質問だけでなく、UiPath-ADAv1認定資格を取得することもできます。

UiPath UiPath-ADAv1 認定試験の出題範囲：

トピック	出題範囲
トピック 1	ログ記録: このセクションでは、ロボット実行ログの解釈とログ記録のベストプラクティスの遵守に関する洞察を提供し、効果的な問題の特定と解決を保証します。
トピック 2	プラットフォームの知識: このセクションでは、Studio および Robot パリアント、Orchestrator、Integration Service を含む UiPath の製品スイートの概要を示し、それぞれの独自の貢献を紹介します。また、UiPath エコシステムにおけるアカデミー、フォーラム、マーケットプレイスの利点についても強調します。

トピック 3	PDF 自動化: このセクションでは、単一および複数のドキュメントのシナリオを含む、ネイティブ PDF およびスキャンされた PDF からのデータ抽出に焦点を当てます。
トピック 4	- 変数と引数: このトピックでは、データ型を紹介し、変数、引数、グローバル定数 - 変数の作成、管理、および利用について詳しく説明します。また、これらの概念の違いを明確にし、自動化プロジェクトにおけるデータ処理を包括的に理解できるようにします。
トピック 5	制御フロー: このセクションでは、制御フロー アクティビティの機能と、ワークフロータイプへの影響について説明します。シーケンスとフローチャートのレイアウトの使用について説明します。最後に、IF、For Each、While アクティビティなどの実装に焦点を当てます。
トピック 6	実装方法: このセクションでは、プロジェクト実装段階の概要、PDD と SDD の解釈、自動化プロジェクトのピアレビューの実施について説明し、開発に対する構造化されたアプローチを保証します。
トピック 7	デバッグ: ここでは、デバッグ モード、アクション、リボン オプションなど、さまざまなデバッグ手法について説明します。また、ブレークポイントの設定、デバッグ パネルの利用、プロファイル実行によるパフォーマンスの最適化についても説明します。
トピック 8	ファイルとフォルダーの操作: ここでは、ローカル ファイルとフォルダーの作成、管理、および移動について学習し、ファイル システムの自動化の基礎を学びます。
トピック 9	UI オートメーション: このトピックでは、UI オートメーションの仕組みについて説明し、モダン レコーダーと関連アクティビティの使用に関するガイダンスを提供します。また、UI の同期と静的および動的記述子の構成についても説明します。
トピック 10	バージョン管理の統合: このセクションでは、プロジェクトの追加、リポジトリのクローン作成、変更のコミット、ブランチの管理に Studio の Git 統合を使用する方法を示し、バージョン管理の利点について説明します。
トピック 11	データ操作: このトピックでは、VB.Net メソッドと RegEx Builder を使用した文字列操作を含む、さまざまなデータ操作テクニックについて説明します。また、配列、リスト、辞書の操作、および DataTables の構築と反復処理についても説明します。
トピック 12	Excel オートメーション: このセクションでは、Excel オートメーションについて詳しく説明し、最新の Excel アクティビティとワークブック レベルの操作の使用方法を紹介します。
トピック 13	- 電子メールの自動化: このトピックでは、それぞれのパッケージを利用して、IMAP - POP3 経由での電子メールの取得、SMTP メッセージの送信、Microsoft および Gmail アカウントとの統合の管理について説明します。
トピック 14	オブジェクト リポジトリ: このトピックでは、静的および動的記述子の使用を含む UI ライブラリの作成、公開、および使用について説明し、UI 要素管理への構造化されたアプローチを提供します。
トピック 15	統合サービス: このセクションでは、統合サービスを紹介し、その目的を説明し、自動化プロジェクトでコネクタとトリガーを使用して外部システムと対話する方法を示します。
トピック 16	ワークフロー アナライザー: このトピックでは、ワークフロー アナライザー ツールを紹介し、プロジェクト分析と検証での使用方法を説明し、設定を構成するためのガイダンスを提供します。
トピック 17	例外処理: このトピックではエラー管理に焦点を当て、Try Catch、Throw、および Rethrow アクティビティと Retry Scope 機能を使用して例外を適切に処理する方法を紹介します。

抜群にわかりやすいUiPath-ADAv1問題

UiPathのUiPath-ADAv1の試験の資料やほかのトレーニング資料を提供しているサイトがたくさんありますが、UiPathのUiPath-ADAv1の認証試験の高品質の資料を提供しているユニークなサイトはMogiExamです。MogiExamのガイダンスとヘルプを通して、初めにUiPathのUiPath-ADAv1「UiPath Automation Developer Associate v1 Exam」の認証を受けるあなたは、気楽に試験に合格することができます。MogiExamが提供した問題と解答は現代の活力がみなぎる情報技術専門家が豊富な知識と実践経験を活かして研究した成果で、あなたが将来IT分野でより高いレベルに達することに助けを差し上げます。

UiPath Automation Developer Associate v1 Exam 認定 UiPath-ADAv1 試験問題 (Q159-Q164):

質問 # 159

The provided exhibit displays the representation of the "Deadline" field using the yyyy-mm-dd format.

Queue Item Name	Deadline	Priority
EmployeeID1		Normal
EmployeeID2	2050-01-01	High
EmployeeID3	2050-01-02	High
EmployeeID4	2050-01-01	Normal
EmployeeID5	2050-01-02	Low
EmployeeID6		High
EmployeeID7	2050-01-01	Low
EmployeeID8	2050-01-01	Normal
EmployeeID9		Low

In what order should the Queue Items be processed by a single robot executing a Performer workflow?

Queue Item	Order to be Processed
EmployeeID1	1st
EmployeeID2	2nd
EmployeeID3	3rd
EmployeeID4	4th
EmployeeID5	5th
EmployeeID6	6th
EmployeeID7	7th
EmployeeID8	8th
EmployeeID9	9th

正解:

解説:



Explanation

The Queue Items should be processed by a single robot executing a Performer workflow in the following order:

EmployeeID1
EmployeeID4
EmployeeID8
EmployeeID3
EmployeeID6
EmployeeID9
EmployeeID5
EmployeeID2
EmployeeID7

A queue is a container that holds an unlimited number of items that can be processed by a robot¹. A queue item can have a deadline and a priority, which affect the order in which the robot retrieves the items from the queue². The Performer workflow is a part of the REFramework template that processes the queue items using the Get Transaction Item activity³. The order of queue execution is determined by the following rules⁴:

Items that have a deadline are processed first, in order of priority and according to the set deadline for items with the same priority. Items that have no deadline are processed next, in order of priority and according to the rule First In, First Out for items with the same priority.

Based on these rules and the exhibit, the order of queue execution is as follows:

EmployeeID1 has the earliest deadline (2050-01-01) and high priority, so it is processed first.

EmployeeID4 has the same deadline as EmployeeID1, but normal priority, so it is processed second.

EmployeeID8 has the same deadline and priority as EmployeeID4, but it was added later to the queue, so it is processed third.

EmployeeID3 has the next earliest deadline (2050-01-02) and high priority, so it is processed fourth.

EmployeeID6 has the same deadline as EmployeeID3, but normal priority, so it is processed fifth.

EmployeeID9 has the same deadline and priority as EmployeeID6, but it was added later to the queue, so it is processed sixth.

EmployeeID5 has no deadline, but high priority, so it is processed seventh.

EmployeeID2 has no deadline and normal priority, so it is processed eighth.

EmployeeID7 has no deadline and low priority, so it is processed ninth.

References:

About Queues and Transactions documentation from UiPath


Processing Order documentation from UiPath

Performer documentation from UiPath

Order processing queue forum post from UiPath Community

質問 # 160

A developer has created an automation process that includes:




2. Variables in the Variable panel in the Main xaml file:

Name	Variable type	Scope	Default
Fruits	String	Sequence	"Apple"
Create Variable			

3. Main.xaml file invokes the SuperMarket workflow using the following argument:

Invoked workflow's arguments			
Name	Direction	Type	Value
out_ShoppingBasket	Out	String	Fruits
Create Argument			

4. Detailed SuperMarket sequence and right-hand side expression shown below:



Based on the information shown in the exhibits, what is the output of the Write Line activity in the Main xaml file?

- A. Apple Orange
- **B. Orange**
- C. Apple
- D. Orange Apple

正解: B

解説:

Explanation

The Write Line activity is used to write a specified text to the Output panel. The text can be a string literal, a variable, or an expression. In this case, the Write Line activity in the Main xaml file has the text

"out_ShoppingBasket + ", "Orange"". The out_ShoppingBasket is a variable of type String, which is declared in the Main xaml file and has the default value of "Apple". The variable is passed as an argument to the SuperMarket xaml file, where it is assigned a new value of "Orange". The argument direction is Out, which means that the value of the argument is passed back to the Main xaml file after the execution of the SuperMarket xaml file. Therefore, the value of the out_ShoppingBasket variable in the Main xaml file is changed from "Apple" to "Orange". The expression "out_ShoppingBasket + ", "Orange"" concatenates the value of the out_ShoppingBasket variable with a comma and a space, followed by the string literal "Orange".

The result of this expression is "Orange, Orange". The Write Line activity writes this text to the Output panel.

Therefore, the answer is B. Orange. References: Write Line, Variables, Arguments

質問 # 161

While creating a process automation pipeline, what process attribute should be avoided to ensure there are minimal or no automation maintenance requirements?

- A. The process is prone to human error.
- B. The process requires exception handling.
- C. High process run time.
- **D. Frequent business logic change.**

正解: D

解説:

* Frequent business logic changes require constant updates to the automation workflow, leading to high maintenance costs and effort.

* Processes that are prone to human error can be mitigated with validation mechanisms.

* A high process run time doesn't necessarily mean high maintenance-it might just need optimization.

* Exception handling is a necessary part of automation and doesn't inherently cause maintenance issues.

To minimize maintenance, RPA teams should prioritize stable processes with well-defined, predictable business logic.

Reference: UiPath RPA Process Selection Guide

質問 # 162

Which of the following is an outcome of converting a personal workspace into a folder in UiPath Orchestrator?

- A. The owner of the initial workspace and the admin user are added by default to the newly created folder and assigned the Personal Workspace Administrator role.
- B. The owner of the initial workspace loses access to the newly created folder and the existing admin users are added by default.
- **C. The owner of the initial workspace is added by default to the newly created folder and assigned the Folder Administrator role.**
- D. The admin user is added by default to the newly created folder with the User Administrator role.

正解: C

解説:

A personal workspace in UiPath Orchestrator is a type of modern folder that allows a user to work on their own automation projects without affecting other users or folders¹. A personal workspace can be converted into a regular folder by using the Convert to Folder option in the folder settings². When this happens, the owner of the initial workspace is added by default to the newly

created folder and assigned the Folder Administrator role². This role gives the user full control over the folder and its entities, such as processes, queues, assets, etc³. The other options are incorrect because they do not reflect the actual outcome of converting a personal workspace into a folder.

References: Personal Workspaces documentation, Use of UiPath Orchestrator Folder Packages and Workspaces, Folder Roles documentation.

質問 # 163

A developer initialized a String array, `listOfMonthsByQuarter = {"1", "2", "3"}`. Which data type and value are retrieved when `listOfMonthsByQuarter(2)` is used at runtime?

- A. Data Type: String
Value: 3
- B. Data Type- Int32
Value: 3
- C. Data Type Int32
Value: 2
- D. Data Type: String
Value: 2

正解: A

解説:

The `listOfMonthsByQuarter` variable is a String array, which means it can store multiple values of type String.

Each value in the array has an index, which is a number that indicates its position in the array. The index starts from 0, so the first value has index 0, the second value has index 1, and so on. To access a specific value in the array, we can use the syntax `arrayName(index)`. For example, `listOfMonthsByQuarter(0)` will return the first value in the array, which is "1". Similarly, `listOfMonthsByQuarter(2)` will return the third value in the array, which is "3". Therefore, the data type of `listOfMonthsByQuarter(2)` is String, and the value is

"3". References: Arrays and Variables from UiPath documentation.

質問 # 164

.....

今の競争が激しい社会にあたり、あなたは努力して所有したいことがあります。IT職員にとって、UiPath-ADAv1試験認定書はあなたの実力を証明できる重要なツールです。だから、UiPath UiPath-ADAv1試験に合格する必要があります。それで、弊社の質高いUiPath-ADAv1試験資料を薦めさせていただきます。

UiPath-ADAv1テスト対策書: <https://www.mogixexam.com/UiPath-ADAv1-exam.html>

- 試験の準備方法-実際のUiPath-ADAv1日本語認定試験-完璧なUiPath-ADAv1テスト対策書 □ ➤ www.it-passports.com □ で使える無料オンライン版> UiPath-ADAv1 ◁ の試験問題UiPath-ADAv1模試エンジン
- UiPath-ADAv1合格対策 □ UiPath-ADAv1難易度受験料 □ UiPath-ADAv1試験 ☂️ 今すぐ □ www.goshiken.com □ で [UiPath-ADAv1] を検索し、無料でダウンロードしてくださいUiPath-ADAv1的中関連問題
- UiPath-ADAv1日本語認定 - 最新 UiPath-ADAv1テスト対策書「合格保証」を確実にする □ [www.passtest.jp] サイトにて最新 ➡ UiPath-ADAv1 □ 問題集をダウンロードUiPath-ADAv1無料サンプル
- UiPath-ADAv1試験の準備方法 | 更新するUiPath-ADAv1日本語認定試験 | 権威のあるUiPath Automation Developer Associate v1 Examテスト対策書 □ 検索するだけで 《 www.goshiken.com 》 から ➡ UiPath-ADAv1 □ □ を無料でダウンロードUiPath-ADAv1難易度
- UiPath-ADAv1試験勉強資料、UiPath-ADAv1試験内容、UiPath Automation Developer Associate v1 Exam試験合格率 □ □ jp.fast2test.com □ サイトにて最新 ➡ UiPath-ADAv1 □ 問題集をダウンロードUiPath-ADAv1日本語参考
- UiPath-ADAv1関連問題資料 □ UiPath-ADAv1無料サンプル □ UiPath-ADAv1関連問題資料 □ 今すぐ ➡ www.goshiken.com □ で ➤ UiPath-ADAv1 □ を検索して、無料でダウンロードしてくださいUiPath-ADAv1真実試験
- UiPath-ADAv1実際試験 □ UiPath-ADAv1受験対策 □ UiPath-ADAv1試験関連情報 □ ➤ www.xhs1991.com ◁ から { UiPath-ADAv1 } を検索して、試験資料を無料でダウンロードしてくださいUiPath-ADAv1難易度
- UiPath-ADAv1最速合格 ☀️ UiPath-ADAv1試験 □ UiPath-ADAv1試験合格攻略 □ 検索するだけで ➡ www.goshiken.com □ から ☀️ UiPath-ADAv1 □ ☀️ □ を無料でダウンロードUiPath-ADAv1難易度
- 一番優秀-ハイパスレートのUiPath-ADAv1日本語認定試験-試験の準備方法UiPath-ADAv1テスト対策書 □

BONUS!!! MogiExam UiPath-ADAv1ダンプの一部を無料でダウンロード: <https://drive.google.com/open?id=178tJD0eijLHFW46fk-M-fdg0AZfQYO8N>