

C_ADBTP_2601 Real Brainsdumps Materials are Definitely Valuable Acquisitions - ITPassLeader



You can also become part of a certified SAP professional community and achieve your career objectives in a short time period. To do this you just need to enroll in the C_ADBTP_2601 exam and put in all your efforts and prepare well to pass the C_ADBTP_2601 Certification Exam. For the instant and complete C_ADBTP_2601 exam preparation, you need to show firm commitment and dedication and get help from ITPassLeader C_ADBTP_2601 practice test questions.

These C_ADBTP_2601 exam question formats contain real, valid, and updated SAP C_ADBTP_2601 exam questions that will assist you in SAP Administrating SAP Business Technology Platform(C_ADBTP_2601) exam preparation and enable you to pass the challenging SAP C_ADBTP_2601 Exam with good scores. The SAP C_ADBTP_2601 questions are prepared by highly experienced professionals and, thus, are kept to the point and concise.

>> Valid Brainsdumps C_ADBTP_2601 Ebook <<

Free Sample SAP C_ADBTP_2601 Questions - Latest C_ADBTP_2601 Exam Preparation

The ITPassLeader C_ADBTP_2601 Practice Questions are designed and verified by experienced and renowned C_ADBTP_2601 exam trainers. They work collectively and strive hard to ensure the top quality of C_ADBTP_2601 exam practice questions all the time. The C_ADBTP_2601 Exam Questions are real, updated, and error-free that helps you in SAP C_ADBTP_2601 exam

preparation and boost your confidence to crack the upcoming C_ADBTP_2601 exam easily.

SAP Administrating SAP Business Technology Platform(C_ADBTP_2601) Sample Questions (Q10-Q15):

NEW QUESTION # 10

SIMULATION

Task 3: Create Subaccounts with Default Provider and Region

In the Human Resources directory, create the subaccount EU HCM Dev (Description: Human Resources Development) with subdomain btpops#####-eu-hcm-dev in the region Amazon Web Services (AWS) → Europe (Frankfurt) cf-eu10.2.

In the Human Resources directory, create the subaccount EU HCM Test (Description: Human Resources Testing) with subdomain btpops#####-eu-hcm-test using EU HCM Dev as source subaccount.3.

In the Human Resources directory, create the subaccount EU HCM Prod (Description: Human Resources Production) with subdomain btpops#####-eu-hcm-prod using EU HCM Dev as source subaccount. Set the subaccount as used in production.

Answer:

Explanation:

See the Explanation below for complete solution.

Explanation:

You must create these 3 subaccounts inside the Human Resources directory:

EU HCM Dev

EU HCM Test

EU HCM Prod

Important:

Replace ##### with your global account number

Enter names, descriptions, and subdomains exactly

EU HCM Prod must be marked as used in production

Task 3 - Create Subaccounts with Default Provider and Region

Before You Start

Log in to the SAP BTP Cockpit.

Open the correct Global Account.

Go to Directories.

Open the Human Resources directory.

Why this matters:

All 3 subaccounts in this task must be created inside Human Resources. If you create them anywhere else, the result will be incorrect.

Step 1 - Open the Human Resources Directory

What to do

In the left menu, choose Directories.

In the list, select Human Resources.

Explanation:

This is the parent directory where the required HR subaccounts must be created.

What to verify

You should now be inside the Human Resources directory.

Step 2 - Start Creating EU HCM Dev

What to do

Inside Human Resources, open Subaccounts.

Click Create → Subaccount.

Explanation:

This opens the form to create the first HR subaccount.

Step 3 - Enter Values for EU HCM Dev

What to do

Enter the following:

Display Name / Name: EU HCM Dev

Description: Human Resources Development

Subdomain: btpops#####-eu-hcm-dev

Set the region as:

Cloud Provider: Amazon Web Services (AWS)

Region: Europe (Frankfurt)

Technical Region / Environment: cf-eu10

Then click Create.

Create Subaccount

Display Name* Description

Region*

Subdomain* Parent*

> **Advanced**

Cloud Platform supports multi-level directories in your account structure. You can add your new subaccount directly to the root global account or to an existing directory by choosing the location under Parent.

Explanation:

This creates the development subaccount for HR and defines the required provider and region.

This first subaccount is important because it will be used as the source subaccount for the next two subaccounts.

What to verify

After creation, you should see:

EU HCM Dev

under the Human Resources directory.

Step 4 - Confirm EU HCM Dev Exists

What to do

Check the subaccounts list in Human Resources.

Explanation:

You must make sure EU HCM Dev is available before you create the next subaccounts, because both EU HCM Test and EU HCM Prod must use it as the source subaccount.

What to verify

You should see:

EU HCM Dev

If it is missing, create it correctly before moving on.

Step 5 - Start Creating EU HCM Test

What to do

Still in the Human Resources directory, click Create → Subaccount again.

Explanation:

This opens the form for the test subaccount.

Step 6 - Enter Values for EU HCM Test

What to do

Enter:

Display Name / Name: EU HCM Test

Description: Human Resources Testing

Subdomain: btpops#####-eu-hcm-test

Then select:

Source Subaccount: EU HCM Dev

Then click Create.

Display Name*
EU HCM Test

Description
Human Resources Testing

Region*
Europe (Frankfurt) - AWS

subdomain*
btpops####-eu-hcm-test

Parent*
Eurasia

Advanced

Used for production

Enable beta features

Add labels to this subaccount.

Name: Values:

Enter label name

Explanation:

This creates the testing subaccount by using EU HCM Dev as the source subaccount.

This helps keep the configuration aligned with the development subaccount.

What to verify

After creation, you should see:

EU HCM Test

under Human Resources.

Name	Type	Environment	Provider	Region	Changed On
ITF Admin Certification XXXX	Global Account				March 25, 2020, 5:11:2...
Americas	Directory				March 26, 2020, 3:27:5...
Partner	Directory				March 26, 2020, 3:30:3...
ADD HR Dev Test	Subaccount	Multi-Environment	Microsoft Azure	US West (OR)	March 26, 2020, 3:35:3...
ADD HR Prod	Subaccount	Multi-Environment	Microsoft Azure	US West (OR)	March 26, 2020, 3:39:3...
Eurasia	Directory				March 26, 2020, 3:29:2...
Europe	Directory				March 26, 2020, 3:43:0...
Multi-Environment	Multi-Environment	Amazon Web Services (AWS)		Europe (Frankfurt) - AWS	March 26, 2020, 3:42:4...
Multi-Environment	Multi-Environment	Amazon Web Services (AWS)		Europe (Frankfurt) - AWS	March 26, 2020, 3:46:5...

Step 7 - Start Creating EU HCM Prod

What to do

In Human Resources, click Create → Subaccount once more.

Explanation:

This opens the form for the production subaccount.

Step 8 - Enter Values for EU HCM Prod

What to do

Enter:

Display Name / Name: EU HCM Prod

Description: Human Resources Production

Subdomain: btpops#####-eu-hcm-prod

Then select:

Source Subaccount: EU HCM Dev

Enable:

Used in Production: Yes

Then click Create.

Explanation:

This creates the production HR subaccount based on EU HCM Dev and marks it as a production system.

The production setting is mandatory here.

What to verify

After creation, you should see:

EU HCM Prod

under Human Resources, and it should be marked as used in production.

Create Subaccount

Display Name*

Region*

Subdomain*

Description

Parent*

Advanced

Used for production

Enable beta features

Add labels to this subaccount.

Name: Values:

Final Expected Result for Task 3

Inside the Human Resources directory, you must have these 3 subaccounts:

1. EU HCM Dev

Description: Human Resources Development

Subdomain: btpops#####-eu-hcm-dev

Region: Amazon Web Services (AWS) → Europe (Frankfurt) cf-eu10

2. EU HCM Test

Description: Human Resources Testing

Subdomain: btpops#####-eu-hcm-test

Source Subaccount: EU HCM Dev

3. EU HCM Prod

Description: Human Resources Production

Subdomain: btpops#####-eu-hcm-prod

Source Subaccount: EU HCM Dev

Used in Production: Yes

Name	Type	Environment	Provider	Region	Changed On
BTP Admin Certification XXXXX	Global Account				March 25, 2026, 5:11:2...
Americas	Directory				March 26, 2026, 3:27:5...
Partner	Directory				March 26, 2026, 3:30:3...
ASE PR Dev Test	Subaccount	Multi-Environment	Microsoft Azure	US West (OR)	March 26, 2026, 3:35:3...
ASE PR Prod	Subaccount	Multi-Environment	Microsoft Azure	US West (OR)	March 26, 2026, 3:39:3...
Europe	Directory				March 26, 2026, 3:29:2...
Human Resources	Directory				March 26, 2026, 3:43:0...
EU HCM Dev	Subaccount	Multi-Environment	Amazon Web Services (AWS)	Europe (Frankfurt) - AWS	March 26, 2026, 3:43:4...
EU HCM Prod	Subaccount	Multi-Environment	Amazon Web Services (AWS)	Europe (Frankfurt) - AWS	March 26, 2026, 3:48:3...
EU HCM Test	Subaccount	Multi-Environment	Amazon Web Services (AWS)	Europe (Frankfurt) - AWS	March 26, 2026, 3:46:5...

Common Mistakes to Avoid

1. Creating the subaccounts in the wrong directory

All 3 must be created inside:

Human Resources

Not under:

Global Account

Americas

Eurasia

Partner

2. Wrong subdomain values

Use exactly:

btpops#####-eu-hcm-dev

btpops#####-eu-hcm-test

btpops#####-eu-hcm-prod

Only replace ##### with your global account number.

3. Wrong region for EU HCM Dev

It must be:

Amazon Web Services (AWS)

Europe (Frankfurt)

cf-eu10

4. Wrong source subaccount

For both:

EU HCM Test

EU HCM Prod

you must select:

EU HCM Dev

5. Forgetting the production flag

For EU HCM Prod, make sure:

Used in Production is enabled

NEW QUESTION # 11

SIMULATION

Enable a Cloud Foundry Environment

Task 2: Enable and Configure a Cloud Foundry Environment

In your SAP BTP cockpit, in the EU HCM Dev subaccount, enable the Cloud Foundry environment in the cf-eu10-004 landscape.

Set the instance name to cf-eu-hcm-dev and the org name to btpops#####-eu-hcm-dev.

In the EU HCM Dev subaccount, create a space with the name activity-recording.

In the EU HCM Dev subaccount, create a space quota with the name half-org-quot a. Halve the available org quota for memory, routes, service, and instance memory for an unlimited number of app instances. Assign the space quota to activity-recording.

Answer:

Explanation:

See the Explanation below for complete solution.

Explanation:

Before you start

Log in to SAP BTP Cockpit.

Open the correct Global Account.

Go to Directories.

Open Human Resources.

Open the EU HCM Dev subaccount.

This matters because the task must be completed specifically in EU HCM Dev. SAP documents that Cloud Foundry is enabled at subaccount level, and the system creates a Cloud Foundry org linked to that subaccount.

Part 1 - Enable the Cloud Foundry environment

Step 1 - Open the subaccount overview

In EU HCM Dev, go to Overview.

Explanation:

SAP Help describes the cockpit flow for enabling Cloud Foundry from the subaccount Overview page.

What to verify

You should see a Cloud Foundry section on the overview page.

Step 2 - Start enabling Cloud Foundry

In the Cloud Foundry section, click Enable Cloud Foundry.

Explanation:

This starts creation of the Cloud Foundry organization for the subaccount. SAP notes that when you enable Cloud Foundry in a subaccount, the system automatically creates a Cloud Foundry org for it.

Step 3 - Enter the required Cloud Foundry values

In the enablement dialog, enter:

Landscape: cf-eu10-004

Instance Name: cf-eu-hcm-dev

Org Name: btpops#####-eu-hcm-dev

Then confirm by clicking Create or Enable.

Explanation:

The task gives you the exact landscape and naming values to use. SAP documentation shows that enabling Cloud Foundry in the cockpit requires naming the Cloud Foundry instance and org.

What to verify

After the process completes, the subaccount should show Cloud Foundry as enabled, with the org created for EU HCM Dev.

Enable Cloud Foundry

1 Basic Info

Enter basic info for your environment instance.

Environment: * Cloud Foundry Runtime

Plan: * standard

Landscape: * cf-eu10-005

Instance Name: cf-eu-hcm-dev

Org Name: * btpops-#-eu-hcm-dev

Cloud Foundry API endpoints may differ between subaccounts in the same region. The API endpoint for this subaccount is shown in the Cloud Foundry environment instance details.

Create Cancel

Subaccount: EU HCM Dev - Overview

BTP Admin Certification / Eurasia / Human Resources / EU HCM Dev

General Cloud Foundry Environment Entitlements

General

37 Entitlements 1 Instances and Subscriptions

Subdomain: mtpops3451-eu-hcm-dev
Tenant ID: da5de495-37be-400b-99b5-7ca1757cc3f5
Subaccount ID: da5de495-37be-400b-99b5-7ca1757cc3f5

Provider: Amazon Web Services (AWS)
Region: Europe (Frankfurt) - AWS
Environment: Multi-Environment

Used for production: Beta Feature Disabled
Created By:
Created On: March 27, 2026, 11:21:55 PM GMT+05:00
Modified On: March 27, 2026, 11:22:17 PM GMT+05:00

Open in Audit Log Viewer

Cloud Foundry Environment

Information not available to you. You must be an org member. Go to XBA

API Endpoint: https://api.cf.eu10-005.hana.ondemand.com

Org Name: mtpops3451-eu-hcm-dev
Org ID: e982048f-3148-4146-ac98-f73b323123c6
Org Memory Limit: 1,024MB

Manage environment instance

Disable Cloud Foundry

Spaces (0)

Name	Applications	Service Instances
No spaces defined in this subaccount		

Create Space

Part 2 - Create the space

Step 4 - Open Spaces


In EU HCM Dev, after Cloud Foundry is enabled, open:

Cloud Foundry

Spaces

Explanation:

SAP Help shows that spaces are created from the Spaces area after Cloud Foundry is enabled in the subaccount.



Step 5 - Create the space

Click Create Space.

Enter:

Space Name: activity-recording

Confirm by clicking Create.



Explanation:

This creates the required Cloud Foundry space inside the org for EU HCM Dev. SAP's cockpit documentation and setup guides show this as the standard next step after enabling the environment.

What to verify

You should now see:

activity-recording

in the list of Cloud Foundry spaces.

Part 3 - Create the space quota

Step 6 - Open Cloud Foundry Space Quotas

In EU HCM Dev, open:

Cloud Foundry

Space Quotas

Explanation:

SAP Help states that, in the Cloud Foundry environment, the quotas allocated to a subaccount can be further distributed by creating space quota plans, and these are managed from the Cloud Foundry Space Quotas area.

Step 7 - Create a new space quota

Click Create Space Quota or New Space Quota.

Enter the quota name:

half-org-quota

Explanation:

This creates a quota plan that you will assign to the required space. SAP Help describes creating space quota plans in the subaccount and then assigning them to spaces.

Step 8 - Set quota values to half of the org quota

In the quota form, set the values to half of the available org quota for:

Memory

Routes

Services

Instance Memory

For App Instances, set:
Unlimited
Then save the quota.

Create Space Quota

i You are allowed to add a value above the org quota, but the org quota is the consumable limit you can reach. To assign the "Unlimited" value, use -1.

Name: *

Space Memory (MB): *
Org Quota: 1024 MB (1GB)

Routes: *
Org Quota: 10

Service Instances: *
Org Quota: 500

Memory per Instance (MB): *
Org Quota: 16384 MB (16GB)

App Instances: *
Org Quota: Unlimited

Allow Paid Services: OFF

Explanation:

The simulation asks you to halve the available org quota for those four dimensions. SAP Help confirms that space quotas are used to limit resource consumption inside the org by defining values such as memory, routes, and service instances, and that these plans can then be assigned to spaces.

How to calculate "half"

Use the current org quota values shown in the Cloud Foundry quota screens and divide each by 2 before entering it.

Examples:

If org memory = 2 GB, enter 1 GB

If routes = 20, enter 10

If services = 200, enter 100

If instance memory = 2 GB, enter 1 GB

What to verify

The new quota plan should exist as:

half-org-quota

with the reduced values saved.



Part 4 - Assign the quota to the space

Step 9 - Assign the quota to activity-recording

Open the newly created quota:

half-org-quota

Choose Assign Spaces or Assign to Spaces

Select:

activity-recording

Save the assignment


Explanation:


SAP Help states that after creating a space quota, you assign it to one or more spaces from the space quota management flow.

What to verify

The quota half-org-quota should now be assigned to:

activity-recording





Final expected result

Inside EU HCM Dev:

Cloud Foundry is enabled

landscape is cf-eu10-004

instance name is cf-eu-hcm-dev

org name is btpops#####-eu-hcm-dev

space activity-recording exists

space quota half-org-quota exists

memory, routes, services, and instance memory are each set to half of the available org quota app instances are unlimited quota half-org-quota is assigned to activity-recording

Common mistakes to avoid Enabling Cloud Foundry in the wrong subaccount; it must be EU HCM Dev.

Using the wrong landscape; the task explicitly requires cf-eu10-004.

Typing the wrong org name; use exactly btpops#####-eu-hcm-dev.

Forgetting to create the space before assigning the quota.

Entering full org quota instead of half.

Limiting app instances to a number instead of leaving them unlimited.

Creating the quota but not assigning it to activity-recording.

NEW QUESTION # 12

SIMULATION

Establish Shared Services

Task 1: Create a Shared Services Directory and Subaccounts

In your SAP BTP cockpit, create the directory Shared Services (Description: Shared Accounts) with your global account as the parent.

In the Shared Services directory, create the subaccount SH Dev (Description: Shared Services Development) with subdomain btpops#####-sh-dev in the region Amazon Web Services (AWS) → Europe (Frankfurt) cf-eu10.

In the Shared Services directory, create the subaccount SH Ops (Description: Shared Services Operations) with subdomain btpops#####-sh-ops in the region Amazon Web Services (AWS) → Europe (Frankfurt) cf-eu10.

Answer:

Explanation:

See the Explanation below for complete solution.

Explanation:

Before You Start

Log in to the SAP BTP Cockpit.

Open the correct Global Account.

Make sure you are working in the correct global account before creating anything.

Why this matters:

The new directory and both subaccounts must be created inside the correct global account hierarchy.

Part A - Create the Shared Services Directory

Step 1 - Open Directories

What to do

In the SAP BTP Cockpit, open your Global Account.

In the left navigation menu, click Directories.



Explanation:

This is where you create and manage directory structures under the global account.

What to verify

You should now see the list of existing directories.

Step 2 - Create the Directory Shared Services

What to do

Click Create or Create Directory.

Enter the following values:

Name: Shared Services

Description: Shared Accounts

Parent: your Global Account

Click Create.

Explanation:

This creates a new top-level directory directly under the global account.

It will be used to hold the shared-services subaccounts.

What to verify

You should now see:

Shared Services

under the global account.

Part B - Create the SH Dev Subaccount

Step 3 - Open the Shared Services Directory

What to do

In the directory list, select Shared Services.

Explanation:

Both required subaccounts must be created inside this directory.

What to verify

You should now be inside the Shared Services directory.

Step 4 - Open Subaccounts

What to do

Inside Shared Services, open Subaccounts.

Click Create → Subaccount.

Explanation:

This opens the subaccount creation screen.

Step 5 - Create SH Dev

What to do

Enter the following:

Display Name / Name: SH Dev

Description: Shared Services Development

Subdomain: btpops#####-sh-dev

Set the region as:

Cloud Provider: Amazon Web Services (AWS)

Region: Europe (Frankfurt)

Technical Region / Environment: cf-eu10

Then click Create.

Explanation:

This creates the shared services development subaccount in the required AWS Frankfurt region.

What to verify

After creation, you should see:

SH Dev

inside the Shared Services directory.

Part C - Create the SH Ops Subaccount

Step 6 - Start a New Subaccount

What to do

Still inside Shared Services, click Create → Subaccount again.

Explanation:

This opens the form for the second required subaccount.

Step 7 - Create SH Ops

What to do

Enter the following:

Display Name / Name: SH Ops

Description: Shared Services Operations

Subdomain: btpops#####-sh-ops

Set the region as:

Cloud Provider: Amazon Web Services (AWS)

Region: Europe (Frankfurt)

Technical Region / Environment: cf-eu10

Then click Create.

Explanation:

This creates the shared services operations subaccount in the same required region.

What to verify

After creation, you should see:

SH Ops

inside the Shared Services directory.

Final Expected Result for Task 1

You should now have:

Directory

Shared Services

Description: Shared Accounts

Parent: Global Account

Subaccounts inside Shared Services

SH Dev

Description: Shared Services Development

Subdomain: btpops#####-sh-dev

Region: AWS → Europe (Frankfurt) cf-eu10

SH Ops

Description: Shared Services Operations

Subdomain: btpops#####-sh-ops

Region: AWS → Europe (Frankfurt) cf-eu10

Name	Environment	Provider	Region	Labels	Changed On
SH Dev	Subaccount	Multi-Environment	Amazon Web Services (AWS)	Europe (Frankfurt) - AWS	March 28, 2020, 4:15:5...
SH Ops	Subaccount	Multi-Environment	Amazon Web Services (AWS)	Europe (Frankfurt) - AWS	March 28, 2020, 4:17:0...

Common Mistakes to Avoid

1. Creating the directory in the wrong place

Shared Services must be created with:

parent = Global Account

2. Creating the subaccounts outside the directory

Both subaccounts must be created inside:

Shared Services

3. Wrong subdomain values

Use exactly:

btpops#####-sh-dev

btpops#####-sh-ops

Only replace ##### with your global account number.

4. Wrong region

Both subaccounts must use:

Amazon Web Services (AWS)

Europe (Frankfurt)

cf-eu10

5. Mixing up SH Dev and SH Ops

Be careful:

SH Dev = Shared Services Development

SH Ops = Shared Services Operations

NEW QUESTION # 13

SIMULATION

Create Directories and Subaccounts

In a global account for SAP Business Technology Platform (BTP), create a hierarchy of subaccounts using directories.

Task 1: Create Directories

In your SAP BTP cockpit, create the directory Americas (Description: Americas Accounts) with your global account as the parent.

Create the directory Eurasia (Description: Eurasia Accounts) with your global account as the parent.

Create the directory Partner (Description: Partner Accounts) with the Americas directory as the parent. Add the label access with value external.

Create the directory Human Resources (Description: Human Resources Accounts) with the Eurasia directory as the parent. Add the label access with value internal.

Answer:

Explanation:

See the Explanation below for complete solution

Explanation:

Task 1: Create Directories

You need to create these directories:

Americas

Eurasia

Partner under Americas with label access=external

Human Resources under Eurasia with label access=internal

Before You Start

Log in to the SAP BTP Cockpit.

Make sure you are inside the correct Global Account.

Open the left-side navigation menu.

Why this is important:

All directories in this task must be created inside the correct global account hierarchy. If you create them in the wrong location, the simulation result will be incorrect.

Step 1 - Create Directory Americas

What to do

In the SAP BTP Cockpit, select your Global Account.

In the left navigation menu, click Directories.

Click Create or Create Directory.

Fill the fields as follows:

Name: Americas

Description: Americas Accounts

Parent: your Global Account

Click Create.

Create Directory

Display Name* Americas

Description Americas Accounts

Parent* BTP Admin Certification xxxxx

Cockpit supports multi-level directories in your account structure. You can add your new directory directly to the root global account or to an existing directory by choosing the location under **Parent**.

Create Cancel

Explanation:

This creates a top-level directory directly under the global account. It will later be used as the parent for the Partner directory.

What to verify

After creation, you should see:

Americas

listed under the directories of the global account.

Step 2 - Create Directory Eurasia

What to do

Stay in Directories.

Click Create Directory again.

Fill the fields:

Name: Eurasia

Description: Eurasia Accounts

Parent: your Global Account

Click Create.

Create Directory

Display Name* Eurasia

Description Eurasia Accounts

Parent* BTP Admin Certification xxxxx

Advanced

Cockpit supports multi-level directories in your account structure. You can add your new directory directly to the root global account or to an existing directory by choosing the location under **Parent**.

Create Cancel

Explanation:

This creates another top-level directory, parallel to Americas.

What to verify

You should now see both:

Americas

Eurasia


under the global account.

Step 3 - Create Directory Partner under Americas

What to do

In the Directories area, select Americas.

Click Create Directory.
Enter:
Name: Partner
Description: Partner Accounts
Parent: Americas
Locate the Labels section.
Add a new label:
Key: access
Value: external
Click Create.



Name	Type	Environment	Provider	Region	Changed On
BTP Admin Certification	Global Account				March 25, 2026, 5:11:2...
Americas	Directory				March 26, 2026, 3:27:5...
Eurasia	Directory				March 26, 2026, 3:26...

Edit
Go to Overview
More Info
Create Directory
Create Subaccount
Delete

Select Parent

Search

Show only directories I can create in Expand All Collapse All

▼ BTP Admin Certification **xxxx**

- Americas
- Eurasia



Select Cancel

Create Directory

Display Name* Partner

Description Partner Accounts

Parent* Americas

Advanced

Enable entitlement management Enable user management

Add labels to this directory.

Name: access Values: externa

Create Cancel

Explanation:

This creates Partner as a child directory under Americas.

The label is required and must be entered exactly:

access = external

This label helps classify the directory.

What to verify

Under Americas, you should now see:

Partner

and the directory should contain the label:

access=external

Step 4 - Create Directory Human Resources under Eurasia

What to do

Go back to the Directories list.

Select Eurasia.

Click Create Directory.

Enter:

Name: Human Resources

Description: Human Resources Accounts

Parent: Eurasia

In the Labels section, add:

Key: access

Value: internal

Click Create.

Create Directory

Display Name*
Human Resources

Parent*
Eurasia

Advanced

Enable entitlement management Enable user management

Add labels to this directory.

Name: access Values: internal X

Create Cancel

Explanation:

This creates Human Resources as a child directory under Eurasia.

The required label is:

access = internal

What to verify

Under Eurasia, you should now see:

Human Resources

and the label should be:

access=internal

Final Expected Directory Structure

After completing Task 1, your structure must be exactly like this:

Global Account

Americas

Partner

Label: access=external

Eurasia

Human Resources

Label: access=internal

Name	Type	Environment	Provider	Region	Labels	Changed On
STP Admin Certification	Global Account					March 20, 2026, 6:56:2...
Americas	Directory					March 22, 2026, 4:25:1...
Partner	Directory				1 label	March 22, 2026, 4:29:2...
Eurasia	Directory					March 22, 2026, 4:26:0...
Human Resources	Directory				1 label	March 22, 2026, 4:31:0...

Important Checks Before Moving On

Verify all of the following:

Americas exists

Eurasia exists

Partner is under Americas

Human Resources is under Eurasia

Partner has label access=external

Human Resources has label access=internal

All names and descriptions are entered exactly as required

Common Mistakes to Avoid

1. Wrong parent

Partner must be created under Americas

Human Resources must be created under Eurasia

2. Wrong label key or value

Use exactly:

access → external

access → internal

3. Spelling errors

Be careful with:

Americas

Eurasia

Partner

Human Resources

4. Creating all directories directly under the global account

Only Americas and Eurasia are direct children of the global account.

Partner and Human Resources must be child directories.

NEW QUESTION # 14

.....

Are you still satisfied with your present job? Do you still have the ability to deal with your job well? Do you think whether you have the competitive advantage when you are compared with people working in the same field? If your answer is no, you are a right place now. Because our C_ADBTP_2601 exam torrent will be your good partner and you will have the chance to change your work which you are not satisfied with, and can enhance your ability by our C_ADBTP_2601 Guide questions, you will pass the C_ADBTP_2601 exam and achieve your target. Just free download the demo of our C_ADBTP_2601 exam questions!

Free Sample C_ADBTP_2601 Questions: https://www.itpassleader.com/SAP/C_ADBTP_2601-dumps-pass-exam.html

Our society needs all kinds of comprehensive talents, the C_ADBTP_2601 latest dumps can give you what you want, but not just some boring book knowledge, but flexible use of combination with the social practice, The C_ADBTP_2601 learning dumps from our company are very convenient for all people, including the convenient buying process, the download way and the study process and so on. If more details you can try to download C_ADBTP_2601 dumps for free and if you have any questions you can contact with us at any time.

Our industry experts are constantly adding new content to C_ADBTP_2601 test dumps based on constantly changing syllabus and industry development breakthroughs, The possibility to enter in big C_ADBTP_2601 and famous companies is also raised because they need outstanding talents to serve for them.

Updated SAP Valid Braindumps C_ADBTP_2601 Ebook - C_ADBTP_2601 Free Download

Our society needs all kinds of comprehensive talents, the C_ADBTP_2601 Latest Dumps can give you what you want, but not just some boring book knowledge, but flexible use of combination with the social practice.

The C_ADBTP_2601 learning dumps from our company are very convenient for all people, including the convenient buying process, the download way and the study process and so on.

If more details you can try to download C_ADBTP_2601 dumps for free and if you have any questions you can contact with us at any time, If you are still unsure whether to pursue ITPassLeader SAP C_ADBTP_2601 exam questions for C_ADBTP_2601 certification exam preparation, you are losing the game at the first stage in a fiercely competitive marketplace.

With our study materials, you only need 20-30 Free Sample C_ADBTP_2601 Questions hours of study to successfully pass the exam and reach the peak of your career.

- C_ADBTP_2601 Test Engine Trusted C_ADBTP_2601 Exam Resource Trusted C_ADBTP_2601 Exam Resource Open ➡ www.prep4away.com and search for ➡ C_ADBTP_2601 to download exam materials for free New C_ADBTP_2601 Exam Cram
- Real C_ADBTP_2601 Exams C_ADBTP_2601 Valid Test Topics Latest C_ADBTP_2601 Exam Duration Copy URL 《 www.pdfvce.com 》 open and search for ➡ C_ADBTP_2601 to download for free ✓ New C_ADBTP_2601 Dumps
- C_ADBTP_2601 Exam Dumps Collection C_ADBTP_2601 Reliable Practice Questions Trusted C_ADBTP_2601 Exam Resource Search for ▷ C_ADBTP_2601 ◁ and obtain a free download on ➡

