

New Mule-Dev-301 Test Practice | Valid Exam Mule-Dev-301 Sample: Salesforce Certified MuleSoft Developer II 100% Pass



As the professional provider of exam related materials in IT certification test, Exam-Killer has been devoted to provide all candidates with the most excellent questions and answers and has helped countless people pass the exam. Exam-Killer Salesforce Mule-Dev-301 study guide can make you gain confidence and help you take the test with ease. You can pass Mule-Dev-301 Certification test on a moment's notice by Exam-Killer exam dumps. Isn't it amazing? But it is true. As long as you use our products, Exam-Killer will let you see a miracle.

Now is not the time to be afraid to take any more difficult certification exams. Our Mule-Dev-301 learning quiz can relieve you of the issue within limited time. Our website provides excellent Mule-Dev-301 learning guidance, practical questions and answers, and questions for your choice which are your real strength. You can take the Mule-Dev-301 Training Materials and pass it without any difficulty. As long as you can practice Mule-Dev-301 study guide regularly and persistently your goals of making progress and getting certificates smoothly will be realized just like a piece of cake.

[**>> Mule-Dev-301 Test Practice <<**](#)

Quiz Mule-Dev-301 Test Practice - Realistic Exam Salesforce Certified MuleSoft Developer II Sample

This format is for candidates who do not have the time or energy to use a computer or laptop for preparation. The Mule-Dev-301 PDF file includes real Mule-Dev-301 questions, and they can be easily printed and studied at any time. Exam-Killer regularly updates its PDF file to ensure that its readers have access to the updated questions.

Salesforce Certified MuleSoft Developer II Sample Questions (Q34-Q39):

NEW QUESTION # 34

Which command is used to convert a JKS keystore to PKCS12?

- A. Keytool-importkeystore -srckeystore keystore jks-srcstoretype JKS -destkeystore keystore.p12 -deststoretype

PKCS12

- B. Keytool-importkeystore -srckeystore keystore.p12-srcstoretype JKS -destkeystore keystore.p12 -deststoretype PKCS12
- C. Keytool-importkeystore -srckeystore keystore.p12-srcstoretype PKCS12 -destkeystore keystore.jks -deststoretype JKS
- D. Keytool-importkeystore -srckeystore keystore.jks-srcstoretype PKCS12 -destkeystore keystore.p12 -deststoretype JKS

Answer: B

Explanation:

To convert a JKS keystore to PKCS12, the developer needs to use the keytool-importkeystore command with the following options: -srckeystore keystore.jks -srcstoretype JKS -destkeystore keystore.p12 -deststoretype PKCS12. This command imports all entries from a source JKS keystore (keystore.jks) into a destination PKCS12 keystore (keystore.p12). Reference: <https://docs.oracle.com/en/java/javase/11/tools/keytool.html#GUID-5990A2E4-78E3-47B7-AE75-6D1826259549>

NEW QUESTION # 35

A developer is working on a project that requires encrypting all data before sending it to a backend application. To accomplish this, the developer will use PGP encryption in the Mule 4 Cryptography module.

What is required to encrypt the data before sending it to the backend application?

- A. The application needs to configure HTTPS TLS context information to encrypt the data
- B. The application needs to both the private and public keys to encrypt the data
- C. The application needs the private key from the backend service to encrypt the data
- D. The application needs the public key from the backend service to encrypt the data

Answer: D

Explanation:

To encrypt the data before sending it to the backend application using PGP encryption, the application needs the public key from the backend service. PGP encryption uses a public-key cryptography system, which means that each party has a pair of keys: a public key and a private key. The public key is used to encrypt data, and the private key is used to decrypt data. Therefore, to encrypt data for a specific recipient (the backend service), the application needs to use the recipient's public key. The recipient can then use its own private key to decrypt the data. Reference: <https://docs.mulesoft.com/mule-runtime/4.3/cryptography-pgp>

NEW QUESTION # 36

Which statement is true about using mutual TLS to secure an application?

- A. Mutual TLS authenticates the identity of the server before the identity of the client
- B. Mutual TLS ensures only authorized end users are allowed to access an endpoint
- C. Mutual TLS requires a hardware security module to be used
- D. Mutual TLS increases the encryption strength versus server-side TLS alone

Answer: A

Explanation:

Mutual TLS (mTLS) is an extension of TLS that requires both parties (client and server) to present their certificates to each other during the handshake process. This way, both parties can verify each other's identity and establish a secure connection. The authentication of the server happens before the authentication of the client, as the server sends its certificate first and then requests the client's certificate. Reference: <https://docs.mulesoft.com/mule-runtime/4.3/tls-configuration#mutual-authentication>

NEW QUESTION # 37

A Mule application need to invoice an API hosted by an external system to initiate a process. The external API takes anywhere between one minute and 24 hours to compute its process.

Which implementation should be used to get response data from the external API after it completes processing?

- A. Use an HTTP Connector inside Async scope to invoice the API and wait for a response
- B. Use a Scheduler to check for a response every minute

- C. Expose an HTTP callback API in Mule and register it with the external system
- D. Use an HTTP Connector to invoke the API and wait for a response

Answer: C

Explanation:

To get response data from the external API after it completes processing, the developer should expose an HTTP callback API in Mule and register it with the external system. This way, the external API can invoke the callback API with the response data when it is ready, instead of making the Mule application wait for a long time or poll for a response repeatedly. Reference: <https://docs.mulesoft.com/mule-runtime/4.3/http-listener-ref#callback>

NEW QUESTION # 38

When implementing a synchronous API where the event source is an HTTP Listener, a developer needs to return the same correlation ID back to the caller in the HTTP response header.

How can this be achieved?

- A. Configure a custom correlation policy
- B. Enable the CorrelationID checkbox in the HTTP Listener configuration
- C. Enable the auto-generate CorrelationID option when scaffolding the flow
- D. NO action is needed as the correlation ID is returned to the caller in the response header by default

Answer: D

Explanation:

When implementing a synchronous API where the event source is an HTTP Listener, Mule automatically propagates some message attributes between flows via outbound and inbound properties. One of these attributes is correlation ID, which is returned to the caller in the response header by default as MULE_CORRELATION_ID. Reference: <https://docs.mulesoft.com/mule-runtime/4.3/about-mule-message#message-attributes>

NEW QUESTION # 39

.....

We know that most candidates have a busy schedule, making it difficult to devote much time to their Salesforce Certified MuleSoft Developer II (Mule-Dev-301) test preparation. Exam-Killer offers Salesforce Mule-Dev-301 exam dumps in 3 formats to open up your study options and adjust your preparation schedule. Furthermore, it works on all smart devices. This Mule-Dev-301 Exam Dumps format is easy to download from our Exam-Killer and a Salesforce Certified MuleSoft Developer II (Mule-Dev-301) free demo version is also available. You can check the material before you buy it.

Exam Mule-Dev-301 Sample: <https://www.exam-killer.com/Mule-Dev-301-valid-questions.html>

Salesforce Mule-Dev-301 Test Practice Besides, our company always insists on that the user experience is the main principal, Salesforce Mule-Dev-301 Test Practice You need no internet connection for it to function, Passing Mule-Dev-301 exam can be hard, and you won't find such exam Mule-Dev-301 braindumps anywhere, Providing 100% verified Salesforce Mule-Dev-301 (Salesforce Certified MuleSoft Developer II) Study Guide.

Seacord, Daniel Plakosh, Grace A, Deepak Iyengar received his Ph.D, Besides, Mule-Dev-301 our company always insists on that the user experience is the main principal, You need no internet connection for it to function.

Mule-Dev-301 Test Practice and Salesforce Exam Mule-Dev-301 Sample: Salesforce Certified MuleSoft Developer II Pass Success

Passing Mule-Dev-301 Exam can be hard, and you won't find such exam Mule-Dev-301 braindumps anywhere, Providing 100% verified Salesforce Mule-Dev-301 (Salesforce Certified MuleSoft Developer II) Study Guide.

The experts in our company are always keeping a close eye on even the slightest change on the Mule-Dev-301 exam questions in the field.

- Valid Salesforce Mule-Dev-301 test questions - Mule-Dev-301 braindumps files - Mule-Dev-301 test engine Copy URL www.dumpsmaterials.com open and search for Mule-Dev-301 to download for free Valid

Braindumps Mule-Dev-301 Free