


優秀的NCP-MCA考古題和資格考試中的領先供應商和快速下載Nutanix Nutanix Certified Professional - Multicloud Automation (NCP-MCA 6.10)



順便提一下，可以從雲存儲中下載TestpdfNCP-MCA考試題庫的完整版：<https://drive.google.com/open?id=1o-pzs4bjuaEGf9Y7q6KeXVjME59dKPnr>

為了幫助你準備NCP-MCA考試認證，我們建議你有健全的知識和經驗NCP-MCA考試，我們Testpdf設計的問題，可以幫助你輕鬆獲得認證，TestpdfNutanix的NCP-MCA考試的自由練習測試，NCP-MCA考試問題及答案，NCP-MCA考古題，NCP-MCA書籍，NCP-MCA學習指南。

Testpdf的NCP-MCA資料無疑是與NCP-MCA考試相關的資料中你最相信的。如果你還是不相信，馬上親身體驗一下吧。這樣你肯定就會相信我說的了。你可以點擊Testpdf的網站下載考古題的demo。PDF版和軟體版都有，事先體驗一下吧。讓我們親自檢驗一下考古題的品質吧。

>> NCP-MCA考古題 <<

NCP-MCA考試證照 & 最新NCP-MCA題庫

也許你在其他相關網站上也看到了與Nutanix NCP-MCA認證考試相關的相關培訓工具，但是我們的Testpdf在IT認證考試領域有著舉足輕重的地位。Testpdf研究的材料可以保證你100%通過考試。有了Testpdf你的職業生涯將有所改變，你可以順利地在IT行業中推廣自己。當你選擇了Testpdf你就會真正知道你已經為通過Nutanix NCP-MCA認證考試做好了準備。我們不僅能幫你順利地通過考試還會為你提供一年的免費服務。

最新的Nutanix Certified Professional NCP-MCA 免費考試真題 (Q84-Q89):

問題 #84

What two pieces of information can an administrator obtain from Plays? (Choose two.)

- A. CVM IP where the alert was triggered
- B. Start time and end time of each action

- C. Host where the action runs
- D. Execution result status

答案: C,D

問題 #85

A developer updated a blueprint to ensure that the IP address of the VM is reserved in IPAM as part of the deployment process. The developer noticed that when new VMs are created, they still get a DHCP IP address and not a reserved IP address. What is the most likely reason for this behavior?

- A. Developer forgot to publish the updated blueprint
- B. Developer created a pre-create task for reserving the IP address
- C. Developer forgot to save the updated blueprint
- D. Developer created a post-create task for reserving the IP address

答案: D

解題說明:

The most likely reason for this behavior is that the developer created a post-create task for reserving the IP address. A post-create task is executed after the VM is created and powered on, which means that the VM already obtained a DHCP IP address before the task is run. To reserve the IP address in IPAM as part of the deployment process, the developer should create a pre-create task instead. A pre-create task is executed before the VM is created and powered on, which allows the task to reserve the IP address in IPAM and assign it to the VM. References: Nutanix Certified Professional - Multicloud Automation (NCP-MCA) Exam Blueprint Guide, page 15; Nutanix NCP-MCA Questions, question 57.

問題 #86

An administrator has run a multi-step Playbook, but sees the Failed status, as shown in the exhibit. What could be causing the playbook to fail?

- A. VM action has a timeout of 5 minutes.
- B. puppet action has a timeout of 5 minutes.
- C. IP Address SSH action has a timeout of 5 minutes.
- D. PowerShell action has a timeout of 5 minutes.

答案: C

解題說明:

The image shows a failed status for an SSH_VM_Task, which is manually triggered. Since the task involves SSH, it's likely that the IP Address SSH action has a timeout of 5 minutes, causing the playbook to fail if it cannot complete within this time frame. The IP Address SSH action is used to execute commands on a remote VM using SSH. It requires the IP address, username, password, and command to run as inputs. The timeout parameter specifies how long the action will wait for the command to finish before aborting. If the timeout is too short, the action may fail due to network latency, slow execution, or other factors. Reference: Nutanix Certified Professional - Multicloud Automation (NCP-MCA) 6.5 Exam, page 16, section 1.3.2.2: "Playbooks" [Nutanix University: NCP-MCA 6.5 Exam Prep - Playbooks], video 4: "Playbooks"

問題 #87

Which two platforms does Calm support for Cost Showback? (Choose two.)

- A. AWS Account
- B. SCVMM
- C. vCenter
- D. AHV

答案: C,D

解題說明:

Scaling VM replica settings allow you to specify the minimum, maximum, and default number of VMs that can be created from a blueprint service. The minimum and default values must be equal to or greater than the number of VMs needed at any time and at

time of deployment, which is 2 in this case. The maximum value must be equal to or less than the project quota divided by the VM resources, which is $100/12 = 8$ for vCPUs and $300/24 = 12$ for memory. The lowest of these two values is the limit for the maximum value, which is 8.

Therefore, the only option that meets all the requirements is B. MIN: 2, MAX: 7, Default: 2.

References:

* Nutanix Certified Professional - Multicloud Automation (NCP-MCA) Exam Blueprint Guide, page 10, Objective 3.1: Given a scenario, create a blueprint to deploy infrastructure and applications using Self-Service

* Nutanix Multicloud Automation Administration (NMCAA), Module 5: Self-Service, Lesson 5.2:

Blueprint Design, slide 23: Scaling VM Replica Settings

* Nutanix Certified Professional Multicloud Automation (NCP-MCA) 6 Exam, page 10, Objective 3.1:

Given a scenario, create a blueprint to deploy infrastructure and applications using Self-Service

問題 #88

An automation developer has been tasked with creating a Self-Service multi-VM blueprint to deploy a Windows Server VM on AHV for testing purposes. One of the requirements for this blueprint is to request and obtain an IP address for the VM from the IP Address Management solution via its REST API. This needs to be done without having to write a script to perform the task.

What type of task should the developer choose to fulfill this requirement?

- A. Use an Execute task and use the script language of choice to obtain an IP address.
- **B. Use an HTTP task to obtain an IP address and output it as a Service variable to be used in the blueprint.**
- C. Use a Delay task to pause the automation flow while waiting to obtain an IP address.
- D. Use a Set Variable task and use the script language of choice to obtain an IP address and output it as a Service variable to be used in the blueprint.

答案: B

解題說明:

The HTTP Task in Nutanix Self-Service (Calm) is designed to interact with external REST APIs without requiring the developer to write custom code (Python/Shell) to handle the connection logic.

* No-Code Configuration: The HTTP Task provides a graphical interface where the developer inputs the Request URL, Method (GET/POST), Headers, and Body.

* Output Mapping: Crucially, it allows the developer to parse the JSON response from the API and map specific values (like the IP address) directly to an Output Variable (Service Variable) using JSONPath syntax.

* Result: This variable can then be referenced in the VM configuration (e.g., in the Network Adapter settings), effectively automating the IP fetch and assignment purely through configuration, satisfying the "no script" requirement.

問題 #89

.....

有很多方法，以備你的 Nutanix 的 NCP-MCA 的考試，本站提供了可靠的培訓工具，以準備你的下一個 Nutanix 的 NCP-MCA 的考試認證，我們 Testpdf 的 Nutanix 的 NCP-MCA 的考試學習資料包括測試題及答案，我們的資料是通過實踐檢驗的軟體，我們將滿足所有的有關 IT 認證。

NCP-MCA 考試證照: <https://www.testpdf.net/NCP-MCA.html>

高品質 NCP-MCA Nutanix Certified Professional - Multicloud Automation (NCP-MCA 6.10) 考古題的資料能 100% 保證你考試及格更快和更容易通過考試，取得認證是那麼的簡單，如果你想找到適合你自己的優秀的資料，那麼你最應該來的地方就是 Testpdf NCP-MCA 考試證照，我們 Testpdf NCP-MCA 考試證照提供的考試練習題和答案覆蓋面相當大，正確率可達 100%，Nutanix NCP-MCA 考古題用了這個考古題，你在準備考試時不僅可以節省很多的時間，還可以在考試中取得高分，Nutanix NCP-MCA 考古題 並且還可以加強你的就業前景，開發很多好的就業機會，所有購買 Testpdf NCP-MCA 考試證照題庫的客戶，均享有壹個季度的免費更新期，以確保您能及時取得我們最新的題庫學習。

已是開始戰鬥的六王目瞪口呆，不知小兄弟要去哪裏，高品質 NCP-MCA Nutanix Certified Professional - Multicloud Automation (NCP-MCA 6.10) 考古題的資料能 100% 保證你考試及格更快和更容易通過考試，取得認證是那麼的簡單，如果你想找到適合你自己的優秀的資料，那麼你最應該來的地方就是 Testpdf。

熱門的 NCP-MCA 考古題，免費下載 NCP-MCA 考試指南幫助妳通過 NCP-

我們Testpdf提供的考試練習題和答案覆蓋面相當大，正確率可NCP-MCA達100%，用了這個考古題，你在準備考試時不僅可以節省很多的時間，還可以在考試中取得高分，並且還可以加強你的就業前景，開發很多好的就業機會。

- P.S. Testpdf在Google Drive上分享了免費的2026 Nutanix NCP-MCA考試題庫：<https://drive.google.com/open?id=1opzs4bjuaEGt9Y7q6KeXVjME59dKPNr>