


Quiz The Open Group - Professional Exam OGA-032 Score



By imparting the knowledge of the OGA-032 exam to those ardent exam candidates who are eager to succeed like you, they treat it as responsibility to offer help. So please prepare to get striking progress if you can get our OGA-032 Study Guide with following steps for your information. With our OGA-032 learning materials for 20 to 30 hours, we can claim that you will be confident to go to write your OGA-032 exam and pass it.

The ArchiMate 3 Part 2 Exam is a comprehensive assessment that covers various aspects of enterprise architecture, including modeling, analysis, and design. It focuses on the application of ArchiMate 3.1 to real-world scenarios, enabling candidates to demonstrate their proficiency in using the ArchiMate modeling language to solve complex enterprise architecture challenges. OGA-032 Exam consists of 40 multiple-choice questions and has a duration of 90 minutes.

>> [Exam OGA-032 Score](#) <<

Pass Guaranteed The Open Group Marvelous OGA-032 - Exam ArchiMate 3 Part 2 Exam Score

Everybody wants success, but not everyone has a strong mind to persevere in study. If you feel unsatisfied with your present status, our OGA-032 actual exam can help you out. Our OGA-032 learning guide always boast a pass rate as high as 98% to 100%, which is unique and unmatched in the market. Using our OGA-032 Study Materials can also save your time in the exam preparation for the content is all the keypoints covered.

The Open Group ArchiMate 3 Part 2 Exam Sample Questions (Q10-Q15):

NEW QUESTION # 10

Please read this scenario prior to answering the question

The ArchiSurance enterprise document management solution includes a sophisticated ecosystem of applications and technologies. Designed with a strong emphasis on high availability, it plays a vital role in providing support for a diverse range of document types and managing a substantial volume of document-based transactions on a daily basis.

Recognizing its importance to the business, the document management solution is redundantly hosted at two geographically separate data center sites, both configured identically for seamless operations.

The system software at the core of the document management solution is comprised of three key modules.

The Document Engine serves as a repository, facilitating document storage, retrieval, and various other operations. The Workflow Engine acts as a host for document management applications, while the Application Engine powers the most advanced and sophisticated applications within the system.

Two key factors have driven the Architecture Board's approval of a project aimed at updating this critical solution. Firstly, the supplier of the Workflow Engine has given notice of the end of support for the current software version, necessitating an upgrade. Secondly, the system administrator responsible for the Application Engine has flagged the need for hardware replacement on the server where the software is currently running. Given that the Claim Management application shares infrastructure with the Application Engine, the involvement of the system administrator responsible for this application is crucial in the project planning and execution.

Refer to the Scenario

You are the Enterprise Architect within this organization. You have been assigned the task of modeling the applications and technology for this solution, as well as outlining the motivations driving the need for its update.

Based on the scenario, which answer provides the most complete and accurate description?

- A. A diagram of software development Description automatically generated
 -
- B. A diagram of a software project Description automatically generated
 -
- C. A diagram of software development Description automatically generated
 -
- D. A diagram of software development Description automatically generated
 -

Answer: D

Explanation:

This scenario revolves around ArchiSurance's document management solution and the motivations behind updating the solution due to software and hardware challenges. The task is to model both the applications and technology components involved, along with the motivations driving the need for an update.

Key ArchiMate® 3.2 Concepts Applied:

* Applications and Components:

* Claim Management Application: This application handles key processes such as filing claims and assigning claims, and it shares infrastructure with the Application Engine.

* Document Management Solution: Includes several subsystems such as:

* Document Engine: Manages document storage, retrieval, and processing operations.

* Workflow Engine: Facilitates document workflows and supports document-related operations.

* Application Engine: Hosts sophisticated applications like Claim Management.

* Data Objects:

* Proof of Loss Documents and Proof of Loss Data: are critical components managed by the Document Management Solution. This data is processed and handled by both the Document Engine and the Claim Management application.

* Technology and Infrastructure:

* Hardware Platform Needs Replacing: The Application Engine runs on hardware that needs replacement. This drives a part of the motivation for updating the infrastructure.

* Software Version Needs to Be Updated: The Workflow Engine is running on outdated software, necessitating an upgrade to ensure continued support and functionality.

* High Availability of Infrastructure: Given that the system is redundantly hosted across two data centers, high availability is crucial for seamless operations. This includes continuous availability for the document management processes.

* Motivations and Drivers:

* The end-of-support notice from the Workflow Engine supplier requires an upgrade to maintain operational continuity.

* The system administrator responsible for the Application Engine has raised concerns about hardware needing replacement, adding urgency to the infrastructure upgrade.

Why Option D is Correct:

* Option D provides the most comprehensive representation of the applications, infrastructure, and motivations for updating the solution.

* It clearly shows the Claim Management Application and its interaction with the Claim Assignment Business Rules Data, as well as how it relies on the Application Engine.

* The Document Management Solution and its subsystems (Document Engine, Workflow Engine, and Application Engine) are correctly depicted, with clear relationships to the data they manage (Proof of Loss Documents and Data).

* The motivations for change—specifically, the need to update the Workflow Engine software and replace the hardware platform—are clearly shown, alongside their impact on the overall system.

* The diagram shows the involvement of the system administrator in the update process, which is important for ensuring smooth project execution.

Why Other Options Are Incorrect:

* Option A and Option B do not accurately capture all necessary relationships, particularly the connections between the Claim Management application and its reliance on the Application Engine infrastructure. They also miss some of the drivers related to the required hardware replacement.

* Option C omits some key details regarding how the Claim Management Application and Document Management Solution components interact with the system, particularly the Claim Assignment Business Rules Data and Proof of Loss Data.

Conclusion:

Option D is the best answer because it offers the most complete and accurate representation of the applications, technology

infrastructure, and drivers for the update project. It clearly illustrates how the Claim Management and Document Management systems work together, along with the necessary infrastructure updates, in line with ArchiMate® 3.2 modeling standards.

NEW QUESTION # 11

Please read this scenario prior to answering the question

ArchiAir Catering Services (ACS) manages the catering services for ArchiAir, a leading airline. ACS is the sole catering supplier for all ArchiAir flights, and its services include full provisioning to the aircraft.

Currently, ACS operates three central production facilities, supported by distribution hubs and local pre-flight production facilities. The central production facilities are responsible for producing standardized non-food materials (such as plates, cutlery, and boxes), non-perishable food products, and key ingredients required by the local production facilities. These materials are subsequently distributed to the distribution hubs, which also serve as warehouses for the local production facilities. Within the local production facilities, multiple production machines are utilized, each featuring dedicated workstations for chefs and quality inspectors. Most of the local production facilities employ fully automated assembly lines, including built-in packaging stations. The loaded service trolleys are then transported to the aircraft using small lorries.

In response to investor pressure for ArchiAir to reduce its carbon footprint, the CEO of ACS has announced a plan to address this environmental concern. Subsequently, the Ministry of Social Welfare and Health has enacted a law mandating a reduction in CO2 emissions from all production facilities by the end of the year. Additionally, the airline's decision to raise ticket prices due to escalating fuel costs has led to a decrease in passenger numbers. This, in turn, impacts the volume of non-food materials required from ACS. An internal investigation has produced a report highlighting the potential benefits of centralizing production facilities and reducing the number of distribution centers. Such changes would result in lower CO2 emissions while still effectively meeting all the requirements of ArchiAir.

In addition to evaluating its supply chain to reduce its carbon footprint, ArchiAir is taking proactive steps to achieve a net zero carbon footprint for its IT operations. The Chief Information Officer (CIO) has identified two crucial requirements to support this endeavor. The first requirement involves switching to renewable energy for ACS facilities, which are often located in remote areas where traditional fuels are the primary source of energy. To align with sustainability goals, ArchiAir aims to transition these facilities to renewable energy sources. By utilizing renewable energy, ArchiAir can significantly reduce its reliance on traditional fuels and contribute to a greener operation. The second requirement pertains to the scalability of ArchiAir's IT operations, taking into account the airline's susceptibility to seasonal changes in demand. The CIO has observed notable disparities between sites that have additional blade servers and can scale their capacity, and sites that solely rely on the two mainframes housed in central facilities. A comprehensive report has revealed that the blade servers have a negligible impact on resource waste, whereas the mainframes are notorious for their power inefficiency, particularly during periods of low demand.

Refer to the Scenario

Which of the following answers best describes the proposed transition from baseline to target, including details of motivation for changes? Note that there is no need to show the details of the target state.

- A. A diagram of a process Description automatically generated
-
- B. □
- C. □
- D. □

Answer: D

Explanation:

The correct answer is D, as it best describes the transition from the baseline to the target state, including the motivation for changes based on the scenario. Here's a detailed explanation of why D is the most accurate model:

* Baseline and Target:

* The Baseline state in all answers correctly depicts the current structure of ACS's operations, including the ACS Central Production, Local Trucking, ACS Local Production, and Fully Automated Assembly Line.

* D captures the essential transition from this baseline state to the target state by illustrating how the organization is aiming to decrease CO2 emissions, as required by the new regulations, and how they intend to centralize production facilities.

* Motivation for Changes (Decrease in CO2 Emissions):

* The CEO's plan to reduce CO2 emissions is a critical driver for change. This is captured clearly in D, which shows the effects of Decreasing CO2 Emissions, Complying with Laws and Regulations, and Centralizing Production Facilities.

* The Ministry of Social Welfare and Health's law mandating CO2 reductions is accurately reflected in D, showing compliance as part of the motivation.

* D also depicts the motivation to centralize production facilities, which helps reduce CO2 emissions and aligns with the internal report suggesting that fewer distribution centers can meet ACS's needs effectively.

* Business and Environmental Factors:

* The scenario also points out that passenger numbers have decreased due to rising ticket prices, which reduces the demand for non-

food materials from ACS. This factor is linked to the centralization effort, as reducing the need for distribution centers can reduce costs while still meeting business needs.

* Dreflects this by linking Fewer Distribution Centers and Centralized Production Facilities to both decreased emissions and operational efficiency.

* Compliance with Laws and Regulations:

* Dshows a clear connection between compliance with CO2 Emission Laws and the Amount of CO2 Emissions generated by ACS, which is an essential driver of change in the scenario.

* The need to ensure that emissions are within the legal limit is modeled effectively in D, reflecting the scenario's requirement to meet regulatory expectations by the end of the year.

* Centralization of Production:

* The scenario suggests that centralizing production is one way to reduce emissions and achieve operational efficiency. This is depicted clearly in D, where Production Facilities Centralized leads to both fewer distribution centers and a significant decrease in CO2 emissions.

* Dlinks the motivation for fewer distribution centers to environmental sustainability (CO2 reduction) as well as operational improvements.

* Comprehensive ArchiMate® 3 Compliance:

* Daligns well with ArchiMate® 3 standards. It models the Motivation Elements such as goals (e.g., Decrease CO2 Emissions), assessments (e.g., CO2 Emission Above Norm), and requirements (e.g., Comply with Laws and Regulations) accurately.

* The relationships between these motivation elements are correctly depicted using ArchiMate® connectors like influences and associations, ensuring that the transition from baseline to target is clear and fully compliant with ArchiMate® 3 best practices.

Conclusion: Answer D provides the best representation of the proposed transition, focusing on the motivations for centralization and reduction of CO2 emissions. It accurately reflects the scenario's requirements, including legal compliance, environmental goals, and operational changes, all while following ArchiMate® 3 modeling standards.

NEW QUESTION # 12

Please read this scenario prior to answering the question

ArchiCar is a specialized company that focuses on manufacturing luxury electric cars and powertrain components, along with producing battery-charging equipment. With its own distribution network and showrooms, ArchiCar adopts a direct-to- customer sales model through online channels.

The manufacturing of ArchiCar's electric cars is carried out on fully automated assembly lines. Leveraging a cutting-edge manufacturing process, the company boasts an impressive ability to sell and deliver a vehicle within just one month from the time of order placement. Anticipating significant growth, the CEO has set ambitious plans to increase annual production from 100,000 to 500,000 vehicles within a three-year timeframe.

To ensure the highest quality standards, ArchiCar relies on locally manufactured finished steel from the renowned ArchiMetal plant. ArchiMetal specializes in lightweight steels that allow ArchiCar to achieve a reduced vehicle weight without compromising strength and crash performance. The finished steel is efficiently transported by rail to ArchiCar's production plant, where it is stored in a dedicated warehouse until required for the automated car assembly process. Conveyor belts facilitate the seamless transfer of the finished steel from the warehouse to the assembly plant.

At the ArchiCar assembly plant, an optimized and streamlined assembly process is implemented, resulting in the production of 12 vehicles per hour. Once assembled, the cars are transported to a nearby distribution center using specialized trucks.

These vehicles are then stored at the distribution center until they are ready for delivery to their eagerly awaiting new owners.

Refer to the Scenario

You are a consultant to the CIO. She has asked you to illustrate the end-to-end technology processes at ArchiCar from raw materials to assembled cars ready for delivery.

Which of the following answers provides the best description?

- A.
- B.
- C. A diagram of a vehicle assembly Description automatically generated
- D.

Answer: A

Explanation:

In this scenario, the task is to model the end-to-end technology processes at ArchiCar, showing how raw materials (finished steel) are processed through the company's manufacturing, transportation, and distribution system, ultimately resulting in fully assembled cars ready for delivery.

Key ArchiMate® 3.2 Concepts Applied:

* Business Processes:

- * Steel Making: ArchiMetal manufactures finished steel, a key raw material for ArchiCar's production.
- * Transportation: The finished steel is transported by rail from the ArchiMetal steel plant to ArchiCar's warehouse.
- * Storage: The finished steel is stored in the ArchiCar Warehouse until it is required for the assembly process.
- * Car Assembly: The conveyor belt moves the steel from the warehouse to the assembly plant, where cars are assembled on automated lines.
- * Transportation (Specialized Trucks): Once assembled, the cars are transported to a distribution center using specialized trucks.
- * Storage (Distribution Center): The finished cars are stored in the distribution center, awaiting delivery to customers.

* Application and Technology Components:

- * Conveyor Belt: The transfer of finished steel between the warehouse and assembly plant is automated via the conveyor belt.
- * Rail Transport and Specialized Trucks: Rail transport handles the movement of steel, and specialized trucks are used for car transportation to the distribution center.

* End-to-End Flow:

* The model needs to clearly depict the full process flow from the production of steel, through its transportation and storage, to the automated assembly of luxury cars and their eventual transportation to the distribution center.

* The relationships between processes (e.g., steel making, transportation, car assembly, and storage) must be clear and follow the logical flow of operations.

Why Option D is Correct:

* Option D provides a clear and accurate representation of the end-to-end processes described in the scenario.

* It begins with the steel-making process at the ArchiMetal steel plant and follows through with the transportation of the finished steel to the warehouse by rail transport.

* The process of moving steel via the conveyor belt from the warehouse to the assembly plant for car manufacturing is clearly depicted.

* Once cars are assembled, they are transported to the distribution center using specialized trucks and are then stored until delivery, completing the end-to-end flow.

* The relationships between processes and supporting components (e.g., conveyor belt, transportation methods) are clearly illustrated, following ArchiMate® standards.

Why Other Options Are Incorrect:

* Option A is incorrect because it misses some key elements of the process. It does not fully clarify the role of the warehouse or how the finished steel is transported between locations.

* Option B misrepresents the process flow, particularly the storage and assembly process. The connection between steel production and car assembly is not as clearly illustrated.

* Option C also lacks clarity in how the finished steel is moved from the warehouse to the assembly plant, and it does not accurately capture the flow of transportation and storage after car assembly.

Conclusion:

Option D is the best answer because it provides the most complete and clear description of the end-to-end technology processes at ArchiCar, from raw materials (finished steel) to assembled luxury cars ready for delivery. It aligns well with the scenario and adheres to ArchiMate® 3.2 modeling standards, showing all necessary relationships between business processes and supporting components.

NEW QUESTION # 13

Please read this scenario prior to answering the question

The IT Operations (IT Ops) department at ArchiInsurance has five core responsibilities, each encompassing a dedicated business process: (1) Batch Operations (Batch Ops), (2) Online Operations (Online Ops), (3) Security Operations (Security Ops), (4) User Support and (5) Continuous Improvement. Service level agreements (SLAs) are in place for Batch Ops and Online Ops, and each Ops process generates monitoring data that is utilized by the Continuous Improvement process.

The System Ops category consists of Batch Ops, Online Ops, and Security Ops, each having an incident management sub-process. These sub-processes are triggered by Batch, Online, and Security Incidents, respectively. In the initial stages of the incident management sub-processes, an Incident Alert is shared with the other System Ops processes by posting it to the Alert Buffer. Batch Ops relies on a schedule that outlines all batch jobs and their dependencies. This schedule serves two sub-processes: Batch Planning, which updates the schedule for use by the Execution Management sub-process.

The Batch Ops process relies on a suite of interconnected applications to facilitate its operations. Among these applications, the Batch Scheduler plays a vital role by allowing users to manage a comprehensive database of jobs, job schedules, and dependencies. It effectively launches batch jobs according to the information stored in the database.

Working in conjunction with the Batch Scheduler, the Batch Monitor application utilizes the job schedules as a reference point to monitor job execution. It identifies any exceptional conditions that may arise during the execution process. To ensure effective handling of these exceptions, the Batch Monitor communicates the information to both the Batch Scheduler and the Incident Handler applications through the previously mentioned Alert Buffer.

The Incident Handler application operates based on a defined set of business rules. It uses these rules to determine the relevant systems and individuals that need to be notified in the event of each incident.

Subsequently, the Incident Handler

application generates appropriate notifications according to these determinations.

Recognizing the criticality of the Batch Scheduler, Batch Monitor, and Incident Handler applications, ArchiSurance has implemented redundant hosting arrangements across multiple geographically distributed data centers. In each data center, these three applications are supported by fully redundant virtual server clusters. Each cluster is connected to two site local area networks, both of which are further linked to separate storage array hardware devices.

Refer to the scenario

As part of an IT service management initiative, you have been assigned the task to show how applications and technology support the Batch Ops process. This should show the relationships between the applications, their functions, the data they access, and the technology that hosts the applications and data, along with the networks that connect the servers. It is only necessary to model a single data center.

Which of the following answers provides the most complete and accurate model?

- A. A diagram of a work flow Description automatically generated
 -
- B. A diagram of a software system Description automatically generated with medium confidence
 -
- **C. A diagram of a firefighter Description automatically generated**
 -
- D. A diagram of a work flow Description automatically generated
 -

Answer: C

Explanation:

The correct answer is C as it provides the most complete and accurate model according to the ArchiMate® 3 framework and the given scenario.

Here's why:

* Business Processes and Sub-Processes:

* The Batch Operations (Batch Ops) is one of the core responsibilities in IT Operations, and its processes are modeled clearly. The Batch Scheduler is responsible for managing batch jobs, schedules, and dependencies.

* The Batch Monitor is correctly shown to monitor the job execution and notify exceptions using the Alert Buffer.

* The Incident Handler is used to notify relevant systems and individuals, triggered by the incident detection from Batch Monitor. This is modeled by the use of incident handling rules and notifications.

* Application Layer (Application Components and Functions):

* The Batch Scheduler, Batch Monitor, and Incident Handler are accurately depicted as the main applications. These applications are crucial for managing job scheduling, monitoring execution, and handling incidents.

* These applications share the same virtual server cluster, which is an important detail reflecting redundancy and high availability, which was mentioned in the scenario.

* The interrelationships between applications are accurately depicted: the Batch Scheduler launches jobs, the Batch Monitor checks their status, and the Incident Handler deals with exceptions.

* Data Access:

* The Batch Scheduler accesses and updates batch jobs and schedules, and this is represented clearly.

* The Incident Handler notifications are accurately modeled as being used by the Incident Handler.

* Technology Layer:

* The Virtual server cluster, Storage arrays, and Site Local Area Networks are appropriately connected to support the application infrastructure.

* Redundancy is shown through the use of multiple storage arrays and network connections, as described in the scenario.

* Accuracy in Relationship Types (ArchiMate® 3) References:

* The relationships between components are modeled using ArchiMate® 3 standards, such as flow relationships between the Batch Monitor and Alert Buffer or between the Incident Handler and storage components.

* Triggering relationships exist between the applications that manage batch jobs and the monitoring / notification process, ensuring correct job execution and incident handling.

Conclusion: Answer C is the most complete model, as it accurately reflects the roles of the various applications, their interactions, and the underlying technology components in support of the Batch Ops process, following the guidelines and modeling standards of ArchiMate® 3.

NEW QUESTION # 14

Please read this scenario prior to answering the question

ArchiCar has been a market leader in the premium priced luxury car sector for the last decade. Its product leadership strategy has

brought superior products to market, and enabled ArchiCar to achieve premium prices for its cars. This strategy has been widely successful in the past, but recently competitors have been offering comparable products and taking significant market share. The governing board of ArchiCar has identified opportunities in emerging markets where the ArchiCar brand is associated with luxury and high performance products, but is thought to be too expensive for mass-market success. Based on this assessment, the board has made the decision to setup a subsidiary company to mass-produce affordable cars locally. This will be achieved by focusing on a strategy of operational excellence. Such a strategy is ideal for such markets where customers value cost over other factors.

To facilitate this strategic transformation, the project has been divided into multiple phases within a five-year program. The initial phase, known as "Achieving Operational Excellence," is underway. The engineering team has begun devising an action plan to drive the necessary changes and outlining the technological conditions that must be met. The product architect has identified three current capabilities - industry-leading engineering, high-quality materials sourcing, and cutting-edge focussed R&D - along with their contributions to the new production philosophy.

Moving forward, it has been determined that two out of the three current capabilities require revision.

Materials sourcing needs to be adjusted to meet optimization demands, and R&D targets must align with future goals to enable affordable production. Additionally, process engineering is introduced as a fourth capability to shift the company's focus from products to a process-oriented approach.

The Enterprise Architecture team has been tasked with migration planning, and identifying key work packages and deliverables. They have identified two transition states between the current and future scenario.

The first transition aims to adjust

current capabilities, including revising the R&D approach and procurement strategy. The second transition aims to shift from a product-centric mindset to a process-focused approach and adjust materials sourcing accordingly. It is important to consider existing supplier contracts that cannot be immediately canceled during this process.

The Enterprise Architecture team has identified that the second transition must implement a process framework, in order to shift to a process focus and meet a number of requirements, including the requirement for end-to-end process thinking. As this requirement impacts procurement processes, it also impacts the procurement strategy.

Refer to the Scenario

You have been asked to model parts of the overall scenario, including migration planning, the motivations driving the migration, and the work packages necessary to achieve the desired deliverables.

Which of the following answers best describes the scenario?

- A. A diagram of process flow Description automatically generated
 -
- B. A diagram of a process Description automatically generated
 -
- C. A diagram of a process Description automatically generated
 -
- D. A diagram of a process Description automatically generated
 -

Answer: A

Explanation:

This scenario involves migration planning for ArchiCar as it transitions from a product-centric approach to an operational excellence strategy for mass-producing affordable cars in emerging markets. The task is to model the steps involved, including work packages, deliverables, and the motivations driving the transitions.

Key ArchiMate® 3.2 Concepts Applied:

* Capabilities and Transition Phases:

* The existing capabilities - R&D, material sourcing, and engineering - need to be adjusted to fit the new strategy. In particular:

* Revising R&D targets to align with the goal of affordable production.

* Revising the procurement strategy to optimize material sourcing.

* Introduction of a process focus in the second phase to shift from a product-centered approach to operational excellence.

* Two transition states are identified:

* Plateau 1 (Adjusted Capabilities): Focuses on revising the R&D strategy and procurement strategy.

* Plateau 2 (Shifted Focus): Involves shifting to a process-oriented focus, adjusting material sourcing, and implementing a process framework to enable end-to-end process thinking.

* Work Packages and Deliverables:

* Work packages include activities such as revising R&D strategy and procurement strategy during the first transition, and then developing process focus and implementing a process framework in the second transition.

* These work packages are linked to key deliverables:

* Plateau 1: Realigning R&D and procurement strategies to achieve adjusted capabilities.

* Plateau 2: Implementing a process framework, shifting to process-oriented thinking, and achieving the operational excellence goals.

* Motivation Elements:

- * The migration is driven by a need to realign current capabilities (such as focusing R&D on affordability and optimizing procurement) and a requirement to shift focus from product leadership to operational excellence.
- * The external driver is the competition and market opportunity in emerging markets, where cost is more critical than luxury.
- * Dependencies and Constraints:
- * Supplier contracts may impose constraints on how quickly procurement strategies can change, which is considered in the transition planning.
- * The process framework must be implemented in a way that supports end-to-end process thinking

Why Option B is Correct:

- * Option B accurately reflects the two transition phases (Plateaus 1 and 2) and shows the appropriate work packages and deliverables in line with the scenario.
- * It clearly models the steps for revising R&D strategy and procurement strategy in the first transition, and the shift to a process focus in the second transition.
- * The process framework and its link to end-to-end process thinking and procurement strategy are also correctly modeled, fulfilling the requirements of the scenario.
- * Motivations for the changes, such as the focus on the price/quality ratio, and the external drivers for shifting strategy are well captured.

Why Other Options Are Incorrect:

- * Option A and Option C misrepresent or omit important relationships between work packages, such as the link between the process framework and the end-to-end process thinking.
- * Option D does not correctly capture the sequence of work packages and the logical flow of transitions between phases.

Conclusion:

Option B provides the most complete and accurate description of the scenario, correctly illustrating the migration planning, motivations, and the work packages necessary to achieve the target state. It aligns well with ArchiMate® 3.2 modeling standards and meets the scenario's requirements.

NEW QUESTION # 15

.....

Good product can be welcomed by many users, because they are the most effective learning tool, to help users in the shortest possible time to master enough knowledge points, so as to pass the qualification test, and our OGA-032 learning dumps have always been synonymous with excellence. Our OGA-032 practice guide can help users achieve their goals easily, regardless of whether you want to pass various qualifying examinations, our products can provide you with the learning materials you want. Of course, our OGA-032 Real Questions can give users not only valuable experience about the exam, but also the latest information about the exam. Our OGA-032 practical material is a learning tool that produces a higher yield than the other. If you make up your mind, choose us!

Valid OGA-032 Test Question: <https://www.validexam.com/OGA-032-latest-dumps.html>

- OGA-032 Exam Cram □ OGA-032 Latest Exam Preparation □ OGA-032 Exam Sample Questions □ Go to website ► www.prepawaypdf.com ▲ open and search for ⇒ OGA-032 ▲ to download for free □ OGA-032 Exam Sample Questions
- OGA-032 Valid Exam Forum □ OGA-032 Exam Sample Questions □ New OGA-032 Braindumps Pdf □ Search for ► OGA-032 ▲ and download it for free immediately on ► www.pdfvce.com □ □ □ □ Training OGA-032 Material
- Free PDF First-grade The Open Group OGA-032 - Exam ArchiMate 3 Part 2 Exam Score □ Search for 「 OGA-032 」 and download it for free immediately on [www.examdiscuss.com] □ Reliable OGA-032 Test Forum
- Top Exam OGA-032 Score Pass Certify | Pass-Sure Valid OGA-032 Test Question: ArchiMate 3 Part 2 Exam □ Search for □ OGA-032 □ and download it for free immediately on 《 www.pdfvce.com 》 □ OGA-032 Latest Exam Preparation
- OGA-032 Certification Book Torrent □ Reliable OGA-032 Test Forum □ OGA-032 Valid Exam Forum □ Search for “ OGA-032 ” and download exam materials for free through ✓ www.examdiscuss.com □ ✓ □ □ OGA-032 Exam Learning
- Test OGA-032 Engine Version □ OGA-032 Certification Test Questions □ OGA-032 Valid Exam Format □ Enter “ www.pdfvce.com ” and search for “ OGA-032 ” to download for free □ OGA-032 Certification Test Questions
- Training OGA-032 Material □ OGA-032 Test Voucher □ OGA-032 New Real Test □ Search for ► OGA-032 ▲ on ► www.verifieddumps.com □ immediately to obtain a free download □ Dumps OGA-032 Collection
- OGA-032 exam cram pdf, high The Open Group OGA-032 pass mark □ Search for □ OGA-032 □ and download exam materials for free through 《 www.pdfvce.com 》 □ OGA-032 Test Voucher
- Test OGA-032 Engine Version □ Test OGA-032 Engine Version ✓ OGA-032 Exam Sample Questions □ Go to website { www.examcollectionpass.com } open and search for * OGA-032 □ * □ to download for free □ OGA-032 Latest Exam Preparation
- Dumps OGA-032 Collection □ Test OGA-032 Engine Version □ OGA-032 Valid Exam Book □ Immediately open “

www.pdfvce.com" and search for 【 OGA-032 】 to obtain a free download □OGA-032 Valid Test Test