


2V0-15.25최신버전덤프, 2V0-15.25시험대비공부



그 외, PassTIP 2V0-15.25 시험 문제집 일부가 지금은 무료입니다: https://drive.google.com/open?id=1sj6mlTNF_6yRxFpE7EmaX2gOkJYtjV

모두 아시다시피VMware 2V0-15.25인증시험은 업계여서도 아주 큰 비중을 차지할만큼 큰 시험입니다. 하지만 문제는 어떻게 이 시험을 패스할것이나이죠.VMware 2V0-15.25인증시험패스하기는 너무 힘들기 때문입니다. 다른 사이트에 있는 자료들도 솔직히 모두 정확성이 떨어지는건 사실입니다. 하지만 우리PassTIP의 문제와 답은 IT인증시험준비중인 모든분들한테 필요한 자료를 제공할수 있습니다. 그리고 중요한건 우리의 문제와 답으로 여러분은 한번에 시험을 패스하실수 있습니다.

PassTIP의 VMware인증 2V0-15.25덤프로 시험공부를 하신다면 고객님의 시간은 물론이고 거금을 들여 학원등록하지 않아도 되기에 금전상에서도 많은 절약을 해드리게 됩니다. VMware인증 2V0-15.25덤프 구매의향이 있으시면 무료샘플을 우선 체험해보세요.

>> 2V0-15.25최신버전덤프 <<

2V0-15.25시험대비 공부 & 2V0-15.25 100% 시험패스 덤프

제일 빠른 시일내에 제일 간단한 방법으로VMware인증 2V0-15.25시험을 패스하는 방법이 없냐구요? PassTIP의 VMware인증 2V0-15.25덤프를 공부하시면 가능합니다. PassTIP의VMware인증 2V0-15.25덤프는 많은 분들이 검증한 가장 유력한VMware인증 2V0-15.25시험공부자료입니다. 덤프의 문제만 기억하시면 패스는 문제없기에 제일 빠른 시일내에 시험을 패스하여 자격증 취득이 가능합니다.

최신 Professional Level Exams 2V0-15.25 무료샘플문제 (Q45-Q50):

질문 # 45

The administrator has to change the DRS automation level in preparation to upgrade the vCenter. When making this change through VCF Operations, the following error occurs: 'Internal Error: Failed to retrieve vim client'. What is the possible cause of this error?

- A. The vCenter is overloaded with API requests from VCF Operations.
- B. Insufficient licensing for the advanced vCenter features.
- C. DRS Automation is already set on the vSphere Client.
- **D. Connectivity issue between vCenter and VCF Operations.**

정답: D

설명:

The error:

"Internal Error: Failed to retrieve vim client"

occurs whenVCF Operations cannot establish a functional API session with vCenter. Thevim clientis the internal vSphere API client library used by VCF Operations to perform cluster actions such as modifying DRS settings, powering on/off workloads, or retrieving inventory.

When this error appears, VMware documentation identifies these common root causes:

- * Loss of connectivity between VCF Operations and vCenter
 - * DNS resolution issues
 - * Network interruption
 - * Stale or expired authentication tokens
 - * Credential mismatch If the vCenter password was changed manually, VCF Operations may be unable to authenticate.
 - * vCenter services restarting or unavailable If vCenter backend services (vpxd, sts, etc.) are unstable, VCF Operations cannot establish a vim session.
- Option A is incorrect-DRS automation state in the vSphere Client does not cause vim client retrieval errors.
 Option B (vCenter overloaded by API requests) would cause timeouts, not a vim client initialization failure.
 Option D (insufficient licensing) affects feature use, not API connectivity.

질문 # 46

A VMware Cloud Foundation (VCF) administrator cannot deploy Virtual Machines (VMs) to a compute cluster. The administrator discovers that the vCLS VMs on the problematic cluster are powered off and cannot be powered on. What action can the administrator take to enable deployment of VMs?

- **A. Enable retreat mode on the affected cluster.**
- B. Set DRS Automation level to fully automated.
- C. Delete all resource pools in the affected cluster.
- D. Disable HA on the affected cluster.

정답: A

설명:

In vSphere 7+ and VCF-managed clusters, the vSphere Cluster Services (vCLS) VMs must remain powered on for DRS, cluster health, and policy enforcement to function. If the vCLS VMs cannot power on, no workloads-including new VMs-can be deployed to the cluster because vSphere considers the cluster unhealthy.

A common cause is insufficient resources (CPU/memory), datastore issues, or policy conflicts preventing vCLS VMs from starting. VMware provides Retreat Mode as a troubleshooting mechanism to temporarily disable vCLS, allowing the administrator to deploy VMs and correct underlying issues. Enabling retreat mode:

- * Removes vCLS from the cluster
- * Restores ability to deploy VMs
- * Allows remediation of storage/placement issues
- * Can later be disabled to restore DRS health

Option A (deleting resource pools) does not restore vCLS VM power state.

Option B (disabling HA) does not affect vCLS behavior.

Option D (setting DRS automation level) does not correct vCLS placement problems.

질문 # 47

An administrator determined that the VMware NSX admin password expired on their VMware NSX Edge Transport nodes. The administrator manually resets the password in the console of each Edge Transport node.

What additional action is required to synchronize the new password in VMware Cloud Foundation (VCF) Operations?

- **A. In VCF Operations, remediate the admin password for each NSX Edge Transport node.**
- B. In VCF Operations, update the admin password for each NSX Edge Transport node.
- C. In VCF Operations, sync the admin password for each NSX Edge Transport node.
- D. In VCF Operations, rotate the admin password for each NSX Edge Transport node.

정답: A

설명:

In VMware Cloud Foundation 9.0, password changes made manually on an NSX Edge Transport Node are not automatically synchronized with VCF Operations. VCF Operations maintains secure credential records for all managed components, including NSX Manager appliances and NSX Edge Transport Nodes. When credentials become stale-such as after a password expiration and manual reset-VCF Operations marks the credential object as out of sync and requires administrative remediation.

The official workflow described in VCF 9.0 Operations documentation states that administrators must use the "Remediate Password" function whenever a password was changed outside of VCF Operations, ensuring that the platform revalidates and updates the stored credentials used for monitoring, log collection, and automation tasks. Options such as "rotate," "sync," or "update" do not apply because rotation implies generating a new password managed by VCF, and "sync" does not

overwrite the stored credential. Only remediation forces VCF Operations to re-validate and align credentials with the external system.

Therefore, after manually resetting the NSX Edge admin password, the administrator must perform password remediation in VCF Operations to restore operational consistency, making B the correct and verified answer.

질문 # 48

A user wishes to publish a VMware Cloud Foundation (VCF) Operations Orchestrator workflow to their VCF Automation project catalog, but is blocked from publishing any workflows.

The following information has been provided:

- * In the VCF Automation Organization portal, the user cannot see the Workflows option under Content Hub.
- * The organization is not a Provider Consumption Organization.

Which are the two likely causes of this issue? (Choose two.)

- A. An external VCF Operations Orchestrator is not integrated with their Organization.
- B. The user is logged in with Project Administrator rights.
- C. The user is logged in with Project User rights.
- D. The user is logged in with Project Advanced User rights.
- E. An embedded VCF Operations Orchestrator is not integrated with their Organization.

정답: A,E

설명:

In VMware Cloud Foundation 9.0, publishing a VCF Operations Orchestrator workflow to a VCF Automation project catalog requires that the Organization has a valid integration with VCF Operations Orchestrator. The question states that the user cannot see the Workflows option under Content Hub, and the organization is not a Provider Consumption Organization (PCO). According to the VCF 9.0 documentation, only organizations with VCF Operations Orchestrator integration are allowed to publish workflows into the catalog. Both embedded and external orchestrator integrations must be configured depending on the environment. If no orchestrator (embedded or external) is integrated with the organization, workflows cannot be listed or published. This aligns with the documented VCF Automation and VCF Operations Orchestrator design requirements, which specify that workflow publishing is only available when the orchestrator instance is properly registered.

Additionally, user role permission issues could prevent workflow visibility, but the key blockers described in the scenario are the missing workflow section and the organization type. Because the organization is not a PCO, advanced provider features—including workflow publishing—are disabled unless a proper orchestrator integration exists. Therefore, the two most likely causes are:

- * A: An external VCF Operations Orchestrator is not integrated with their Organization.
- * D: An embedded VCF Operations Orchestrator is not integrated with their Organization.

These two conditions directly match the documented behavior in VMware Cloud Foundation 9.0.

질문 # 49

An administrator is responsible for supporting a VMware Cloud Foundation (VCF) fleet and has been tasked with deploying VMware Cloud Foundation (VCF) Operations for Logs. To complete this task, the administrator needs to configure a new offline depot within VCF Operations fleet management.

The following information has been provided to the administrator to complete the task:

- * Offline Depot Type: Webserver
- * Repository
URL: http://10.138.148.160/depot/
* Username: depotuser
* Password: P@ssword123!
* Accept imported certificate: True

When the administrator attempts to configure the depot, the following error message is presented:

Either the depot URL provided is partial or invalid or not reachable or download token is invalid. Check logs for more details.

The administrator completes the following troubleshooting steps:

- * Confirms the Repository URL is valid by connecting to it through a web browser.
- * Reviews the command used to create the depot:

```
o ./vcf-download-tool binaries download --depot-store=VCF --depot-download-token-file=<token_file_path> -  
-vcf-version=9.0.0.0 --sku=VCF --component=VRL --type=INSTALL
```

- * Confirms that the downloaded folder and files were copied into the /depot shared folder on the web server hosting the repository
- Which two actions must the administrator take to resolve the issue? (Choose two.)

- A. Reconfigure the web server to share the /vcf/ folder containing the depot files.

- B. When configuring the offline depot, the Repository URL should be changed to http://10.138.148.160.
- C. Reconfigure the Fleet Manager appliance to share the /data/ folder.
- D. When configuring the offline depot, the OfflineDepotType should be changed to Local Path.
- E. When configuring the offline depot, the Repository URL should be changed to https://10.138.148.160/depot/.

정답: A,E

설명:

To resolve the "partial or invalid or not reachable" error when configuring the VCF 9.0 Offline Depot, the administrator must address two critical misconfigurations related to the protocol and the file path mapping:

* Switch to HTTPS (Option E): VMware Cloud Foundation 9.0 enforces HTTPS by default for all depot connections to ensure security. The administrator's configuration uses http://, which the VCF Fleet Manager will reject (or fail to connect to) unless the system has been explicitly modified via internal properties files to allow insecure transport. Changing the Repository URL to https://10.

138.148.160/depot/ aligns with the default security requirements of the VCF 9.0 binaries download and validation process.

* Reconfigure Web Server Pathing (Option A): The command --depot-store=/VCF instructs the download tool to create a repository structure rooted at /VCF. The administrator then copied this

"downloaded folder" into the /depot folder on the web server, resulting in a nested path (e.g., /var/www

/html/depot/VCF/...). However, the configured URL is ../depot/, which points to the parent directory where the required index.json or metadata files are not immediately visible. The administrator must reconfigure the web server (e.g., via DocumentRoot or Alias settings) to explicitly share the specific

/vcf/ (or /VCF/) folder content at the target URL so the Fleet Manager can locate the manifest files.

질문 # 50

.....

VMware 2V0-15.25 인증 시험은 현재 IT 인사들 중 아주 인기 있는 인증 시험입니다. VMware 2V0-15.25 시험 패스는 여러분의 하시는 일과 생활에서 많은 도움을 줄뿐만 아니라 중요한 건 여러분의 IT 업계에서의 자기만의 자리를 지키실 수 있습니다. 이렇게 좋은 시험이니 많은 분들이 응시하려고 합니다, 하지만 패스율은 아주 낮습니다.

2V0-15.25 시험 대비 공부 : <https://www.passtip.net/2V0-15.25-pass-exam.html>

PassTIP에서 제공해 드리는 전면적인 VMware 인증 2V0-15.25 시험 대비 덤프로 VMware 인증 2V0-15.25 시험 준비 공부를 해보세요, 2V0-15.25 시험 대비 공부 - VMware Cloud Foundation 9.0 Support 덤프 비용 환불 후 업데이트 서비스는 종료됩니다, PassTIP를 선택함으로써 여러분은 VMware 인증 2V0-15.25 시험에 대한 부담은 사라질 것입니다. 우리 PassTIP는 끊임없는 업데이트로 항상 최신 버전의 VMware 인증 2V0-15.25 시험 덤프임을 보장해드립니다. 만약 덤프 품질을 확인하고 싶다면 PassTIP에서 무료로 제공되는 VMware 인증 2V0-15.25 덤프의 일부분 문제를 체험하시면 됩니다. PassTIP는 100%의 보장도를 자랑하며 VMware 인증 2V0-15.25 시험을 한번에 패스하도록 도와드립니다, VMware 2V0-15.25 최신 버전 덤프 자격증이 보편화되면 자격증의 가치도 그만큼 떨어지니깐요.

수영장에서 왜 그랬냐는 질문에 대답하지 않을 것처럼 한참이나 입을 꼭 다물고 있던 은오는 그저 너무 춥고 무서웠다고 말하며 웃었다, 이곳에서 계속 머물 수는 없소, PassTIP에서 제공해 드리는 전면적인 VMware 인증 2V0-15.25 시험 대비 덤프로 VMware 인증 2V0-15.25 시험 준비 공부를 해보세요.

2V0-15.25 최신 버전 덤프 100% 시험 패스 인증 덤프 문제

VMware Cloud Foundation 9.0 Support 덤프 비용 환불 후 업데이트 서비스는 종료됩니다, PassTIP를 선택함으로써 여러분은 VMware 인증 2V0-15.25 시험에 대한 부담은 사라질 것입니다. 우리 PassTIP는 끊임없는 업데이트로 항상 최신 버전의 VMware 인증 2V0-15.25 시험 덤프임을 보장해드립니다. 만약 덤프 품질을 확인하고 싶다면 PassTIP에서 무료로 제공되는 VMware 인증 2V0-15.25 덤프의 일부분 문제를 체험하시면 됩니다. PassTIP는 100%의 보장도를 자랑하며 VMware 인증 2V0-15.25 시험을 한번에 패스하도록 도와드립니다.

자격증이 보편화되면 자격증의 가치도 그만큼 떨어지니깐요, VMware 인증 2V0-15.25 시험을 준비하기 위해 잠도 설치하면서 많이 힘들죠?

- 2V0-15.25 최신 버전 덤프 샘플 문제 □ 2V0-15.25 시험 대비 공부 문제 □ 2V0-15.25 최고 품질 덤프 문제 □ ➡ www.passtip.net □ 은☀ 2V0-15.25 □☀□ 무료 다운로드를 받을 수 있는 최고의 사이트입니다 2V0-15.25 시험 대비 공부 문제

