


H31-341_V2.5-ENU최고품질덤프문제모음집 - H31-341_V2.5-ENU퍼펙트덤프데모문제다운



KoreaDumps H31-341_V2.5-ENU 최신 PDF 버전 시험 문제집을 무료로 Google Drive에서 다운로드하세요:
https://drive.google.com/open?id=1ZSXcSm_wKrWuP2NxnD39P6UxZMBUFIF5

Huawei H31-341_V2.5-ENU시험은 KoreaDumps 에서 출시한Huawei H31-341_V2.5-ENU덤프로 도전하시면 됩니다. Huawei H31-341_V2.5-ENU 덤프를 페펙트하게 공부하시면 시험을 한번에 패스할수 있습니다. 구매후 일년무료 업데이트 서비스를 제공해드리기에Huawei H31-341_V2.5-ENU시험문제가 변경되어도 업데이트된 덤프를 받으면 가장 최신시험에 대비할수 있습니다.

Huawei H31-341_V2.5 인증 시험은 이미 Transmission Network Technologies에서 강력한 토대를 얻은 개인을 위해 설계된 고급 수준 인증입니다. 시험은 전송 네트워크 계획, 운영 및 유지 보수 분야에서 기술과 지식을 향상시키려는 전문가를위한 것입니다. 인증은 전 세계적으로 인정되며 통신 업계의 고용주가 높이 평가합니다.

Huawei H31-341_V2.5 (HCIP-Transmission V2.5) 시험은 전송 네트워크의 계획, 설계 및 유지 관리에 참여하는 전문가들의 지식과 기술을 테스트하기 위해 고급 인증 시험으로 디자인되었습니다. 이 시험은 이미 HCNA-Transmission 인증을 완료한 개인들을 대상으로 하며, 전송 기술 분야에서의 전문 기술을 더욱 강화하고자 하는 사람들을 위해 제공됩니다.

>> H31-341_V2.5-ENU최고품질 덤프문제모음집 <<

최신버전 H31-341_V2.5-ENU최고품질 덤프문제모음집 퍼펙트한 덤프의 문제를 마스터하면 시험합격 가능

Huawei H31-341_V2.5-ENU 덤프에 대한 자신감이 어디서 시작된것이나고 물으신다면Huawei H31-341_V2.5-ENU덤프를 구매하여 시험을 패스한 분들의 회소식에서 온다고 답해드리고 싶습니다. 저희Huawei H31-341_V2.5-ENU덤프는 자주 업데이트되고 오래된 문제는 바로 삭제해버리고 최신 문제들을 추가하여 고객님의 가장 정확한 덤프를 제공해드릴수 있도록 하고 있습니다.

이 시험은 광학 네트워크, 마이크로파 네트워크 및 데이터 통신 네트워크의 원칙 및 응용 프로그램을 포함한 광범위한 주제를 다룹니다. 여기에는 전송 라인의 계획, 유지 보수 및 전송 라인의 문제 해결, 라우팅 및 스위칭 프로토콜, 네트워크 최적화 전략과 같은 전송 네트워크의 다양한 측면이 포함됩니다. 응시자는 시험을 성공적으로 통과하기 위해이 기초에 강력한 근거가 있어야합니다.

최신 HCIP Transmission H31-341_V2.5-ENU 무료샘플문제 (Q43-Q48):

질문 # 43

Which of the following descriptions about the PWE3 network reference model is wrong?

- A. CE cannot perceive whether the simulated service or the local service is being used
- B. PES establishes a point-to-point channel, the channels are isolated from each other, and the user=layer messages are transparently transmitted between them.
- C. Tunnel is a mechanism for transparently carrying information on the network. It is used to carry P7. A tunnel can only support one PW
- D. PE is located at the edge of the operator's network and is a device that provides PWE3 to CE

정답: C

질문 # 44

Among the working modes provided by the line fiber quality monitoring function, which one is not included?

- A. Manual mode
- B. Intra-office mode
- C. Automatic mode
- D. Near-end mode

정답: C

질문 # 45

OOS overhead is non-associated overhead. Which of the following descriptions about OOS overhead is wrong?

- A. OOS overhead occupies 2Mbit/s bandwidth
- B. OOS overhead is not enabled by default
- C. Use the 21st-23rd time slot in the optical supervisory channel (OSC) signal frame structure to transfer overhead
- D. OOS overhead includes OTS, OMS/OCh overhead

정답: B

질문 # 46

Only one TCM can be used at the same site

- A. True
- B. False

정답: B

질문 # 47

Which of the following descriptions about the 1+1 protection in the board are correct? (Multiple choice)

- A. The 1+1 protection within the board can realize the protection of the OTU single board
- B. For OSN 1800 equipment, the OTU with dual transmission and selective reception functions can be used to realize service protection
- C. Set the OTU as the detection unit, and electrical layer alarms such as OTUk_LOF and OTUK_LOM will also trigger switching
- D. In-board 1+1 protection can be applied to chain networking and ring networking

정답: B,C,D

질문 # 48

.....

H31-341_V2.5-ENU퍼펙트 덤프데모문제 다운 : https://www.koreadumps.com/H31-341_V2.5-ENU_exam-

