

Mule-Dev-201 dumps VCE & Mule-Dev-201 pass king & Mule-Dev-201 latest dumps



Are you organized for this? Do you want to end up a Salesforce certified? In case your answer is high great then we guarantee you that you are on the right region. Check in yourself for Salesforce Certified MuleSoft Developer (Mule-Dev-201) certification examination and download the Mule-Dev-201 exam questions and begin preparation right now.

Our Mule-Dev-201 exam questions are specified as one of the most successful training materials in the line. And our Mule-Dev-201 study guide can renew your knowledge with high utility with favorable prices. Form time to time, we will give some attractive discounts on our Mule-Dev-201 learning quiz as well. So, our Mule-Dev-201 actual exam is reliably rewarding with high utility value.

>> Practice Mule-Dev-201 Exam Fee <<

Authoritative Practice Mule-Dev-201 Exam Fee & Leading Offer in Qualification Exams & Updated Mule-Dev-201: Salesforce Certified MuleSoft Developer

Two Salesforce Mule-Dev-201 practice tests of Exams-boost (desktop and web-based) create an actual test scenario and give you a Mule-Dev-201 real exam feeling. These Mule-Dev-201 Practice Tests also help you gauge your Salesforce Certification Exams preparation and identify areas where improvements are necessary.


Salesforce Certified MuleSoft Developer Sample Questions (Q185-Q190):

NEW QUESTION # 185

Refer to the exhibit.

In the execution of the Scatter-Gather, the "steep 1 sec" Flow Reference takes about 1 second to complete, and the "sleep 5 sees" Row Reference takes about 5 seconds to complete.

About how many seconds does it take from the time the Scatter-Gather is called until the Set Payload transformer is called?



- A. 0
- B. 1
- C. 2
- D. 3

Answer: C

NEW QUESTION # 186

What happens to the attributes of a Mule event in a flow after an outbound HTTP Request is made?

- A. New attributes may be added from the HTTP response headers, but no headers are ever removed
- B. Attributes are replaced with new attributes from the HTTP Request response (which might be null)
- C. Attributes do not change
- D. Previous attributes are passed unchanged

Answer: B

Explanation:


Attributes are replaced with new attributes from the HTTP Request response.

Attributes include everything apart from Payload/body. For ex: Headers, query parameters, URI parameters.

So, when outbound HTTP request is made, new attributes need to pass the outbound HTTP request and old attributes are replaced.

I have created below diagram to make it easy for you to understand:

Diagram Description automatically generated



NEW QUESTION # 187

What is the output of Dataweave Mapoperator?

- A. Object
- B. String
- C. Map
- **D. Array**

Answer: D

Explanation:

Returns an array that is the result of applying a transformation function (lambda) to each of the elements.

MuleSoft Doc Ref : <https://docs.mulesoft.com/mule-runtime/4.3/dataweave-cookbook-map> Themap operator is a function in Dataweave which iterates over the items in an array and outputs them into a new array. It basically accepts input as a list of items in an array and manipulates the items in the array in order to form a new array as an output.

I have created below chart for your easier understanding:

Table Description automatically generated

Important Operators

salesforce


Operator	Can be applied on input which is/are	Output type	Used for
map	On Arrays only	Array	Array of Object
mapObject	On Objects only	Object	Output is an Object
reduce	On Arrays	Anything	To reduce into given expression
pluck	On Objects	Array	Same as mapObject, only difference is the output is returned as array instead of Object
flatten	On arrays	Single set of Array	Turns into set of subarrays to single array

NEW QUESTION # 188


Refer to the exhibits.

A web client submits a request to below flow. What is the output at the end of the flow?

Diagram Description automatically generated



Graphical user interface, text, application, email Description automatically generated



Graphical user interface, text, application, email Description automatically generated

```

<flow name="getFlights" doc:id="f89731e6-ea03-4d69-a66c-df99584e7c00" >
  <http:listener doc:name="GET /united" doc:id="f331134b-91f8-4c18-8b98-7d5a88888888" fig-ref="
  <set-payload value="&lt;Flight&gt;&lt;ID&gt;1&lt;/ID&gt;&lt;Destination&gt;SFO&lt;/Destination&g
  <ee:transform doc:name="Transform Message" doc:id="3de3829e-843c-41cf-94fd-5b2ead45f9af" >
    <ee:message >
      <ee:set-payload ><![CDATA[%dw 2.0
output application/json
---
typeOf(payload)
]]></ee:set-payload>
    </ee:message>
  </ee:transform>
</flow>

```

- A. Object
- B. XML
- C. Java
- D. String


Answer: D

Explanation:

String is the correct answer as XML is of an Object type String

NEW QUESTION # 189

Refer to the exhibit.



```

<http:listener-config name="HTTP_Listener_config" doc:name="HTTP Listener config">
  <http:listener-connection host="0.0.0.0" port="8081" />
</http:listener-config>

<flow name="main">
  <http:listener doc:name="HTTP: GET /" config-ref="HTTP_Listener_config" path="/" />
  <http:request method="GET" doc:name="HTTP: GET acme.com/virgin" url="http://acme.com/virgin" >
    <error-mapping sourceType="HTTP:NOT_FOUND" targetType="APP:API_RESOURCE_NOT_FOUND" />
  </http:request>

```

The main flow is configured with their error handlers. A web client submit a request to the HTTP Listener and the HTTP Request throws an HTTP:NOT_FOUND error.

What response message is returned?"

What response message is returned?


- A. APP:API RESOURCE NOT FOUND
- B. success - main flow
- C. HTTP: NOT FOUND
- D. other error

Answer: A

Explanation:

Correct answer is APP: API RESOURCE NOT FOUND

-
-
- 1) A web client submits the request to the HTTP Listener.
 - 2) The HTTP Request throws an "HTTP:NOT_FOUND" error, execution halts.
 - 3) The On Error Propagate error Handler handles the error. In this case ,HTTP:NOT_FOUND error is mapped to custom error APP:API_RESOURCE_NOT_FOUND. This error processor sets payload to APP: API_RESOURCE_NOT_FOUND.
 - 4) "APP:API_RESOURCE_NOT_FOUND. " is the error message returned to the requestor in the body of the HTTP request with HTTP Status Code: 500 Reference Diagram
- Diagram Description automatically generated with medium confidence



NEW QUESTION # 190

.....

Everybody hopes he or she is a successful man or woman no matter in his or her social life or in his or her career. Thus owning an authorized and significant Mule-Dev-201 certificate is very important for them because it proves that he or she boosts practical abilities and profound knowledge in some certain area. Passing Mule-Dev-201 Certification can help they be successful and if you are one of them please buy our Mule-Dev-201 guide torrent because they can help you pass the Mule-Dev-201 exam easily and successfully.

Reliable Mule-Dev-201 Test Camp: <https://www.exams-boost.com/Mule-Dev-201-valid-materials.html>

So you can rest assured to choose our Mule-Dev-201 training guide, Without no doubt that accuracy of information is of important for a Mule-Dev-201 study material, If you choose our Mule-Dev-201 actual braindumps, no doubt you will achieve your success among the numerous test-takers, Salesforce Practice Mule-Dev-201 Exam Fee The time has been fully made use of, Salesforce Practice Mule-Dev-201 Exam Fee So high quality materials can help you to pass your exam effectively, make you feel easy, to achieve your goal.

OneGet, PowerShellGet, switch management improvements, classes, Streamline your workflow with Mission Control and Spaces, So you can rest assured to choose our Mule-Dev-201 training guide.

Without no doubt that accuracy of information is of important for a Mule-Dev-201 study material, If you choose our Mule-Dev-201 actual braindumps, no doubt you will achieve your success among the numerous test-takers.

