

最好的AD0-E725資訊擁有模擬真實考試環境與場境的軟件VCE版本&精準的AD0-E725: Adobe Commerce Developer Expert



Fast2test是一個對Adobe AD0-E725 認證考試提供針對性培訓的網站。Fast2test也是一個不僅能使你的專業知識得到提升，而且能使你一次性通過Adobe AD0-E725 認證考試的網站。Fast2test提供的培訓資料是由很多IT資深專家不斷利用自己的經驗和知識研究出來的，品質很好，準確性很高。一旦你選擇了我們Fast2test，不僅能夠幫你通過Adobe AD0-E725 認證考試和鞏固自己的IT專業知識，還可以享用一年的免費售後更新服務。

要想通過Adobe AD0-E725認證考試，選擇相應的訓練工具是非常有必要的。而關於Adobe AD0-E725認證考試的研究材料是很重要的一部分，我們的Fast2test能很好很快地提供關於通過Adobe AD0-E725認證考試的研究材料。我們的Fast2test的IT專家都很有經驗，他們的研究材料和你考試的考題十分接近的，幾乎一模一樣。Fast2test是一個專門為要參加認證考試的人提供便利的網站，能有效的幫助考生通過考試。

>> AD0-E725資訊 <<

完成的AD0-E725資訊 & 保證Adobe AD0-E725考試成功 & 高質量的AD0-E725認證考試

Fast2test 提供下載的 Adobe 的 AD0-E725 證照考試的問題範例，使你購買無風險的過程，這是一個使用版的練習題，讓你看到考題的問題和答案的品質，以及在你決定購買之前的價值，相信 Adobe 的 AD0-E725 證照考試的樣品足以定性，成為眾多考生滿意的產品。該考題還包括PDF格式和模擬考試測試版本兩種，你可以根據自己的情況去選擇適合自己的。

Adobe AD0-E725 考試大綱：

主題	簡介
主題 1	Customizations: This section of the exam measures the skills of Solutions Engineers and involves modifying and extending platform functionality. This includes customizing core areas like the product catalog, checkout process, and admin panel, as well as manipulating data entities, customizing APIs, working with message queues, and writing integration tests to ensure code quality and functionality.
主題 2	Cloud: This section of the exam measures the skills of Cloud Architects and covers the deployment and management of Adobe Commerce on cloud infrastructure. It requires explaining the fundamental cloud architecture, performing setup and configuration tasks, and utilizing the Adobe Commerce Cloud CLI tool to manage the environment effectively.

主題 3	• External Integrations: This section of the exam measures the skills of Integration Specialists and focuses on connecting Adobe Commerce with external SaaS services. It encompasses the skills needed to customize data flows, utilize Adobe App Builder for extensibility, and implement Adobe I • O events and webhooks to create automated and connected business processes.
主題 4	• Section 1: Architecture: This section of the exam measures the skills of Backend Developers and covers the core structural concepts of Adobe Commerce. It involves demonstrating effective cache implementation, understanding key code components like plugins and observers, and managing multi-site configurations on a single instance. The domain also includes explaining the use of Git patches, critical security features, the CRON scheduling system, and how indexing functions within the platform.

最新的 Adobe Commerce AD0-E725 免費考試真題 (Q34-Q39):

問題 #34

In an Adobe Commerce store, there is a product attribute called `external_service_id`. A Developer must ensure the attribute is only available for specific users via the API.

How should the Developer achieve the required permissions?

- A. Configure the access control list (ACL) resource for the `external_service_id` attribute via etc `/extension_attributes.xml`.
- **B. Setup a custom permission control at the attribute level because it is not supported out of the box.**
- C. Implement an `afterGet` plugin and exclude the attribute for non-authorized users.

答案: B

問題 #35

An Adobe Commerce Developer is tasked with configuring a custom module to allow for different behaviors of a core class without altering the original class code.

How should the Developer achieve this flexibility by leveraging Magento's dependency injection system?

- A. Use a transient object in the `di.xml` file.
- B. Use constructor arguments in the `di.xml` file.
- **C. Use virtual types in the `di.xml` file.**

答案: C

解題說明:

Comprehensive and Detailed Explanation (with official references):

The correct method is A. Use virtual types in the `di.xml` file.

Virtual types in Magento's Dependency Injection (DI) system allow developers to reuse existing classes while supplying different constructor arguments. They are not physical PHP classes but are defined in `di.xml`.

This approach avoids modifying the core code and ensures flexibility when you want the same class to behave differently in different contexts.

* Option B (transient object): Not a valid DI configuration in Magento.

* Option C (constructor arguments): While constructor arguments are part of DI, they don't allow you to create alternate reusable versions of the same class. Virtual types extend this concept properly.

Official Documentation Extracts:

* "Virtual types let you configure an existing class with different constructor arguments. They are not actual PHP classes but are declared in the dependency injection configuration."- Adobe Commerce DevDocs: Virtual types

* "Use virtual types to avoid code duplication and to configure class behavior without extending or overriding Magento core classes."- Adobe Commerce PHP Developer Guide: Dependency Injection

問題 #36

A Developer needs to subscribe to the `customer_register_success` event.

How should the observer be declared in the module?

- A. Declare in etc/events.xml:
`<observer name="customer_register_success">`
`<event name="\vendor_module_customer_register_observer" instance="`
`Vendor\Module\Observer\CustomerRegisterSuccess" />`
`</observer>`
- B. Declare in etc/observer.xml:
`<observer name="\vendor_module_customer_register_observer">`
`<event name="customer_register_success" instance="`
`Vendor\Module\Observer\CustomerRegisterSuccess" />`
`</observer>`
- C. Declare in etc/events.xml:
`<event name="customer_register_success">`
`<observer name="\vendor_module_customer_register_observer" instance="`
`Vendor\Module\Observer\CustomerRegisterSuccess" />`
`</event>`

答案： C

問題 #37

A Developer working on a Magento 2 store needs to modify the Content Security Policy (CSP) to allow loading of images from a trusted external domain while maintaining strict policies for other resources. To accomplish this, the `csp_whitelist.xml` file must be updated.

Which code snippet should the Developer use to update the CSP configuration?

- A. `<policies>`
`<policy id="default-src">`
`<values>`
`<value id="trusted_image" type="host">website.com</value>`
`</values>`
`</policy>`
`</policies>`
- B. `<csp>`
`<policies>`
`<policy id="media-src">`
`<values>`
`<value id="trusted_image" type="host">website.com</value>`
`</values>`
`</policy>`
`</policies>`
`</csp>`
- C. `<policies>`
`<policy id="img-src">`
`<values>`
`<value id="trusted_image" type="host">website.com</value>`
`</values>`
`</policy>`
`</policies>`

答案： C

解題說明：

To allow loading of external images, the policy that must be updated is `img-src` in the `csp_whitelist.xml`.

Option A (`default-src`) is too broad and not best practice.

Option C (`media-src`) applies only to audio/video sources, not images.

Thus, B is the correct solution.

Reference:

Adobe Commerce DevDocs - Content Security Policies

問題 #38

A Developer connects to a Magento-Cloud CLI and creates a new branch for environment using the following Git command: `git checkout -b <branch-name>` The developer notices the branch is not activated and does not automatically build when changes are pushed to the remote environment.

Which solution will fix this issue?

- A. `magento-cloud environment:branch <branch-name>` should be used instead of Git commands.
- B. `magento-cloud environment:redploy --no-wait` should be executed after branch creation.
- C. `git branch -b <branch-name>` should be used instead of Git checkout.

答案：A

問題 #39

• • • • •

人之所以能，是相信能。Fast2test之所以能幫助每個IT人士，是因為它能證明它的能力。Fast2test Adobe的AD0-E725考試培訓資料就是能幫助你成功的培訓資料，任何限制都是從自己的內心開始的，只要你想通過t Adobe的AD0-E725考試認證，就會選擇Fast2test，其實有時候成功與不成功的距離很短，只需要後者向前走幾步，你呢，向前走了嗎，Fast2test是你成功的大門，選擇了它你不能不成功。

AD0-E725認證考試: <https://tw.fast2test.com/AD0-E725-premium-file.html>

- [illegible]