

早速ダウンロードSAP C_ADBTP_2601ソフトウェアは 主要材料 & 人気のあるC_ADBTP_2601: Administrating SAP Business Technology Platform(C_ADBTP_2601)



多くの会社はSAP認証の有無によって社員の給料が違います。それに、C_ADBTP_2601試験に参加したことがない人にとって、これはいい挑戦です。我々の更新された問題集は多くの受験者を助きました。あなたはC_ADBTP_2601試験を準備しているなら、我々の最新の問題集を利用して復習することができます。

IT業界で働いている多くの人はSAPのC_ADBTP_2601試験の準備が大変だと知っています。我々Tech4ExamはC_ADBTP_2601試験の難しさを減らさないとは言え、試験準備の難しさを減らすことができます。我々の提供する問題集を体験してから、あなたはSAPのC_ADBTP_2601試験に合格できる自信を持っています。

>> C_ADBTP_2601ソフトウェア <<

試験C_ADBTP_2601ソフトウェア & 権威のあるC_ADBTP_2601模擬試験 最新版 | 大人気C_ADBTP_2601 {Keyword3Administrating SAP Business Technology Platform(C_ADBTP_2601)}

当社SAPの製品はデモを提供するため、C_ADBTP_2601 prepトレントを完全に理解できます。製品のページにアクセスして、製品のバージョン、C_ADBTP_2601テストブレイクダウンの特性とメリット、製品の価格、割引を知ることができます。また、詳細の紹介と、お客様が読むことができるC_ADBTP_2601準備急流の保証もあります。また、当社への連絡方法や、C_ADBTP_2601テストブレイクダウンに関する他のクライアントの評価を知ることができます。C_ADBTP_2601スタディグードの合格率は99%~100%なので、C_ADBTP_2601試験に合格します。

SAP Administrating SAP Business Technology Platform(C_ADBTP_2601) 認定 C_ADBTP_2601 試験問題 (Q10-Q15):

質問 # 10

SIMULATION

Establish Shared Services

Task 2: Entitle and Subscribe a Service in a Shared Subaccount

In your SAP BTP cockpit, in your SH Dev subaccount, entitle one standard (Application) service plan for the SAP Build Work Zone, advanced edition.

In the SH Dev subaccount, establish a trust to the agvlamkzw.accounts.ondemand.com identity provider.

In your SH Dev subaccount, create a service subscription for SAP Build Work Zone, advanced edition with the standard service plan.

正解:

解説:

See the Explanation below for complete solution.

Explanation:

Before you start

Log in to SAP BTP Cockpit.

Open your correct Global Account.

Go to the Shared Services directory.

Open the SH Dev subaccount.

This matters because all three required actions must be done inside SH Dev, not in the directory and not in another subaccount.

Part 1 - Entitle the service in SH Dev

Step 1 - Open the subaccount

In the cockpit, choose Directories.

Open Shared Services.

Select SH Dev.

You should now be on the SH Dev subaccount page.

Step 2 - Open Entitlements

In SH Dev, choose Entitlements.

SAP documents that service plans and quotas for a subaccount are added in the subaccount's Entitlements are a.

Step 3 - Add the required service plan

Click Configure Entitlements or Add Service Plans.

Search for SAP Build Work Zone, advanced edition.

Select the service.

Choose the plan standard (Application).

Set the quantity to 1 if a quota/amount field is shown.

Save the entitlement changes.

This task explicitly asks for one standard (Application) service plan. SAP Help also notes that SAP Build Work Zone usage depends on the correct entitlement being available in the subaccount first.

Verify

Under Entitlements, you should now see:

SAP Build Work Zone, advanced edition

plan: standard (Application)

quantity: 1 if shown

Part 2 - Establish trust to the identity provider

Step 4 - Open Trust Configuration

In SH Dev, go to Security.

Choose Trust Configuration.

SAP Help states that trust to a custom identity provider is established from Security > Trust Configuration in the SAP BTP cockpit.

Step 5 - Create the trust

Click Establish Trust.

Enter or select the identity provider:

agvlamkzw.accounts.ondemand.com

Continue through the wizard.

Save the trust configuration.

SAP documents that to use a custom identity provider, the subaccount must have a trust relationship to that provider. SAP also highlights that apps such as SAP Build Work Zone rely on SAP Cloud Identity Services trust configuration.

Verify

On the Trust Configuration page, you should see:

agvlamkzw.accounts.ondemand.com

as a trusted identity provider.

Part 3 - Create the subscription

Step 6 - Open Instances and Subscriptions

In SH Dev, go to Services.

Choose Instances and Subscriptions.

Step 7 - Create the subscription

Click Create.

Choose Subscription if the cockpit asks for a type.

Search for SAP Build Work Zone, advanced edition.

Select the service.

Choose the plan standard.

Confirm the creation.

SAP Help for SAP Build Work Zone scenarios indicates that the subaccount needs the correct entitlements and subscription flow to expose and use SAP Build Work Zone content.

Step 8 - Confirm subscription status

Stay on Instances and Subscriptions.

Check that the new subscription appears and is active.

Verify

You should see:

SAP Build Work Zone, advanced edition

plan: standard

subscription created successfully

Final expected result

Inside SH Dev:

the entitlement for SAP Build Work Zone, advanced edition exists

the entitled plan is standard (Application)

trust is established to agvlamkzw.accounts.ondemand.com

a subscription exists for SAP Build Work Zone, advanced edition

the subscription uses the standard plan

Common mistakes to avoid

Doing the entitlement in Shared Services directory instead of SH Dev

Choosing SAP Build Work Zone, standard edition instead of advanced edition Choosing the wrong plan; the entitlement must be standard (Application) Forgetting the trust step to agvlamkzw.accounts.ondemand.com Trying to subscribe before the entitlement exists

□

質問 # 11

SIMULATION

Enable Service Subscriptions

Task 2: Entitle and Subscribe a Service in a Subaccount

In your AM PA Prod subaccount, entitle the standard (Application) service plan for SAP Build Work Zone, standard edition.

In the AM PA Prod subaccount, establish a trust to the agvlamkzw.accounts.ondemand.com identity provider.

In your AM PA Prod subaccount, create a service subscription for SAP Build Work Zone, standard edition with the standard service plan .

正解:

解説:

See the Explanation below for complete solution.

Explanation:

Part A - Entitle the Service Plan in AM PA Prod

Step 1 - Open the AM PA Prod Subaccount

What to do

In the SAP BTP Cockpit, go to Directories.

Open the Partner directory.

Select the subaccount AM PA Prod.

Explanation:

This opens the exact subaccount where the entitlement and subscription must be created.

What to verify

You should now be on the AM PA Prod subaccount page.

Step 2 - Open Entitlements in the Subaccount

What to do

In AM PA Prod, open Entitlements.

Explanation:

SAP documents that subaccount entitlements are configured in the subaccount's entitlement area, where you add service plans and quotas available to that subaccount.

What to verify

You should see the Entitlements screen for AM PA Prod.

□

Step 3 - Add the Required Service Plan

What to do

Click Configure Entitlements or Add Service Plans.

Search for:

SAP Build Work Zone, standard edition

Select the service.

Choose the plan:

standard (Application)

Add the service plan.

Save the entitlement changes.

Explanation:

The task requires the standard (Application) plan specifically. SAP's entitlement flow requires you to add the service plan to the subaccount before you can subscribe to the application.

What to verify

Under Entitlements, you should now see:

SAP Build Work Zone, standard edition

plan: standard (Application)

Part B - Establish Trust to the Identity Provider

Step 4 - Open Trust Configuration

What to do

In the AM PA Prod subaccount, go to:

Security

Trust Configuration

Explanation:

SAP Help states that trust to a custom identity provider is established from the cockpit in Security > Trust Configuration.

What to verify

You should be on the Trust Configuration page of AM PA Prod.

Step 5 - Start the Trust Setup

What to do

Click Establish Trust or New Trust Configuration.

□
Explanation:

This opens the wizard or form to add a trusted identity provider for the subaccount. SAP documents this as the standard cockpit flow for custom identity provider trust.

Step 6 - Enter the Identity Provider

What to do

In the trust configuration, use the identity provider:

agvlamkzw.accounts.ondemand.com

Continue through the wizard and confirm the trust setup.

Save the configuration.

Explanation:

The simulation explicitly requires trust to that identity provider domain. For SAP Build Work Zone, standard edition, SAP also notes that the subaccount must trust an identity provider before subscription use cases for business users are completed.

What to verify

On the Trust Configuration page, the identity provider

agvlamkzw.accounts.ondemand.com should appear as trusted.

□

Part C - Create the Service Subscription

Step 7 - Open the Subscription Area

What to do

In AM PA Prod, go to:

Services

Instances and Subscriptions

Explanation:

SAP Help for SAP Build subscriptions points to the subaccount subscription flow after the entitlement is available. In current cockpit usage, subscriptions are created from the subaccount's services are a.

What to verify

You should see the Instances and Subscriptions page.

□

Step 8 - Create the Subscription

What to do

Click Create.

Choose Subscription if a type selection appears.

Search for:

SAP Build Work Zone, standard edition

Select the plan:

standard

Then confirm the creation.

□

Explanation:

SAP's getting-started guidance for SAP Build Work Zone, standard edition says that once the subaccount has the required entitlement, you can subscribe to the application from the subaccount.

What to verify

You should now see a subscription entry for:

SAP Build Work Zone, standard edition

plan: standard

Step 9 - Confirm the Subscription Is Active

What to do

Check the status of the new subscription in Instances and Subscriptions.

Explanation:

The subscription should be visible and active in the subaccount after creation.

What to verify

You should see:

SAP Build Work Zone, standard edition

subscription created successfully

SAP's guidance for subscription-based applications consistently uses this subaccount subscription flow after entitlement is present.

Final Expected Result for Task 2

Inside AM PA Prod:

the entitlement SAP Build Work Zone, standard edition is assigned

the entitled plan is standard (Application)

trust is established to agvlamkzw.accounts.ondemand.com

a subscription exists for SAP Build Work Zone, standard edition

the subscription uses the standard service plan

Common Mistakes to Avoid

1. Doing the entitlement in the wrong place

This task must be done in:

AM PA Prod subaccount

Not only in:

Partner directory

Directory entitlement and subaccount entitlement are different scopes in the cockpit.

2. Choosing the wrong service or wrong plan

Use exactly:

SAP Build Work Zone, standard edition

standard (Application) for entitlement

standard for the subscription selection screen

SAP's service subscription flow starts only after the correct entitlement exists.

3. Skipping trust configuration

The simulation explicitly requires trust to:

agvlamkzw.accounts.ondemand.com

Trust is configured in Security > Trust Configuration.

4. Looking for subscription creation before entitlement

The entitlement must be added first, otherwise the service may not appear in the subscription creation flow.

Quick Validation Checklist

Confirm all of the following in AM PA Prod:

Entitlements contains SAP Build Work Zone, standard edition

the plan is standard (Application)

Trust Configuration shows agvlamkzw.accounts.ondemand.com

Instances and Subscriptions shows SAP Build Work Zone, standard edition the subscription is created successfully

質問 # 12

SIMULATION

Task 3: Create Subaccounts with Default Provider and Region

In the Human Resources directory, create the subaccount EU HCM Dev (Description: Human Resources Development) with subdomain btpops#####-eu-hcm-dev in the region Amazon Web Services (AWS) → Europe (Frankfurt) cf-eu10.2.

In the Human Resources directory, create the subaccount EU HCM Test (Description: Human Resources Testing) with subdomain btpops#####-eu-hcm-test using EU HCM Dev as source subaccount.3.

In the Human Resources directory, create the subaccount EU HCM Prod (Description: Human Resources Production) with subdomain btpops#####-eu-hcm-prod using EU HCM Dev as source subaccount. Set the subaccount as used in production.

正解:

解説:

See the Explanation below for complete solution.

Explanation:

You must create these 3 subaccounts inside the Human Resources directory:

EU HCM Dev

EU HCM Test

EU HCM Prod

Important:

Replace ##### with your global account number

Enter names, descriptions, and subdomains exactly

EU HCM Prod must be marked as used in production

Task 3 - Create Subaccounts with Default Provider and Region

Before You Start

Log in to the SAP BTP Cockpit.

Open the correct Global Account.

Go to Directories.

Open the Human Resources directory.

Why this matters:

All 3 subaccounts in this task must be created inside Human Resources. If you create them anywhere else, the result will be incorrect.

Step 1 - Open the Human Resources Directory

What to do

In the left menu, choose Directories.

In the list, select Human Resources.

Explanation:

This is the parent directory where the required HR subaccounts must be created.

What to verify

You should now be inside the Human Resources directory.

Step 2 - Start Creating EU HCM Dev

What to do

Inside Human Resources, open Subaccounts.

Click Create → Subaccount.

Explanation:

This opens the form to create the first HR subaccount.

Step 3 - Enter Values for EU HCM Dev

What to do

Enter the following:

Display Name / Name: EU HCM Dev

Description: Human Resources Development

Subdomain: btpops#####-eu-hcm-dev

Set the region as:

Cloud Provider: Amazon Web Services (AWS)

Region: Europe (Frankfurt)

Technical Region / Environment: cf-eu10

Then click Create.

Explanation:

This creates the development subaccount for HR and defines the required provider and region.

This first subaccount is important because it will be used as the source subaccount for the next two subaccounts.

What to verify

After creation, you should see:

EU HCM Dev

under the Human Resources directory.

Step 4 - Confirm EU HCM Dev Exists

What to do

Check the subaccounts list in Human Resources.

Explanation:

You must make sure EU HCM Dev is available before you create the next subaccounts, because both EU HCM Test and EU HCM Prod must use it as the source subaccount.

What to verify

You should see:

EU HCM Dev

If it is missing, create it correctly before moving on.

Step 5 - Start Creating EU HCM Test

What to do

Still in the Human Resources directory, click Create → Subaccount again.

Explanation:

This opens the form for the test subaccount.

Step 6 - Enter Values for EU HCM Test

What to do

Enter:

Display Name / Name: EU HCM Test

Description: Human Resources Testing

Subdomain: btpops#####-eu-hcm-test

Then select:

Source Subaccount: EU HCM Dev

Then click Create.

Explanation:

This creates the testing subaccount by using EU HCM Dev as the source subaccount.

This helps keep the configuration aligned with the development subaccount.

What to verify

After creation, you should see:

EU HCM Test

under Human Resources.

Step 7 - Start Creating EU HCM Prod

What to do

In Human Resources, click Create → Subaccount once more.

Explanation:

This opens the form for the production subaccount.

Step 8 - Enter Values for EU HCM Prod

What to do

Enter:

Display Name / Name: EU HCM Prod

Description: Human Resources Production

Subdomain: btpops#####-eu-hcm-prod

Then select:

Source Subaccount: EU HCM Dev

Enable:

Used in Production: Yes

Then click Create.

Explanation:

This creates the production HR subaccount based on EU HCM Dev and marks it as a production system.

The production setting is mandatory here.

What to verify

After creation, you should see:

EU HCM Prod

under Human Resources, and it should be marked as used in production.

Final Expected Result for Task 3

Inside the Human Resources directory, you must have these 3 subaccounts:

1. EU HCM Dev

Description: Human Resources Development

Subdomain: btpops#####-eu-hcm-dev

Region: Amazon Web Services (AWS) → Europe (Frankfurt) cf-eu10

2. EU HCM Test

Description: Human Resources Testing

Subdomain: btpops#####-eu-hcm-test

Source Subaccount: EU HCM Dev

3. EU HCM Prod

Description: Human Resources Production

Subdomain: btpops#####-eu-hcm-prod

Source Subaccount: EU HCM Dev

Used in Production: Yes

Common Mistakes to Avoid

1. Creating the subaccounts in the wrong directory

All 3 must be created inside:

Human Resources

Not under:

Global Account

Americas

Eurasia

Partner

2. Wrong subdomain values

Use exactly:

btpops####-eu-hcm-dev

btpops####-eu-hcm-test

btpops####-eu-hcm-prod

Only replace #### with your global account number.

3. Wrong region for EU HCM Dev

It must be:

Amazon Web Services (AWS)

Europe (Frankfurt)

cf-eu10

4. Wrong source subaccount

For both:

EU HCM Test

EU HCM Prod

you must select:

EU HCM Dev

5. Forgetting the production flag

For EU HCM Prod, make sure:

Used in Production is enabled

質問 # 13

SIMULATION

Create Directories and Subaccounts

In a global account for SAP Business Technology Platform (BTP), create a hierarchy of subaccounts using directories.

Task 1: Create Directories

In your SAP BTP cockpit, create the directory Americas (Description: Americas Accounts) with your global account as the parent.

Create the directory Eurasia (Description: Eurasia Accounts) with your global account as the parent.

Create the directory Partner (Description: Partner Accounts) with the Americas directory as the parent. Add the label access with value external.

Create the directory Human Resources (Description: Human Resources Accounts) with the Eurasia directory as the parent. Add the label access with value internal.

正解:

解説:

See the Explanation below for complete solution

Explanation:

Task 1: Create Directories

You need to create these directories:

Americas

Eurasia

Partner under Americas with label access=external

Human Resources under Eurasia with label access=internal

Before You Start

Log in to the SAP BTP Cockpit.

Make sure you are inside the correct Global Account.

Open the left-side navigation menu.

Why this is important:

All directories in this task must be created inside the correct global account hierarchy. If you create them in the wrong location, the simulation result will be incorrect.

Step 1 - Create Directory Americas

What to do

In the SAP BTP Cockpit, select your Global Account.

In the left navigation menu, click Directories.

Click Create or Create Directory.

Fill the fields as follows:

Name: Americas

Description: Americas Accounts

Parent: your Global Account

Click Create.

□ Explanation:

This creates a top-level directory directly under the global account.

It will later be used as the parent for the Partner directory.

What to verify

After creation, you should see:

Americas

listed under the directories of the global account.

Step 2 - Create Directory Eurasia

What to do

Stay in Directories.

Click Create Directory again.

Fill the fields:

Name: Eurasia

Description: Eurasia Accounts

Parent: your Global Account

Click Create.

□ Explanation:

This creates another top-level directory, parallel to Americas.

What to verify

You should now see both:

Americas

Eurasia

under the global account.

Step 3 - Create Directory Partner under Americas

What to do

In the Directories area, select Americas.

Click Create Directory.

Enter:

Name: Partner

Description: Partner Accounts

Parent: Americas

Locate the Labels section.

Add a new label:

Key: access

Value: external

Click Create.

□

Explanation:

This creates Partner as a child directory under Americas.

The label is required and must be entered exactly:

access = external

This label helps classify the directory.

What to verify

Under Americas, you should now see:

Partner

and the directory should contain the label:

access=external

Step 4 - Create Directory Human Resources under Eurasia

What to do

Go back to the Directories list.

Select Eurasia.

Click Create Directory.

Enter:

Name: Human Resources

Description: Human Resources Accounts

Parent: Eurasia

In the Labels section, add:

Key: access

Value: internal

Click Create.

□ Explanation:

This creates Human Resources as a child directory under Eurasia.

The required label is:

access = internal

What to verify

Under Eurasia, you should now see:

Human Resources

and the label should be:

access=internal

Final Expected Directory Structure

After completing Task 1, your structure must be exactly like this:

Global Account

Americas

Partner

Label: access=external

Eurasia

Human Resources

Label: access=internal

□ Important Checks Before Moving On

Verify all of the following:

Americas exists

Eurasia exists

Partner is under Americas

Human Resources is under Eurasia

Partner has label access=external

Human Resources has label access=internal

All names and descriptions are entered exactly as required

Common Mistakes to Avoid

1. Wrong parent

Partner must be created under Americas

Human Resources must be created under Eurasia

2. Wrong label key or value

Use exactly:

access → external

access → internal

3. Spelling errors

Be careful with:

Americas

Eurasia

Partner

Human Resources

4. Creating all directories directly under the global account

Only Americas and Eurasia are direct children of the global account.

Partner and Human Resources must be child directories.

質問 # 14

.....

ここで無料でTech4Examが提供したSAPのC_ADBTP_2601試験の部分練習問題と解答をダウンロードできて、一度Tech4Examを選ばれば、弊社は全力に貴方達の合格を頑張ります。貴方達の試験に合格させることができないと、すぐに全額で返金いたします。

myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, www.stes.tyc.edu.tw,
yca.instructure.com, www.stes.tyc.edu.tw, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
www.stes.tyc.edu.tw, Disposable vapes