

Valid FCP_FMGMG_AD-7.4 Test Discount | FCP_FMGMG_AD-7.4 Excellect Pass Rate



BONUS!!! Download part of Pass4SureQuiz FCP_FMGMG_AD-7.4 dumps for free: <https://drive.google.com/open?id=1hHt2JnGrjUE9Rh5cj3qw77nTfyMFXYfG>

By updating the study system of the FCP_FMGMG_AD-7.4 study materials, we can guarantee that our company can provide the newest information about the exam for all people. We believe that getting the newest information about the exam will help all customers pass the FCP_FMGMG_AD-7.4 Exam easily. If you purchase our study materials, you will have the opportunity to get the newest information about the FCP_FMGMG_AD-7.4 exam. More importantly, the updating system of our company is free for all customers.

Pass4SureQuiz Fortinet FCP_FMGMG_AD-7.4 exam materials contain the complete unrestricted dump. So with it you can easily pass the exam. Pass4SureQuiz Fortinet FCP_FMGMG_AD-7.4 exam training materials is a good guidance. It is the best training materials. You can use the questions and answers of Pass4SureQuiz Fortinet FCP_FMGMG_AD-7.4 Exam Training materials to pass the exam.

>> Valid FCP_FMGMG_AD-7.4 Test Discount <<

Numerous Benefits of the Fortinet FCP_FMGMG_AD-7.4 Exam Material

According to different kinds of questionnaires based on study condition among different age groups, we have drawn a conclusion that the majority learners have the same problems to a large extend, that is low-efficiency, low-productivity, and lack of plan and periodicity. As a consequence of these problem, our FCP_FMGMG_AD-7.4 test prep is totally designed for these study groups to improve their capability and efficiency when preparing for Fortinet exams, thus inspiring them obtain the targeted FCP_FMGMG_AD-7.4 certificate successfully. There are many advantages of our FCP_FMGMG_AD-7.4 question torrent that we are happy to introduce you and you can pass the exam for sure.

Fortinet FCP - FortiManager 7.4 Administrator Sample Questions (Q10-Q15):

NEW QUESTION # 10

Refer to the exhibit.

FortiManager log

-----Executing time: -----

Starting log (Run on device)

```
Local-FortiGate $ config user local
Local-FortiGate (local) $ edit student
Local-FortiGate (student) $ set type ldap
Local-FortiGate (student) $ set status enable
Local-FortiGate (student) $ next
Attribute 'ldap-server' MUST be set.
Command fail. Return code 1
Local-FortiGate (local) $ end
Local-FortiGate $ config firewall policy
Local-FortiGate (policy) $ edit 2
Local-FortiGate (2) $ set srcintf port3
Local-FortiGate (2) $ set dstintf port1
Local-FortiGate (2) $ set srcaddr all
Local-FortiGate (2) $ set dstaddr all
Local-FortiGate (2) $ set action accept
Local-FortiGate (2) $ set schedule always
Local-FortiGate (2) $ set service ALL
Local-FortiGate (2) $ set users student
entry not found in datasource

value parse error before 'student'
Command fail. Return code -3
Local-FortiGate (2) $ set nat enable
Local-FortiGate (2) $ next
Local-FortiGate (policy) $ end
Local-FortiGate $
```

-----End of Log-----

What can you conclude from the failed installation log shown in the exhibit?

- A. Policy ID 2 is installed in the disabled state.
- B. Policy ID 2 is installed without the remote user student.**
- C. Policy ID 2 is installed without a source address.
- D. Policy ID 2 will not be installed.

Answer: B

Explanation:

From the log provided in the exhibit, several conclusions can be drawn regarding the installation of Policy ID 2:

- * The installation process fails when attempting to set the LDAP user "student". The log shows:
- * "Attribute 'ldap-server' MUST be set.": This error indicates that when setting up the LDAP user configuration, a mandatory field (ldap-server) is missing. As a result, the configuration could not be completed for the user.

* "entry not found in datasource" and "value parse error before 'student)": These errors confirm that the user "student" could not be properly added due to a configuration issue (such as the missing LDAP server).

Because of these errors, while other configuration elements (such as source and destination interfaces, actions, and services) are properly set, the user configuration for "student" is not applied.

Evaluation of the answer options:

* A. Policy ID 2 is installed in the disabled state.

* This is false. There is no indication in the log that Policy ID 2 is disabled.

* B. Policy ID 2 is installed without the remote user student.

* This is true. Due to the failure in setting the "student" user (as indicated by the errors), the policy will be installed without that user being properly configured.

* C. Policy ID 2 will not be installed.

* This is false. The policy is installed, but the user configuration failed. The rest of the policy configuration appears to have proceeded without critical errors that would prevent the installation.

* D. Policy ID 2 is installed without a source address.

* This is false. The log shows that the source address is properly set to "all" (set srcaddr all), so this is not the cause of the issue.

From the log exhibit, we see errors related to the "ldap-server" attribute not being set and an error with the entry "student" not being found in the datasource. This indicates that Policy ID 2 will not be installed due to missing or incorrect data required for successful installation. The "Command fail. Return code -3" confirms the installation failure, so the correct answer is C.

Options A, B, and D are incorrect because:

* A suggests the policy is installed in a disabled state, which isn't supported by the log.

* B and D suggest partial installation, but the error messages indicate a complete failure to install Policy ID 2.

FortiManager References:

* Refer to FortiManager 7.4 Troubleshooting Guide: Common Errors and Log Interpretation.

NEW QUESTION # 11

Refer to the exhibit.

FortiManager CLI output

FORTINET®

```
FortiManager # execute top
top - 13:08:23 up 1 day, 1:01, 0 users, load average: 2.40, 3.19, 3.34

Tasks: 188 total, 2 running, 186 sleeping, 0 stopped, 0 zombie

%Cpu(s): 15.4 us, 7.7 sy, 0.0 ni, 76.9 id, 0.0 wa, 0.0 hi, 0.0 si, 0.0 st

MiB Mem : 7955.5 total, 2235.6 free, 2895.6 used, 2824.1 buff/cache

MiB Swap: 2048.0 total, 2048.0 free, 0.0 used, 4011.0 avail Mem

      PID USER      PR  NI    VIRT    RES  %CPU  %MEM     TIME+ S COMMAND
1163 root      20   0 17.6m  2.1m  7.1   0.1  0:00.05 R top
  1 root      20   0 602.2m 14.9m  0.0   0.7  0:11.67 S /bin/initXXXXXXXXXX
  2 root      20   0  0.0m  0.0m  0.0   0.0  0:00.00 S [kthreadd]
1462 root      20   0 303.2m 248.0m  0.0   3.1  0:14.72 S fwmsvrd
1463 root      20   0 288.2m 232.3m  0.0   2.9  0:16.47 S fgmlinkd
1465 root      20   0 383.7m 328.0m  0.0   4.1  0:15.26 S fgdsrv
1467 root      20   0  84.0m  23.6m  0.0   0.3  0:00.06 S /bin/fgdhttpd
1468 root      20   0  63.9m  13.1m  0.0   0.2  0:13.00 S fgdupd
1469 root      20   0  63.5m  12.6m  0.0   0.2  0:00.07 S fmtr_svrd
1470 root      20   0   6.3m   3.5m  0.0   0.0  0:00.09 S /bin/webconsoled
1471 root      20   0 996.4m 850.6m  0.0  10.7  0:00.01 S srchd
1475 root      20   0 996.4m 120.6m  0.0   1.5  0:00.00 S fclinkd
```

What percent of the available RAM is being used by the process in charge of downloading the web and email filter databases from the public FortiGuard servers?

- A. 1.5
- B. 3.1
- **C. 2.9**
- D. 4.1

Answer: C

Explanation:

In the exhibit, the FortiManager CLI output displays the results of the `top` command, which shows system processes, CPU usage, and memory (RAM) usage. We are specifically looking for the process responsible for downloading the web and email filter databases from the public FortiGuard servers. This process is typically handled by the `fgdlinkd` process.

Key information from the output:

- * The `fgdlinkd` process is listed with a PID of 1463.
- * The `%MEM` column shows that this process is using 2.9% of the available RAM.

Evaluation of Options:

- * A. 2.9: This is incorrect. The `fgdlinkd` process, which handles the web and email filter database downloads, is using 2.9% of the available memory, as indicated in the `%MEM` column.
- * B. 3.1: This is incorrect. The 3.1% memory usage belongs to the `fwmsrvd` process, not the `fgdlinkd` process.
- * C. 1.5: This is incorrect. The 1.5% memory usage belongs to the `fclinkd` process, not the `fgdlinkd` process.
- * D. 4.1: This is incorrect. The 4.1% memory usage belongs to the `fgdsvr` process, not the `fgdlinkd` process.

NEW QUESTION # 12

Which two items does an FGFM keepalive message include? (Choose two.)

- A. FortiGate license information
- B. FortiGate IPS version
- C. FortiGate configuration checksum
- D. FortiGate uptime

Answer: B,C

Explanation:

Keepalive messages, including the configuration checksums, are sent from FortiGate at configured intervals. The messages also show the intrusion prevention system (IPS) version of the FortiGate device

NEW QUESTION # 13

Refer to the exhibit.

Managed FortiGate devices

The screenshot shows the FortiManager interface with the following details:

- Header:** Add Device, Device Group, Install Wizard.
- Search Bar:** Search...
- Device List:**
 - Managed FortiGate (4):**
 - ISFW (3): root, Student, Trainer
 - Local-FortiGate
 - Managed FortiAnalyzer (1):** FAZVM64-KVM
- Summary:** 2 Devices
- Actions:** Edit, Delete, Import Configuration
- Table:** Device Name (root, Training, ISFW, root [NAT] (Management))

<input type="checkbox"/>	Student [NAT]
<input type="checkbox"/>	Trainer [NAT]
<input type="checkbox"/>	Local-FortiGate

FortiManager policy package

The screenshot shows the FortiManager Policy Package interface. The left sidebar lists policy types: Local-FortiGate_root, Remote-FortiGate, Shared_Package, Firewall Header Policy, Firewall Policy, Installation Targets, and default. The 'Installation Targets' item is highlighted with a blue background. The main pane displays a table of targets:

<input type="checkbox"/>	Installation Target
<input type="checkbox"/>	Local-FortiGate
<input type="checkbox"/>	ISFW
<input type="checkbox"/>	root [NAT] (Management)
<input type="checkbox"/>	Trainer [NAT]
<input type="checkbox"/>	Student [NAT]

FortiManager policy package

The screenshot shows the FortiManager Policy Package interface with the 'Firewall Policy' item selected in the left sidebar. The main pane displays a table of policies:

<input type="checkbox"/>	#	Name	Install On	From	To
<input type="checkbox"/>	1	Ping_Access	ISFW (root) ISFW (Student)	<input type="checkbox"/> port3	<input type="checkbox"/> port1
<input type="checkbox"/>	2	Web	Local-FortiGate (root) ISFW (Student)	<input type="checkbox"/> port3	<input type="checkbox"/> port1
<input type="checkbox"/>	3	Source_Device	<input checked="" type="radio"/> Installation Targets	<input type="checkbox"/> port3	<input type="checkbox"/> port1
<input type="checkbox"/> Implicit (4/4 Total:1)					
<input type="checkbox"/>	4	Implicit Deny	<input checked="" type="radio"/> Installation Targets	any	any

Given the configuration shown in the exhibit, which two conclusions can you draw from the installation targets in the Install On column? (Choose two.)

- A. Policy seq.1 will be installed on all managed devices and VDOMs that are listed under Installation Targets
- B. Policy seq.# 2 will not be installed on the Local-FortiGate root VDOM because there is no root VDOM in the Installation Target
- C. Policy seq.# 1 will be installed on the ISFW device root[NAT] and Student[NAT] VDOMs only.
- D. Policy seq.# 3 will be skipped because no installation targets are specified.

Answer: A,C

Explanation:

* Option A: Policy seq.1 will be installed on all managed devices and VDOMs that are listed under Installation Targets. This is correct. The "Install On" column indicates that the policy is targeted for installation on all listed managed devices and VDOMs under Installation Targets.

* Option D: Policy seq.# 1 will be installed on the ISFW device root[NAT] and Student[NAT] VDOMs only. This is correct. Policy sequence #1 specifies that it will be installed only on the ISFW device and the VDOMs 'root[NAT]' and 'Student[NAT]' as

indicated by the "Install On" column.

Explanation of Incorrect Options:

* Option B: Policy seq.# 3 will be skipped because no installation targets are specified is incorrect because it is clearly listed under "Installation Targets," which means it will be installed according to the specified configuration.

* Option C: Policy seq.# 2 will not be installed on the Local-FortiGate root VDOM because there is no root VDOM in the Installation Targets is incorrect as the exhibit does not show any specific exclusion for seq.# 2 on the Local-FortiGate root VDOM.

FortiManager References:

* Refer to the FortiManager Administration Guide sections on "Policy Packages" and "Policy Installation Targets" for more details.

NEW QUESTION # 14

Refer to the exhibit.



FortiManager log

-----Executing time: -----

Starting log (Run on device)

Local-FortiGate \$ config user local
Local-FortiGate (local) \$ edit student
Local-FortiGate (student) \$ set type ldap
Local-FortiGate (student) \$ set status enable
Local-FortiGate (student) \$ next
Attribute 'ldap-server' MUST be set.
Command fail. Return code 1
Local-FortiGate (local) \$ end
Local-FortiGate \$ config firewall policy
Local-FortiGate (policy) \$ edit 2
Local-FortiGate (2) \$ set schedule port1
Local-FortiGate (2) \$ set dstaddr port1
Local-FortiGate (2) \$ set srcaddr all
Local-FortiGate (2) \$ set dstaddr all
Local-FortiGate (2) \$ set action accept
Local-FortiGate (2) \$ set schedule always
Local-FortiGate (2) \$ set service ALL
Local-FortiGate (2) \$ set users student
entry not found in datasource
value parse error before 'student'
Command fail. Return code -3
Local-FortiGate (2) \$ set nat enable
Local-FortiGate (2) \$ next
Local-FortiGate (policy) \$ end
Local-FortiGate \$

-----End of Log-----

FORTINET

What can you conclude from the failed installation log shown in the exhibit?

- A. Policy ID 2 is installed in the disabled state.
- **B. Policy ID 2 is installed without the remote user student.**
- C. Policy ID 2 is installed without a source address.
- D. Policy ID 2 will not be installed.

Answer: B

Explanation:

From the log provided in the exhibit, several conclusions can be drawn regarding the installation of Policy ID 2:

* The installation process fails when attempting to set the LDAP user "student". The log shows:

* "Attribute 'ldap-server' MUST be set.": This error indicates that when setting up the LDAP user configuration, a mandatory field (ldap-server) is missing. As a result, the configuration could not be completed for the user.

* "entry not found in datasource" and "value parse error before 'student'": These errors confirm that the user "student" could not be properly added due to a configuration issue (such as the missing LDAP server).

Because of these errors, while other configuration elements (such as source and destination interfaces, actions, and services) are properly set, the user configuration for "student" is not applied.

Evaluation of the answer options:

- * A. Policy ID 2 is installed in the disabled state.
- * This is false. There is no indication in the log that Policy ID 2 is disabled.
- * B. Policy ID 2 is installed without the remote user student.
- * This is true. Due to the failure in setting the "student" user (as indicated by the errors), the policy will be installed without that user

being properly configured.

* C. Policy ID 2 will not be installed.

* This is false. The policy is installed, but the user configuration failed. The rest of the policy configuration appears to have proceeded without critical errors that would prevent the installation.

* D. Policy ID 2 is installed without a source address.

* This is false. The log shows that the source address is properly set to "all" (set srcaddr all), so this is not the cause of the issue.

From the log exhibit, we see errors related to the "ldap-server" attribute not being set and an error with the entry "student" not being found in the datasource. This indicates that Policy ID 2 will not be installed due to missing or incorrect data required for successful installation. The "Command fail. Return code -3" confirms the installation failure, so the correct answer is C.

Options A, B, and D are incorrect because:

* A suggests the policy is installed in a disabled state, which isn't supported by the log.

* B and D suggest partial installation, but the error messages indicate a complete failure to install Policy ID 2.

FortiManager References:

* Refer to FortiManager 7.4 Troubleshooting Guide: Common Errors and Log Interpretation.

NEW QUESTION # 15

.....

There are a lot of free online resources to study for the FCP - FortiManager 7.4 Administrator FCP_FMGM_AD-7.4 certification exam. Some of these resources are free, while others require payment for access. you've downloaded a free Fortinet dumps, and Pass4SureQuiz offers 365 days updates. FCP - FortiManager 7.4 Administrator FCP_FMGM_AD-7.4 price is affordable.

FCP_FMGM_AD-7.4 Excellect Pass Rate: https://www.pass4surequiz.com/FCP_FMGM_AD-7.4-exam-quiz.html

Fortinet Valid FCP_FMGM_AD-7.4 Test Discount Congratulations, you find us, Our APP online version of FCP_FMGM_AD-7.4 exam questions has the advantage of supporting all electronic equipment, Since the date you pay successfully, you will enjoy the FCP_FMGM_AD-7.4 valid study material update freely for one year, which can save your time and money, Dear every one, trust our FCP_FMGM_AD-7.4 Excellect Pass Rate - FCP - FortiManager 7.4 Administrator training collection, you will get a high score in your first try.

Chris supported himself through college by working FCP_FMGM_AD-7.4 as an independent consultant and by writing technical articles focused on Webdevelopment, We are also indebted to several software developers, FCP_FMGM_AD-7.4 Excellect Pass Rate documenters, and courseware developers for their very thorough and knowledgeable reviews.

100% Pass 2026 Valid Fortinet Valid FCP_FMGM_AD-7.4 Test Discount

Congratulations, you find us, Our APP online version of FCP_FMGM_AD-7.4 Exam Questions has the advantage of supporting all electronic equipment, Since the date you pay successfully, you will enjoy the FCP_FMGM_AD-7.4 valid study material update freely for one year, which can save your time and money.

Dear every one, trust our FCP - FortiManager 7.4 Administrator training collection, you will get a high score in your first try, For one thing, it is convenient and easy for you to read exam questions and answers of our FCP_FMGM_AD-7.4 origination questions.

- Updated Fortinet FCP_FMGM_AD-7.4 exam practice material in 3 different formats Search for (FCP_FMGM_AD-7.4) and obtain a free download on  www.pdfdumps.com  Latest FCP_FMGM_AD-7.4 Test Online
- Effectiveness of Fortinet FCP_FMGM_AD-7.4 Actual Questions for Certification Success Download FCP_FMGM_AD-7.4 for free by simply entering www.pdfvce.com website FCP_FMGM_AD-7.4 Pass Guide
- Top Valid FCP_FMGM_AD-7.4 Test Discount - Pass FCP_FMGM_AD-7.4 in One Time - Excellent FCP_FMGM_AD-7.4 Excellect Pass Rate Open website (www.examcollectionpass.com) and search for  FCP_FMGM_AD-7.4 for free download FCP_FMGM_AD-7.4 Reliable Exam Sample
- New FCP_FMGM_AD-7.4 Test Sims Test FCP_FMGM_AD-7.4 Practice FCP_FMGM_AD-7.4 Pass Guide Download  FCP_FMGM_AD-7.4  for free by simply entering  www.pdfvce.com  website FCP_FMGM_AD-7.4 Reliable Exam Sample
- Exam FCP_FMGM_AD-7.4 Overviews Latest FCP_FMGM_AD-7.4 Test Online FCP_FMGM_AD-7.4 Practice Guide Search for  FCP_FMGM_AD-7.4  on www.examcollectionpass.com immediately to obtain a free download FCP_FMGM_AD-7.4 Pass Guide
- FCP_FMGM_AD-7.4 Test Questions Pdf Question FCP_FMGM_AD-7.4 Explanations FCP_FMGM_AD-7.4 Exam Experience  Enter  www.pdfvce.com  and search for  FCP_FMGM_AD-7.4  to download for free New FCP_FMGM_AD-7.4 Test Sims
- Monitor Your Progress with FCP_FMGM_AD-7.4 Practice Test Software Copy URL www.dumpsquestion.com

DOWNLOAD the newest Pass4SureQuiz FCP_FMGI_AD-7.4 PDF dumps from Cloud Storage for free:

<https://drive.google.com/open?id=1hHt2JnGrjUE9Rh5cj3qw77nTfyMFXYfG>