

최신 SAP Certified Associate C-ADBTP-2601 무료샘플문제 (Q10-Q15):

질문 # 10

SIMULATION

Enable Service Subscriptions

Task 2: Entitle and Subscribe a Service in a Subaccount

In your AM PA Prod subaccount, entitle the standard (Application) service plan for SAP Build Work Zone, standard edition.

In the AM PA Prod subaccount, establish a trust to the agvlamkzw.accounts.ondemand.com identity provider.

In your AM PA Prod subaccount, create a service subscription for SAP Build Work Zone, standard edition with the standard service plan .

정답:

설명:

See the Explanation below for complete solution.

Explanation:

Part A - Entitle the Service Plan in AM PA Prod

Step 1 - Open the AM PA Prod Subaccount

What to do

In the SAP BTP Cockpit, go to Directories.

Open the Partner directory.

Select the subaccount AM PA Prod.

Explanation:

This opens the exact subaccount where the entitlement and subscription must be created.

What to verify

You should now be on the AM PA Prod subaccount page.

Step 2 - Open Entitlements in the Subaccount

What to do


In AM PA Prod, open Entitlements.

Explanation:

SAP documents that subaccount entitlements are configured in the subaccount's entitlement area, where you add service plans and quotas available to that subaccount.

What to verify

You should see the Entitlements screen for AM PA Prod.



Step 3 - Add the Required Service Plan

What to do

Click Configure Entitlements or Add Service Plans.

Search for:

SAP Build Work Zone, standard edition

Select the service.
 Choose the plan:
 standard (Application)
 Add the service plan.
 Save the entitlement changes.

Explanation:

The task requires the standard (Application) plan specifically. SAP's entitlement flow requires you to add the service plan to the subaccount before you can subscribe to the application.

What to verify

Under Entitlements, you should now see:
 SAP Build Work Zone, standard edition
 plan: standard (Application)

Part B - Establish Trust to the Identity Provider

Step 4 - Open Trust Configuration

What to do

In the AM PA Prod subaccount, go to:

Security

Trust Configuration

Explanation:

SAP Help states that trust to a custom identity provider is established from the cockpit in Security > Trust Configuration.


What to verify

You should be on the Trust Configuration page of AM PA Prod.

Step 5 - Start the Trust Setup

What to do

Click Establish Trust or New Trust Configuration.



Explanation:

This opens the wizard or form to add a trusted identity provider for the subaccount. SAP documents this as the standard cockpit flow for custom identity provider trust.

Step 6 - Enter the Identity Provider

What to do

In the trust configuration, use the identity provider:

agvlamkzw.accounts.ondemand.com

Continue through the wizard and confirm the trust setup.

Save the configuration.

Explanation:

The simulation explicitly requires trust to that identity provider domain. For SAP Build Work Zone, standard edition, SAP also notes that the subaccount must trust an identity provider before subscription use cases for business users are completed.

What to verify

On the Trust Configuration page, the identity provider

agvlamkzw.accounts.ondemand.com should appear as trusted.

The image shows two screenshots of the SAP configuration wizard. The first screenshot is titled 'Configure Tenant' and shows step 2, 'Configure Main Information'. The second screenshot is also titled 'Configure Tenant' but shows step 3, 'Configure Identity Provider and Parameters'.

Step 2: Configure Main Information

Main Information

If you need multiple trust configurations for business users, make sure that you provide an understandable link text. This helps users choose the right identity provider during logon.

Name: * agvlamkzw.accounts.ondemand.com (business users)

Purpose: Identity provider for business users

Origin Key: * sap.custom

Description: Identity Authentication tenant agvlamkzw.accounts.ondemand.com used for business users

Buttons: Previous, Next, Cancel

Step 3: Configure Identity Provider and Parameters

For a good single sign-on experience, choose the same domain for all BTP accounts and non-BTP applications. Choose "Default" to always use the default domain configured in your tenant.

Identity Provider

SAP Cloud Identity Tenant: agvlamkzw.accounts.ondemand.com

Domain: * Default

Parameters


Available for User Logon:

Link Text for User Logon: * agvlamkzw.accounts.ondemand.com

Create Shadow Users on Logon:

Default for non-interactive logon:

Buttons: Previous, Next, Cancel



Part C - Create the Service Subscription

Step 7 - Open the Subscription Area

What to do

In AM PA Prod, go to:

Services


Instances and Subscriptions

Explanation:

SAP Help for SAP Build subscriptions points to the subaccount subscription flow after the entitlement is available. In current cockpit usage, subscriptions are created from the subaccount's services are a.

What to verify

You should see the Instances and Subscriptions page.



Step 8 - Create the Subscription

What to do

Click Create.

Choose Subscription if a type selection appears.

Search for:

SAP Build Work Zone, standard edition

Select the plan:

standard

Then confirm the creation.

New Instance or Subscription

1
 Basic Info

2
 Parameters

3
 Review

Enter basic info for your instance or subscription.

i Some services are not shown because Cloud Foundry is not enabled. To enable it, select it from the Service dropdown menu and create an instance of it.

Service: * ⓘ Can't find what you're looking for?

Select service

Plan: *

Next >
Create
Cancel

New Instance or Subscription

1
 Basic Info

Enter basic info for your instance or subscription.

i Some services are not shown because Cloud Foundry is not enabled. To enable it, select it from the Service dropdown menu and create an instance of it.

Service: * ⓘ Can't find what you're looking for?

SAP Build Work Zone, standard edition

Plan: *

standard

Create
Cancel

Explanation:
 SAP's getting-started guidance for SAP Build Work Zone, standard edition says that once the subaccount has the required

entitlement, you can subscribe to the application from the subaccount.

What to verify

You should now see a subscription entry for:

SAP Build Work Zone, standard edition

plan: standard

Step 9 - Confirm the Subscription Is Active

What to do

Check the status of the new subscription in Instances and Subscriptions.

Explanation:

The subscription should be visible and active in the subaccount after creation.


What to verify

You should see:

SAP Build Work Zone, standard edition

subscription created successfully

SAP's guidance for subscription-based applications consistently uses this subaccount subscription flow after entitlement is present.



Final Expected Result for Task 2

Inside AM PA Prod:

the entitlement SAP Build Work Zone, standard edition is assigned

the entitled plan is standard (Application)

trust is established to agvlamkzw.accounts.ondemand.com

a subscription exists for SAP Build Work Zone, standard edition

the subscription uses the standard service plan

Common Mistakes to Avoid

1. Doing the entitlement in the wrong place

This task must be done in:

AM PA Prod subaccount

Not only in:

Partner directory

Directory entitlement and subaccount entitlement are different scopes in the cockpit.

2. Choosing the wrong service or wrong plan

Use exactly:

SAP Build Work Zone, standard edition

standard (Application) for entitlement

standard for the subscription selection screen

SAP's service subscription flow starts only after the correct entitlement exists.

3. Skipping trust configuration

The simulation explicitly requires trust to:

agvlamkzw.accounts.ondemand.com

Trust is configured in Security > Trust Configuration.

4. Looking for subscription creation before entitlement

The entitlement must be added first, otherwise the service may not appear in the subscription creation flow.

Quick Validation Checklist

Confirm all of the following in AM PA Prod:

Entitlements contains SAP Build Work Zone, standard edition

the plan is standard (Application)

Trust Configuration shows agvlamkzw.accounts.ondemand.com

Instances and Subscriptions shows SAP Build Work Zone, standard edition the subscription is created successfully

질문 # 11

SIMULATION

Enable a Cloud Foundry Environment

Task 2: Enable and Configure a Cloud Foundry Environment

In your SAP BTP cockpit, in the EU HCM Dev subaccount, enable the Cloud Foundry environment in the cf-eu10-004 landscape.

Set the instance name to cf-eu-hcm-dev and the org name to btpops#####-eu-hcm-dev.

In the EU HCM Dev subaccount, create a space with the name activity-recording.

In the EU HCM Dev subaccount, create a space quota with the name half-org-quot a. Halve the available org quota for memory, routes, service, and instance memory for an unlimited number of app instances. Assign the space quota to activity-recording.

정답 :

설명:

See the Explanation below for complete solution.

Explanation:

Before you start

Log in to SAP BTP Cockpit.

Open the correct Global Account.

Go to Directories.

Open Human Resources.

Open the EU HCM Dev subaccount.

This matters because the task must be completed specifically in EU HCM Dev. SAP documents that Cloud Foundry is enabled at subaccount level, and the system creates a Cloud Foundry org linked to that subaccount.

Part 1 - Enable the Cloud Foundry environment

Step 1 - Open the subaccount overview

In EU HCM Dev, go to Overview.

Explanation:

SAP Help describes the cockpit flow for enabling Cloud Foundry from the subaccount Overview page.

What to verify

You should see a Cloud Foundry section on the overview page.

Step 2 - Start enabling Cloud Foundry

In the Cloud Foundry section, click Enable Cloud Foundry.

Explanation:

This starts creation of the Cloud Foundry organization for the subaccount. SAP notes that when you enable Cloud Foundry in a subaccount, the system automatically creates a Cloud Foundry org for it.

Step 3 - Enter the required Cloud Foundry values

In the enablement dialog, enter:

Landscape: cf-eu10-004

Instance Name: cf-eu-hcm-dev

Org Name: btpops#####-eu-hcm-dev

Then confirm by clicking Create or Enable.

Explanation:

The task gives you the exact landscape and naming values to use. SAP documentation shows that enabling Cloud Foundry in the cockpit requires naming the Cloud Foundry instance and org.

What to verify

After the process completes, the subaccount should show Cloud Foundry as enabled, with the org created for EU HCM Dev.

Enable Cloud Foundry

1
Basic Info

Enter basic info for your environment instance.

Environment: * Can't find what you're looking for?

Cloud Foundry Runtime

Plan: *
standard

Landscape: *
cf-eu10-005

Instance Name: ⓘ
cf-eu-hcm-dev

Org Name: * ⓘ
btpops -eu-hcm-dev

Cloud Foundry API endpoints may differ between subaccounts in the same region.
The API endpoint for this subaccount is shown in the Cloud Foundry environment instance details.

Create Cancel

Subaccount: EU HCM Dev - Overview

BTP Admin Certification / Eurasia / Human Resources / EU HCM Dev

General Cloud Foundry Environment Entitlements

General

37 Entitlements 1 Instances and Subscriptions

Subdomain: mtpops3451-eu-hcm-dev	Provider: Amazon Web Services (AWS)	Used for Production: No	Created By:
Tenant ID: da5ded99-37be-400b-9965-7ca1757cc3f5	Region: Europe (Frankfurt) - AWS	Beta Program: Disabled	Created On: March 27, 2026, 11:21:55 PM GMT+05:00
Subaccount ID: da5ded99-37be-400b-9965-7ca1757cc3f5	Environment: Multi-Environment		Modified On: March 27, 2026, 11:22:17 PM GMT+05:00

Open in Audit Log Viewer

Cloud Foundry Environment

Information not available to you. You must be an org member. Go to KBA

API Endpoint: <https://api.cf.eu10-005.hana.ondemand.com>

Org Name: **mtpops3451-eu-hcm-dev**

Org ID: **e982d48f-3148-4146-ac96-f73b32123a6**

Org Memory Limit: **1.024MB**

Manage environment instance

Disable Cloud Foundry

Spaces (0)

Name	Applications	Service Instances
No spaces defined in this subaccount		

Create Space

Part 2 - Create the space
Step 4 - Open Spaces
In EU HCM Dev, after Cloud Foundry is enabled, open:
Cloud Foundry

Spaces

Explanation:

SAP Help shows that spaces are created from the Spaces area after Cloud Foundry is enabled in the subaccount.




Step 5 - Create the space

Click Create Space.

Enter:

Space Name: activity-recording

Confirm by clicking Create.



Explanation:

This creates the required Cloud Foundry space inside the org for EU HCM Dev. SAP's cockpit documentation and setup guides show this as the standard next step after enabling the environment.

What to verify

You should now see:

activity-recording

in the list of Cloud Foundry spaces.

Part 3 - Create the space quota

Step 6 - Open Cloud Foundry Space Quotas

In EU HCM Dev, open:

Cloud Foundry

Space Quotas

Explanation:

SAP Help states that, in the Cloud Foundry environment, the quotas allocated to a subaccount can be further distributed by creating space quota plans, and these are managed from the Cloud Foundry Space Quotas area.

Step 7 - Create a new space quota

Click Create Space Quota or New Space Quota.

Enter the quota name:

half-org-quota

Explanation:

This creates a quota plan that you will assign to the required space. SAP Help describes creating space quota plans in the subaccount and then assigning them to spaces.

Step 8 - Set quota values to half of the org quota

In the quota form, set the values to half of the available org quota for:

Memory

Routes

Services
Instance Memory
For App Instances, set:
Unlimited
Then save the quota.

Create Space Quota

i You are allowed to add a value above the org quota, but the org quota is the consumable limit you can reach. To assign the "Unlimited" value, use -1.

Name: * half-org-quota

Space Memory (MB): * 512
Org Quota: 1024 MB (1GB)

Routes: * 5
Org Quota: 10

Service Instances: * 250
Org Quota: 500

Memory per Instance (MB): * 8192
Org Quota: 16384 MB (16GB)

App Instances: * -1
Org Quota: Unlimited

Allow Paid Services: OFF

Explanation:

The simulation asks you to halve the available org quota for those four dimensions. SAP Help confirms that space quotas are used to limit resource consumption inside the org by defining values such as memory, routes, and service instances, and that these plans can then be assigned to spaces.

How to calculate "half"

Use the current org quota values shown in the Cloud Foundry quota screens and divide each by 2 before entering it.

Examples:

If org memory = 2 GB, enter 1 GB

If routes = 20, enter 10

If services = 200, enter 100

If instance memory = 2 GB, enter 1 GB

What to verify

The new quota plan should exist as:

half-org-quota

with the reduced values saved.

Subaccount: EU HCM Dev - Space Quotas

Space Quotas Quota Assignments



Part 4 - Assign the quota to the space

Step 9 - Assign the quota to activity-recording

Open the newly created quota:

half-org-quota

Choose Assign Spaces or Assign to Spaces

Select:

activity-recording

Save the assignment


Explanation:

SAP Help states that after creating a space quota, you assign it to one or more spaces from the space quota management flow.

What to verify

The quota half-org-quota should now be assigned to:

activity-recording





Final expected result

Inside EU HCM Dev:

Cloud Foundry is enabled

landscape is cf-eu10-004

instance name is cf-eu-hcm-dev

org name is bt pops#####-eu-hcm-dev

space activity-recording exists

space quota half-org-quota exists

memory, routes, services, and instance memory are each set to half of the available org quota app instances are unlimited quota half-org-quota is assigned to activity-recording Common mistakes to avoid Enabling Cloud Foundry in the wrong subaccount; it must be EU HCM Dev.

Using the wrong landscape; the task explicitly requires cf-eu10-004.

Typing the wrong org name; use exactly bt pops#####-eu-hcm-dev.

Forgetting to create the space before assigning the quota.

Entering full org quota instead of half.

Limiting app instances to a number instead of leaving them unlimited.

Creating the quota but not assigning it to activity-recording.

질문 # 12

SIMULATION

Enable Service Subscriptions

In the entitlements of a directory, add a service plan for a service subscription. Assign and create this subscription to/in a subaccount of the directory.

Task 1: Entitle a Service in a Directory

In your SAP BTP cockpit, enable entitlement management for your Partner directory.

In your Partner directory, entitle the standard (Application) service plan for the SAP Build Work Zone, standard edition.

정답:

설명:

See the Explanation below for complete solution.

Explanation:

Before You Start

Log in to the SAP BTP Cockpit.

Open the correct Global Account.

Go to Directories.

Open the Partner directory.

Why this matters:

Both actions in this task must be done at the Partner directory level, not directly in a subaccount.

Step 1 - Open the Partner Directory

What to do

In the left navigation, click Directories.

Select Partner.

Explanation:

This opens the directory where you must manage entitlements for this task.

What to verify

You should now be inside the Partner directory page.



Step 2 - Open Entitlements

What to do


Inside the Partner directory, go to Entitlements.

Explanation:

This is the area where you manage quota and service plan assignments for the directory and its subaccounts.

What to verify

You should see the entitlements page for Partner.




Step 3 - Enable Entitlement Management for the Partner Directory

What to do

In the Entitlements area, look for the option to Enable Entitlement Management.

Click Enable.



Explanation:

A directory must have entitlement management enabled before you can add and manage service plans there.



What to verify

After enabling, the Partner directory should allow entitlement assignment and management.

Step 4 - Start Adding a Service Plan

What to do

In the Entitlements page of the Partner directory, click Configure Entitlements or Add Service Plans.




Explanation:

This opens the service catalog where you can select the service and plan to add.

What to verify

You should see the list of available services and plans.



Step 5 - Find the Required Service

What to do

Search for or scroll to:

SAP Build Work Zone, standard edition

Select that service.

Explanation:

You must choose the exact service named in the task. Be careful not to select a different SAP Build service by mistake.

What to verify

The selected service should be:

SAP Build Work Zone, standard edition

Step 6 - Select the Correct Service Plan

What to do

Under the selected service, choose the service plan:

standard (Application)

Add the plan to the entitlement configuration.

Explanation:

This task requires the standard (Application) service plan specifically.

Do not choose another plan if more than one is listed.

What to verify

The selected plan should read exactly:

standard (Application)

Step 7 - Save the Entitlement Changes

What to do

Click Add, Save, or Confirm depending on the screen.

Then click Save for the entitlement configuration.

Explanation:

This commits the new service plan entitlement to the Partner directory.

What to verify

After saving, the entitlements list for Partner should include:

SAP Build Work Zone, standard edition

plan: standard (Application)

Log in to the SAP BTP Cockpit.
Make sure you are inside the correct Global Account.
Open the left-side navigation menu.
Why this is important:

All directories in this task must be created inside the correct global account hierarchy. If you create them in the wrong location, the simulation result will be incorrect.

Step 1 - Create Directory Americas

What to do

In the SAP BTP Cockpit, select your Global Account.

In the left navigation menu, click Directories.

Click Create or Create Directory.

Fill the fields as follows:

Name: Americas

Description: Americas Accounts

Parent: your Global Account

Click Create.

Create Directory

The screenshot shows the 'Create Directory' form in the SAP BTP Cockpit. The 'Display Name' field is filled with 'Americas' and the 'Description' field is filled with 'Americas Accounts'. The 'Parent' dropdown menu is set to 'BTP Admin Certification'. Below the form, there is an 'Advanced' section with a collapse icon. A notification banner at the bottom states: 'Cockpit supports multi-level directories in your account structure. You can add your new directory directly to the root global account or to an existing directory by choosing the location under Parent.' The banner includes the SAP logo and a rocket icon. At the bottom right, there are 'Create' and 'Cancel' buttons.

Explanation:

This creates a top-level directory directly under the global account.

It will later be used as the parent for the Partner directory.

What to verify

After creation, you should see:

Americas

listed under the directories of the global account.

Step 2 - Create Directory Eurasia

What to do

Stay in Directories.

Click Create Directory again.

Fill the fields:

Name: Eurasia

Description: Eurasia Accounts

Parent: your Global Account

Click Create.

The screenshot shows the 'Create Directory' form in the SAP BTP Cockpit for 'Eurasia'. The 'Display Name' field is filled with 'Eurasia' and the 'Description' field is filled with 'Eurasia Accounts'. The 'Parent' dropdown menu is set to 'BTP Admin Certification'. Below the form, there is an 'Advanced' section with a collapse icon. A notification banner at the bottom states: 'Cockpit supports multi-level directories in your account structure. You can add your new directory directly to the root global account or to an existing directory by choosing the location under Parent.' The banner includes the SAP logo and a rocket icon. At the bottom right, there are 'Create' and 'Cancel' buttons.

Explanation:

This creates another top-level directory, parallel to Americas.

What to verify

You should now see both:

Americas

Eurasia

under the global account.

Step 3 - Create Directory Partner under Americas

What to do

In the Directories area, select Americas.

Click Create Directory.

Enter:

Name: Partner

Description: Partner Accounts

Parent: Americas

Locate the Labels section.

Add a new label:

Key: access

Value: external

Click Create.



Name	Type	Environment	Region	Changed On
BTP Admin Certification	Global Account			March 25, 2026, 5:11:2...
Americas	Directory			March 26, 2026, 3:27:5...
Eurasia	Directory			March 26, 2026, 3:26...

Search

Show only directories I can create in Expand All Collapse All

▼ BTP Admin Certification

- Americas
- Eurasia



koreadumps.com

Create Directory

Display Name*
Partner

Parent*
Americas

Description
Partner Accounts

Advanced

Enable entitlement management Enable user management

Add labels to this directory.

Name:	Values:
access	external

Buttons: Create, Cancel

Explanation:

This creates Partner as a child directory under Americas.

The label is required and must be entered exactly:

access = external

This label helps classify the directory.

What to verify

Under Americas, you should now see:

Partner

and the directory should contain the label:

access=external

Step 4 - Create Directory Human Resources under Eurasia

What to do

Go back to the Directories list.

Select Eurasia.

Click Create Directory.

Enter:

Name: Human Resources

Description: Human Resources Accounts

Parent: Eurasia

In the Labels section, add:

Key: access

Value: internal

Click Create.

Create Directory

Display Name*
Human Resources

Parent*
Eurasia

Description
Human Resources Accounts

Advanced

Enable entitlement management Enable user management

Add labels to this directory.

Name: access Values: internal x

Create Cancel

Explanation:

This creates Human Resources as a child directory under Eurasia.

The required label is:

access = internal

What to verify

Under Eurasia, you should now see:

Human Resources

and the label should be:

access=internal

Final Expected Directory Structure

After completing Task 1, your structure must be exactly like this:

Global Account

Americas

Partner

Label: access=external

Eurasia

Human Resources

Label: access=internal

Name	Type	Entitlement	Provider	Labels	Changed On
Global Account	Global Account				March 23, 2024, 4:26:2...
Americas	Directory				March 23, 2024, 4:26:2...
Partner	Directory	1 label		access=external	March 23, 2024, 4:26:2...
Eurasia	Directory				March 23, 2024, 4:26:2...
Human Resources	Directory	1 label		access=internal	March 23, 2024, 4:26:2...

Important Checks Before Moving On

Verify all of the following:

Americas exists

Eurasia exists

Partner is under Americas

Human Resources is under Eurasia

Partner has label access=external

Human Resources has label access=internal

All names and descriptions are entered exactly as required

Common Mistakes to Avoid

1. Wrong parent

Partner must be created under Americas

Human Resources must be created under Eurasia

2. Wrong label key or value

Use exactly:

access → external

access → internal

3. Spelling errors

Be careful with:

Americas

Eurasia

Partner

Human Resources

4. Creating all directories directly under the global account

Only Americas and Eurasia are direct children of the global account.

Partner and Human Resources must be child directories.

질문 # 14

.....

IT인증시험덤프자료를 제공해드리는 사이트는 너무나도 많습니다. 그중에서 대부분 분들이KoreaDumps제품에 많은 관심과 사랑을 주고 계시는데 그 원인은 무엇일까요?바로KoreaDumps에서 제공해드리는 덤프자료 품질이 제일 좋고 업데이트가 제일 빠르고 가격이 제일 저렴하고 구매후 서비스가 제일 훌륭하다는 점에 있습니다. KoreaDumps 표 SAP인증C-ADBTP-2601덤프를 공부하시면 시험보는데 자신감이 생기고 시험불합격에 대한 우려도 줄어들것입니다.

C-ADBTP-2601예상문제 : https://www.koreadumps.com/C-ADBTP-2601_exam-braindumps.html

SAP인증 C-ADBTP-2601시험을 패스해서 자격증을 취득하려고 하는데 시험비며 학원비며 공부자료비며 비용이 만만치 않다구요, KoreaDumps C-ADBTP-2601예상문제의 덤프들은 모두 전문적으로 IT관련인증시험에 대하여 연구하여 만들어진것이기 때문입니다, 저희 SAP C-ADBTP-2601덤프에 있는 문제와 답만 기억하시면 C-ADBTP-2601 시험을 패스할수 있다고 굳게 믿고 있습니다, KoreaDumps C-ADBTP-2601예상문제 덤프제공사이트의 업계에서의 권위성, 안심하시고KoreaDumps 를 선택하게 하기 위하여, KoreaDumps에서는 이미SAP C-ADBTP-2601인증시험의 일부 문제와 답을 사이트에 올려놨으니 체험해보실 수 있습니다, C-ADBTP-2601 시험을 패스하여 자격증을 취득 하고 싶은 분들은 저희 덤프를 저렴한 가격에 주문하여 알맞춤 시험대비를 해보세요.

석민은 다시 한 번 또렷이 형님을 응시한 채로 입을 열었다.제게 후회할 일이 생긴다면, 그건 눈앞의 진심을 외면하고 도망쳤을 때일 겁니다, 형님, 살다 보니 이런 날도 다 있네요, SAP인증 C-ADBTP-2601시험을 패스해서 자격증을 취득하려고 하는데 시험비며 학원비며 공부자료비며 비용이 만만치 않다구요?

높은 적중율을 자랑하는 C-ADBTP-2601최신버전 공부문제 덤프는 Administrating SAP Business Technology Platform(C_ADBTP_2601) 100% 시험패스 보장

KoreaDumps의 덤프들은 모두 전문적으로 IT관련인증시험에 대하여 연구하여 만들어진것이기 때문입니다, 저희 SAP C-ADBTP-2601덤프에 있는 문제와 답만 기억하시면 C-ADBTP-2601시험을 패스할수 있다고 굳게 믿고 있습니다.

KoreaDumps 덤프제공사이트의 업계에서의 권위성, 안심하시고KoreaDumps 를 선택하게 하기 위하여, KoreaDumps에서는 이미SAP C-ADBTP-2601인증시험의 일부 문제와 답을 사이트에 올려놨으니 체험해보실 수 있습니다.

- 최신 C-ADBTP-2601최신버전 공부문제 시험덤프자료 □ 오픈 웹 사이트 (www.koreadumps.com) 검색> C-ADBTP-2601 <무료 다운로드C-ADBTP-2601인증시험
- C-ADBTP-2601최신버전 공부문제 인기시험 공부자료 □ 무료로 쉽게 다운로드하려면□ www.itdumpskr.com □에서> C-ADBTP-2601 □를 검색하세요C-ADBTP-2601시험문제
- C-ADBTP-2601최고덤프자료 □ C-ADBTP-2601최고덤프자료 □ C-ADBTP-2601합격보장 가능 공부 □ > www.dumptop.com □을(를) 열고[C-ADBTP-2601]를 입력하고 무료 다운로드를 받으십시오C-ADBTP-2601인증시험
- C-ADBTP-2601최신 시험대비자료 □ C-ADBTP-2601 시험문제 □ C-ADBTP-2601최신 업데이트 인증시험자료 □ 오픈 웹 사이트⇒ www.itdumpskr.com <검색 (C-ADBTP-2601) 무료 다운로드C-ADBTP-2601응시자료
- 시험대비 C-ADBTP-2601최신버전 공부문제 최신버전 공부자료 □ ➡ www.pass4test.net □□□을 통해 쉽게 【 C-ADBTP-2601 】 무료 다운로드 받기C-ADBTP-2601인증시험
- C-ADBTP-2601최신버전 공부문제 인기시험 공부자료 □ > www.itdumpskr.com <에서> C-ADBTP-2601 □를 검색하고 무료로 다운로드하세요C-ADBTP-2601완벽한 인증자료
- 시험패스에 유효한 최신버전 C-ADBTP-2601최신버전 공부문제 최신 덤프모음집 □ 지금> kr.fast2test.com <을(를) 열고 무료 다운로드를 위해> C-ADBTP-2601 □를 검색하십시오C-ADBTP-2601최신 덤프문제모음

