


Pass Guaranteed Updated OGA-032 - Practical ArchiMate 3 Part 2 Exam Information



As the authoritative provider of OGA-032 actual exam, we always pursue high pass rate compared with our peers to gain more attention from those potential customers. We guarantee that if you follow the guidance of our OGA-032 learning materials, you will pass the exam without a doubt and get a certificate. Our OGA-032 Exam Practice is carefully compiled after many years of practical effort and is adaptable to the needs of the OGA-032 exam.

To prepare for the OGA-032 Exam, candidates can take advantage of various resources provided by The Open Group, such as study guides, training courses, and practice exams. The Open Group provides a comprehensive ArchiMate 3 certification program that covers both Part 1 and Part 2 of the certification. Candidates can also find study materials and resources from other sources, such as books, online courses, and study groups.

The Open Group OGA-032 (ArchiMate 3 Part 2) Exam is a certification test designed for enterprise architects and other IT professionals who want to validate their knowledge and skills in the ArchiMate 3 modeling language. ArchiMate 3 is a widely-used modeling language for enterprise architecture that helps organizations to describe, analyze, and visualize their business and IT infrastructures. The Open Group is a global consortium that develops and maintains the ArchiMate standard, as well as other open standards for enterprise architecture and IT.

>> **Practical OGA-032 Information** <<

Exam OGA-032 Question, OGA-032 Pass Guaranteed

You can finish practicing all the contents in our OGA-032 practice materials within 20 to 30 hours, and you will be confident enough to attend the exam for our OGA-032 exam dumps are exact compiled with the questions and answers of the real exam. What's more, during the whole year after purchasing, you will get the latest version of our OGA-032 Study Materials for free. You can see that there are only benefits for you to buy our OGA-032 learning guide, so why not just have a try right now?

The Open Group ArchiMate 3 Part 2 Exam Sample Questions (Q11-Q16):

NEW QUESTION # 11

Please read this scenario prior to answering the question

The ArchiSurance senior management, board members, customers, and major stockholders have expressed long-standing concerns regarding the business continuity risks associated with relying on a single data center.

Located in an area prone

to flooding, earthquakes, and occasional water leaks from the cafeteria above, the current data center has significant vulnerabilities.

To address these concerns and mitigate the risks, ArchiSurance has developed a comprehensive plan to relocate its existing data center to two separate ready-to-use data centers in different cities. As a major undertaking, the approval of the Board of Directors

is required to proceed with the project.


The primary objectives of the data center move are to reduce the risk of business interruptions, reduce both planned and unplanned downtime for critical applications, and provide reassurance to ArchiSurance stakeholders. Ensuring minimal disruption during the transition is crucial. However, several constraints make the planned migration to the new data centers particularly challenging. Certain critical ArchiSurance applications cannot be offline for more than one hour, and any planned downtime must be restricted to specific four-hour windows on weekends. Additionally, the migration cannot take place during quarterly or year-end closing periods to avoid disrupting critical processing operations.

ArchiSurance management has devised a multi-phase data center transformation program to facilitate a smooth transition. Each phase is critical for establishing stable and fully functional data center configurations throughout the transformation process. The initial phase entails detailed scheduling and planning to develop a comprehensive transformation plan aligned with ArchiSurance's timing and scheduling requirements. During the second phase, ArchiSurance will procure the necessary hardware and software for the new data centers, while also seeking refunds for the hardware and software in the current data center once it is decommissioned. The third phase involves setting up the new data centers and conducting parallel testing of the new hardware and software alongside the existing production environment. The transition between the old and new data centers occurs in the fourth phase, followed by the fifth phase, which is the decommissioning of the old data center. This involves returning the hardware and software to obtain the contracted refunds. Each phase, from the second to the fifth, is initiated once specific conditions outlined in the previous phase have been met.


Refer to the Scenario

The program manager overseeing the data center transformation has asked you to model an outline of the implementation plan which has three stable states defined. You should show the deliverables associated with each plateau in connection with the physical elements. Additionally, you need to show how each phase contributes to achieving a stable state for the data center transformation. Which of the following answers provides the best description?


- A. A diagram of a software process Description automatically generated




- B. A diagram of a data processing process Description automatically generated



- C. A diagram of a software system Description automatically generated



- D. A diagram of a data center Description automatically generated



Answer: B

Explanation:

This question focuses on modeling the implementation plan for the data center transformation at ArchiSurance. The goal is to represent how the different phases of the project contribute to achieving the three stable states, or plateaus, while illustrating the deliverables connected to these plateaus and the physical elements involved.

Key ArchiMate® 3.2 Concepts Applied:

* Plateaus: Plateaus represent intermediate stable states within an architecture transformation, showing the condition of the architecture at specific moments in time. In this scenario, the plateaus correspond to the stable data center configurations at different phases:

* Plateau 1: Only the old data center is in use.

* Plateau 2: Both the old and new data centers are in use simultaneously.

* Plateau 3: Only the new data center is in use, and the old data center is fully decommissioned.

* Physical Elements: These refer to the data centers, hardware, software, and networks that make up the infrastructure being migrated. These should be clearly depicted in connection with each phase of the transformation program.

* Deliverables and Phases: Each phase of the transformation process includes specific deliverables, such as:

* Procurement of new hardware and software.

* Setting up and testing the new data centers.

* Transitioning between the old and new data centers.

* Dismantling the old data center and returning its hardware for refunds.

* Work Packages and Dependencies: Work packages represent activities or tasks in ArchiMate® and are connected to the plateaus. These must be modeled with proper sequencing, showing how each phase contributes to reaching the next stable state.

Why Option A is Correct:

* Option A accurately represents the three plateaus (stable states) and clearly illustrates the deliverables (e.g., the new data center, tested hardware and software, and dismantled old data center) in relation to each phase of the transformation.

* The connections between the physical elements (such as the centralized data center, distributed data center, and backup data center) are properly displayed and aligned with the described multi-phase process.

* The phases are laid out logically, showing how each phase (e.g., procurement, testing, transition) leads to the next stable state (plateau), following the principles of a plateau and work package transformation in ArchiMate®.

* The flow of deliverables from one plateau to the next is consistent with the need for dependencies (e.g., the new data center cannot be fully active until the hardware and software have been tested in parallel).

Why Other Options Are Incorrect:

* Option B and Option D do not show the relationships between the phases and the stable states as clearly as Option A. They lack some critical connections or do not accurately represent the progression between plateaus and the physical infrastructure.

* Option C is closer but misses important sequencing in how the work packages (activities) and plateaus interact, leading to an incomplete representation of the transformation.

Conclusion:

Option A provides the most complete and accurate description based on ArchiMate® 3.2 modeling principles.

It correctly demonstrates how each phase of the data center transformation contributes to achieving the stable states (plateaus) and ensures that the physical elements, work packages, and deliverables are properly aligned.

NEW QUESTION # 12

Please read this scenario prior to answering the question

The ArchiSurance enterprise document management solution includes a sophisticated ecosystem of applications and technologies. Designed with a strong emphasis on high availability, it plays a vital role in providing support for a diverse range of document types and managing a substantial volume of document-based transactions on a daily basis.

Recognizing its importance to the business, the document management solution is redundantly hosted at two geographically separate data center sites, both configured identically for seamless operations.

The system software at the core of the document management solution is comprised of three key modules.

The Document Engine serves as a repository, facilitating document storage, retrieval, and various other operations. The Workflow

Engine acts as a host for document management applications, while the Application Engine powers the most advanced and sophisticated applications within the system.


Two key factors have driven the Architecture Board's approval of a project aimed at updating this critical solution. Firstly, the supplier of the Workflow Engine has given notice of the end of support for the current software version, necessitating an upgrade. Secondly, the system administrator responsible for the Application Engine has flagged the need for hardware replacement on the server where the software is currently running. Given that the Claim Management application shares infrastructure with the Application Engine, the involvement of the system administrator responsible for this application is crucial in the project planning and execution.

Refer to the Scenario


You are the Enterprise Architect within this organization. You have been assigned the task of modeling the applications and technology for this solution, as well as outlining the motivations driving the need for its update.

Based on the scenario, which answer provides the most complete and accurate description?


- A. A diagram of a software project Description automatically generated




- B. A diagram of software development Description automatically generated



- C. A diagram of software development Description automatically generated



- D. A diagram of software development Description automatically generated



Answer: B

Explanation:

This scenario revolves around ArchiSurance's document management solution and the motivations behind updating the solution due to software and hardware challenges. The task is to model both the applications and technology components involved, along with the motivations driving the need for an update.

Key ArchiMate® 3.2 Concepts Applied:

* Applications and Components:

* Claim Management Application: This application handles key processes such as filing claims and assigning claims, and it shares infrastructure with the Application Engine.

* Document Management Solution: Includes several subsystems such as:

* Document Engine: Manages document storage, retrieval, and processing operations.

* Workflow Engine: Facilitates document workflows and supports document-related operations.

* Application Engine: Hosts sophisticated applications like Claim Management.

* Data Objects:

* Proof of Loss Documents and Proof of Loss Data are critical components managed by the Document Management Solution. This data is processed and handled by both the Document Engine and the Claim Management application.

* Technology and Infrastructure:

* Hardware Platform Needs Replacing: The Application Engine runs on hardware that needs replacement. This drives a part of the motivation for updating the infrastructure.

* Software Version Needs to Be Updated: The Workflow Engine is running on outdated software, necessitating an upgrade to ensure continued support and functionality.

* High Availability of Infrastructure: Given that the system is redundantly hosted across two data centers, high availability is crucial for seamless operations. This includes continuous availability for the document management processes.

* Motivations and Drivers:

* The end-of-support notice from the Workflow Engine supplier requires an upgrade to maintain operational continuity.

* The system administrator responsible for the Application Engine has raised concerns about hardware needing replacement, adding urgency to the infrastructure upgrade.

Why Option D is Correct:

* Option D provides the most comprehensive representation of the applications, infrastructure, and motivations for updating the solution.

* It clearly shows the Claim Management Application and its interaction with the Claim Assignment Business Rules Data, as well as how it relies on the Application Engine.

* The Document Management Solution and its subsystems (Document Engine, Workflow Engine, and Application Engine) are correctly depicted, with clear relationships to the data they manage (Proof of Loss Documents and Data).

* The motivations for change—specifically, the need to update the Workflow Engine software and replace the hardware platform—are clearly shown, alongside their impact on the overall system.

* The diagram shows the involvement of the system administrator in the update process, which is important for ensuring smooth project execution.

Why Other Options Are Incorrect:

* Option A and Option B do not accurately capture all necessary relationships, particularly the connections between the Claim Management application and its reliance on the Application Engine infrastructure. They also miss some of the drivers related to the required hardware replacement.

* Option C omits some key details regarding how the Claim Management Application and Document Management Solution components interact with the system, particularly the Claim Assignment Business Rules Data and Proof of Loss Data.

Conclusion:

Option D is the best answer because it offers the most complete and accurate representation of the applications, technology infrastructure, and drivers for the update project. It clearly illustrates how the Claim Management and Document Management systems work together, along with the necessary infrastructure updates, in line with ArchiMate® 3.2 modeling standards.

NEW QUESTION # 13

Please read this scenario prior to answering the question

The ArchiSurance enterprise document management solution plays a crucial role in supporting a large number of document types and managing a high volume of document-based transactions each day. Given its business-critical nature, the document management solution is hosted redundantly across two geographically separate data center sites: Site A and Site B. Both sites are configured identically to ensure seamless operations.

Each site has a highly available data center network (DCN) that connects to the resilient ArchiSurance wide area network (WAN).

Each claim management server is connected to its respective site's DCN, forming a converged network that interconnects servers and storage arrays. A dedicated physical storage array is allocated to the claim management application within each DCN.

Additionally, each site houses four powerful physical servers exclusively dedicated to the claim management application.

Among these servers, one remains on standby at any given time, while the other three take on specific roles in hosting the document, workflow, and application engines.


The standby server is responsible for monitoring the behavior of the other servers, providing a logging and reporting service. The active servers regularly transmit data to facilitate this monitoring functionality. In the event of a server failure, the standby server steps in to perform resource reallocation, replacing the faulty server. However, this task requires manual intervention from a system administrator to reconfigure the logging and reporting service to adapt to the new environment.

Refer to the Scenario


The IT manager has asked you to model the hardware and networks that support the document management solution. This includes capturing the infrastructure components such as data center sites, servers, storage, and networks. Additionally, you are expected to outline the necessary functionality and services required to enable failover within a server cluster. Given that both data centers share an identical configuration, it is sufficient for Site B to only show the associated networking.

Which of the following is the best answer?


- A. A diagram of a server AI-generated content may be incorrect.




- B. A diagram of a server AI-generated content may be incorrect.



- C. A diagram of a server AI-generated content may be incorrect.



- D. A diagram of a software server AI-generated content may be incorrect.



Answer: B

Explanation:

We need to identify the most accurate and complete model that represents:

- * Infrastructure Components- Including data centers, servers, storage arrays, and networks.
- * Failover Capabilities- Showing the standby server's role in monitoring and switching functionality upon failure.
- * Redundant Setup- Ensuring the representation of both data centers (Site A and Site B), with Site B showing only networking.
- * Interconnectivity- Between servers, DCN, and WAN.

Why D is the Best Choice:

#All required infrastructure components are included, such as:

- * Physical servers (Document, Workflow, and Application Servers).
- * Standby Server for failover.
- * Claim Management Storage Array.
- * DCN (Data Center Network) for Site A and Site B.
- * ArchiSurance WAN for external connectivity.

#The Standby Server is correctly linked to logging, monitoring, and reporting, showing its role in monitoring and failover.

#Networking is modeled properly:

- * Both Site A and Site B have a DCN, correctly interconnecting storage and servers.
- * Site B does not duplicate servers but represents networking, as per the scenario.

#Functionality of Failover is Modeled Accurately:

- * Monitoring and reporting services are depicted.
- * Manual intervention by a system administrator is present.

Why Not A, B, or C?

- * A: Does not fully capture the network and storage relationships clearly.
- * B: Similar to A but misses some essential network connections.
- * C: Incorrect failover representation, and networking elements are not clearly depicted.

NEW QUESTION # 14

Please read this scenario prior to answering the question

ArchiCar is a specialized company that focuses on manufacturing luxury electric cars and powertrain components, along with producing battery-charging equipment. With its own distribution network and showrooms, ArchiCar adopts a direct-to-customer sales model through online channels.

The manufacturing of ArchiCar's electric cars is carried out on fully automated assembly lines.

Leveraging a cutting-edge manufacturing process, the company boasts an impressive ability to sell and deliver a vehicle within just one month from the time of order placement. Anticipating significant growth, the CEO has set ambitious plans to increase annual production from 100,000 to 500,000 vehicles within a three-year timeframe.

To ensure the highest quality standards, ArchiCar relies on locally manufactured finished steel from the renowned ArchiMetal plant. ArchiMetal specializes in lightweight steels that allow ArchiCar to achieve a reduced vehicle weight without compromising strength and crash performance. The finished steel is efficiently transported by rail to ArchiCar's production plant, where it is stored in a dedicated warehouse until required for the automated car assembly process. Conveyor belts facilitate the seamless transfer of the finished steel from the warehouse to the assembly plant.


At the ArchiCar assembly plant, an optimized and streamlined assembly process is implemented, resulting in the production of 12 vehicles per hour. Once assembled, the cars are transported to a nearby distribution center using specialized trucks. These vehicles are then stored at the distribution center until they are ready for delivery to their eagerly awaiting new owners.

Refer to the Scenario


You are a consultant to the CIO. She has asked you to illustrate the end-to-end technology processes at ArchiCar from raw materials to assembled cars ready for delivery.

Which of the following answers provides the best description?


- A.




• B.



• C.



• D.



Answer: A

Explanation:

Physical-layer behavior vs. structure

- The four end-to-end steps (Steel Making → Transportation → Car Assembly → Store Cars) are modeled as Technology Processes (flat, green rectangles with the process icon).

- Each process is assigned to the proper piece of physical infrastructure:

- Steel Making is performed by the ArchiMetal steel plant node (3D box).

- Transportation is performed by the Rail Transport network node.

- Car Assembly runs on the Assembly plant node.

- Store Cars runs on the Distribution center node.

Materials as passive physical structure

- Finished steel and Luxury cars are shown as Materials (hexagons), which is exactly the ArchiMate 3 way to represent tangible goods.

- You can see the produce relationship (dashed arrow) from Steel Making → Finished steel, and the flow of Finished steel into the warehouse.

- Likewise the produce from Car Assembly → Luxury cars flows on to the Specialized Trucks for distribution.

Dedicated warehouse, conveyor, trucks

- The ArchiCar Warehouse, Conveyor belt, and Specialized trucks are all modeled as Technology Nodes (3D boxes) that physically hold or move the material.

- Their connections (solid lines) show how the warehouse feeds the conveyor, which in turn feeds the assembly plant, etc.

Correct use of ArchiMate physical layer notation

- Nodes (3D boxes) are used for all physical equipment/facilities.
- Processes (flat rectangles) for behavior.
- Materials (hexagons) for tangible products.
- Produce and flow relationships for material creation and transfer.

NEW QUESTION # 15

Please read this scenario prior to answering the question

The ArchiSurance senior management, board members, customers, and major stockholders have expressed long-standing concerns regarding the business continuity risks associated with relying on a single data center. Located in an area prone to flooding, earthquakes, and occasional water leaks from the cafeteria above, the current data center has significant vulnerabilities.

To address these concerns and mitigate the risks, ArchiSurance has developed a comprehensive plan to relocate its existing data center to two separate ready-to-use data centers in different cities. As a major undertaking, the approval of the Board of Directors is required to proceed with the project.

The primary objectives of the data center move are to reduce the risk of business interruptions, reduce both planned and unplanned downtime for critical applications, and provide reassurance to ArchiSurance stakeholders. Ensuring minimal disruption during the transition is crucial.

However, several constraints make the planned migration to the new data centers particularly challenging. Certain critical ArchiSurance applications cannot be offline for more than one hour, and any planned downtime must be restricted to specific four-hour windows on weekends.

Additionally, the migration cannot take place during quarterly or year-end closing periods to avoid disrupting critical processing operations.

ArchiSurance management has devised a multi-phase data center transformation program to facilitate a smooth transition. Each phase is critical for establishing stable and fully functional data center configurations throughout the transformation process. The initial phase entails detailed scheduling and planning to develop a comprehensive transformation plan aligned with ArchiSurance's timing and scheduling requirements. During the second phase, ArchiSurance will procure the necessary hardware and software for the new data centers, while also seeking refunds for the hardware and software in the current data center once it is decommissioned. The third phase involves setting up the new data centers and conducting parallel testing of the new hardware and software alongside the existing production environment. The transition between the old and new data centers occurs in the fourth phase, followed by the fifth phase, which is the decommissioning of the old data center. This involves returning the hardware and software to obtain the contracted refunds. Each phase, from the second to the fifth, is initiated once specific conditions outlined in the previous phase have been met.


Refer to the Scenario

The IT department's leader has assigned you the task of creating a model to explain the rationale behind ArchiSurance's decision to transform its data center infrastructure. The model should show the concerns and motivations of the stakeholders involved.


Additionally, it should outline the specific goals to be achieved through the data center transformation program, the associated deliverables, and the limitations that must be considered throughout the program's implementation.

Which of the following answers provides the best explanation?


- A.




- B.



• C.



• D.



Answer: B

Explanation:

Stakeholders & Drivers

- You've got your four stakeholder elements (Senior Management, Board Members, Customers, Major Stockholders) all linked into the single "A single data center is too high a risk" assessment, itself driven by the Business Continuity driver.

Assessment → Goal

- The "A single data center is too high a risk" Assessment flows into the Goal "Transition to two new data centers in separate cities." Goal Decomposition
- That top-level Goal is decomposed (composition diamonds) into its two sub-Goals ("Reassure ArchiSurance stakeholders" and "Reduce downtime for critical applications").
- Those two, together, feed into the broader goal "Reduce risk of business interruption" (shown with the correct aggregation/requirement arrow).
- Course of Action & Deliverable
- The "Data center transformation program" is modeled as a Course-of-Action (concave-sided rectangle) triggered by the Board of Directors' Approval (a Requirement).
- It produces (artifact arrow) the "New data centers" deliverable.
- Constraints (Requirements)
- The three implementation constraints ("Critical applications cannot be offline for more than one hour," "Downtime must be in four-hour weekend windows," and "Move must occur outside of closing periods") are shown as Requirement elements feeding back into the program and the "Reduce risk of business interruption" goal.

NEW QUESTION # 16

.....

You only need 20-30 hours to practice our software materials and then you can attend the exam. It costs you little time and energy. The OGA-032 exam questions are easy to be mastered and simplified the content of important information. The OGA-032 test guide conveys more important information with amount of answers and questions, thus the learning for the examinee is easy and highly efficient. So it is convenient for the learners to master the OGA-032 Guide Torrent and pass the OGA-032 exam in a short time.

Exam OGA-032 Question: https://www.realvce.com/OGA-032_free-dumps.html

- New Exam OGA-032 Braindumps 📄 OGA-032 Latest Dumps 📄 OGA-032 Question Explanations 📄 Open ➡ www.examcollectionpass.com 📄 enter ✓ OGA-032 📄 ✓ 📄 and obtain a free download 📄 OGA-032 Question Explanations
- 2026 Unparalleled Practical OGA-032 Information - Exam ArchiMate 3 Part 2 Exam Question 📄 Search for ➡ OGA-032 📄 and easily obtain a free download on ➡ www.pdfvce.com 📄 📄 📄 OGA-032 Valid Vce Dumps
- Study OGA-032 Plan 📄 OGA-032 Paper 📄 OGA-032 Valid Exam Testking 📄 Search for ➡ OGA-032 📄 and download it for free on 📄 www.vceengine.com 📄 website 📄 Test OGA-032 Guide
- Elevate Your Preparation By Using The Open Group OGA-032 Exam Questions 📄 Search on ▶ www.pdfvce.com ◀ for « OGA-032 » to obtain exam materials for free download 📄 OGA-032 Valid Exam Testking
- Study OGA-032 Plan 📄 OGA-032 Valid Exam Cram 📄 Test OGA-032 Dump ♥ The page for free download of ➡ OGA-032 📄 on ➡ www.pass4test.com 📄 will open immediately 📄 OGA-032 Latest Dumps
- Latest OGA-032 Mock Exam 📄 OGA-032 Valid Exam Cram 📄 Test OGA-032 Dump ♣ Download ▶ OGA-032 ◀ for free by simply entering ⇒ www.pdfvce.com ⇐ website 📄 OGA-032 Latest Dumps
- OGA-032 Valid Vce Dumps 📄 Test OGA-032 Guide 📄 Test OGA-032 Guide ♥ Open ▷ www.prep4sures.top ◀ enter 📄 OGA-032 📄 and obtain a free download 📄 Latest OGA-032 Mock Exam
- The Open Group OGA-032 Dumps PDF To Gain Brilliant Result 2026 📄 Search for 【 OGA-032 】 and download it for free on [www.pdfvce.com] website 📄 OGA-032 Paper
- New OGA-032 Exam Preparation 📄 OGA-032 Question Explanations 📄 OGA-032 Pdf Free 📄 Simply search for [OGA-032] for free download on ➡ www.torrentvce.com 📄 📄 📄 ↘ OGA-032 Valid Exam Cram
- The Open Group OGA-032 Dumps PDF To Gain Brilliant Result 2026 📄 Download ▷ OGA-032 ◀ for free by simply entering ⇒ www.pdfvce.com ⇐ website 📄 Study OGA-032 Plan
- 2026 Unparalleled Practical OGA-032 Information - Exam ArchiMate 3 Part 2 Exam Question 📄 Search for ▶ OGA-032 ◀ and obtain a free download on [www.exam4labs.com] 📄 OGA-032 Valid Test Blueprint
- montymwq1461113.wikimidpoint.com, www.stes.tyc.edu.tw, classifylist.com, maecwsf268979.blogdeazar.com, poppyfar370300.wikikali.com, graysonmsvu609658.ambien-blog.com, bookmarkrange.com, owainoebt743854.newsbloger.com, bookmarklayer.com, course.pdakoo.com, Disposable vapes