

準備充分的B2B-Commerce-Developer通過考試和資格考試中的領先提供者和更新的Salesforce Salesforce Accredited B2B Commerce Developer



P.S. PDFExamDumps在Google Drive上分享了免費的2026 Salesforce B2B-Commerce-Developer考試題庫：<https://drive.google.com/open?id=1K2WdWeiflNuHkmqXxTTYvovP3XomahN>

PDFExamDumps Salesforce的B2B-Commerce-Developer的考試資料是特別設計，它是一項由專業的IT精英團隊專門為你們量身打造的考題資料，針對性特別強。通過了認證你在IT行業將體現國際價值。有許多轉儲和培訓材料的供應商，將保證你通過 Salesforce的B2B-Commerce-Developer的考試使用他們的產品，而PDFExamDumps與所有的網站相比，這已經成為歷史了，我們用事實說話，讓見證奇跡的時刻來證明我們所說的每一句話。

Salesforce B2B-Commerce-Developer Exam Overview:

Certification Vendor:	Salesforce
Exam Name:	Salesforce Accredited B2B Commerce Developer Exam
Exam Number:	B2B-Commerce-Developer (AP-202)
Exam Duration:	90 minutes
Passing Score:	68%
Certificate Validity Period:	2 years
Related Certifications:	Salesforce Developer
Real Exam Qty:	60 - 70
Exam Format:	Multiple-choice, Multiple-select, Scenario-based items
Available Languages:	English
Exam Price:	USD 150
Recommended Training:	Trailhead: B2B Commerce Developer Preparation
Exam Registration:	Salesforce Certification Registration
Sample Questions:	Salesforce B2B-Commerce-Developer Sample Questions
Exam Way:	Online proctored or onsite testing center

Pre Condition:	Recommended: 6+ months experience developing Salesforce B2B Commerce solutions; familiarity with Apex, LWC, and Salesforce data model
Official Syllabus URL:	https://trailheadacademy.salesforce.com/certificate/exam-b2b-commerce-developer-ap

>> B2B-Commerce-Developer通過考試 <<

B2B-Commerce-Developer更新，新版B2B-Commerce-Developer題庫

如果你想選擇通過 Salesforce B2B-Commerce-Developer 認證考試來使自己在如今競爭激烈的IT行業中地位更穩固，讓自己的IT職業能力變得更強大，你必須得具有很強的專業知識。而且通過 Salesforce B2B-Commerce-Developer 認證考試也不是很簡單的。或許通過Salesforce B2B-Commerce-Developer認證考試是你向IT行業推廣自己的一個敲門磚，但是不一定需要花費大量的時間和精力來復習相關知識，你可以選擇用我們的 PDFExamDumps的產品，是專門針對IT認證考試相關的培訓工具。

Salesforce B2B-Commerce-Developer考試旨在測試具備Salesforce認證B2B Commerce開發人員資格的專業人士的知識和技能。該認證面向有Salesforce B2B Commerce經驗且希望展現在配置和定制平台以滿足B2B企業獨特需求方面的專業知識的開發人員。

最新的 Salesforce Developer B2B-Commerce-Developer 免費考試真題 (Q218-Q223):

問題 #218

A developer exports data from an org on a standard entity which has a custom attribute. When they launch Data Loader, select the entity, click the Select All Fields button and click Finish, the custom field they added called MyCustomField__c has no values and no column header in the CSV file. What is the root cause?

- A. A mapping file was not used when the data was loaded in
- **B. The user does not have access to the field**
- C. The user has rights to the field but there are no values in it
- D. The user needs to install a specific Zulu JDK that is recommended by Salesforce.

答案: B

解題說明:

The root cause of why the custom field MyCustomField__c has no values and no column header in the CSV file is that the user does not have access to the field. A user's access to a field is determined by their profile and permission sets, which define their field-level security settings. Field-level security settings control whether a user can see, edit, or delete the value for a particular field on an object. If a user does not have access to a field, they will not be able to view or modify its value in any interface, including Data Loader. Data Loader is a tool that allows users to import or export data between Salesforce and CSV files. When using Data Loader to export data from an org, Data Loader will only include fields that are accessible to the user based on their field-level security settings. If a user does not have access to a field, Data Loader will not include that field in the CSV file, neither as a column header nor as a value. The user needs to install a specific Zulu JDK that is recommended by Salesforce is not the root cause of why MyCustomField__c has no values and no column header in the CSV file, as it is not related to field access or Data Loader functionality. A mapping file was not used when the data was loaded in is not the root cause either, as it is not related to field access or Data Loader functionality. A mapping file is an optional file that maps fields between Salesforce objects and CSV files when using Data Loader to import or export data. The user has rights to the field but there are no values in it is not the root cause either, as it contradicts the fact that MyCustomField__c has no column header in the CSV file. If the user had rights to the field but there were no values in it, Data Loader would still include MyCustomField__c as a column header in the CSV file, but leave its values blank. Salesforce Reference: [Data Loader Guide: Export Data from Salesforce], [Data Loader Guide: Field Mapping], [Salesforce Help: Set Field-Level Security]

問題 #219

A user wants the pricing to reflect the price values stored in an external ERP during the checkoutflow. In what way can this requirement be satisfied?

- A. None of the above
- B. Override the computePricingCart method in ccrz.cc_api_PriceAdjustment and make the callout in this method.
- C. Override the computePricingReview method in ccrz.cc_CartExtension and make the callout in this method.

- D. Override the computePricingCart method in ccrz.cc_api_CartExtension and make the callout in this method.

答案: D

解題說明:

To reflect the price values stored in an external ERP during the checkout flow, the requirement can be satisfied by overriding the computePricingCart method in ccrz.cc_api_CartExtension and making the callout in this method. This method is responsible for computing the pricing for the cart and its line items. By overriding this method, the user can make a callout to the external ERP and update the pricing information accordingly. Salesforce Reference: B2B Commerce and D2C Commerce Developer Guide, Logic Classes, ccLogicCart Class

問題 #220

Which two behaviors does a target value of lightning__FlowScreen in metadata allow for a Lightning web component?

- A. It allows the Lightning web component to be used in guided user experiences to gather input
- B. It automatically generates configuration properties for the Lightning web component
- C. It allows the Lightning web component to replace standard functionality in flows and subflows
- D. It allows the Lightning Web component to be dragged onto a page in Lightning AppBuilder

答案: A,B

解題說明:

Explanation

A target value of lightning__FlowScreen in metadata allows for a Lightning web component to be used in guided user experiences to gather input and to automatically generate configuration properties for the Lightning web component. The lightning__FlowScreen target value specifies that the component can be used on a flow screen, which is a type of flow element that displays information and collects user input in a flow. A flow is a guided user experience that can automate business processes and guide users through screens, actions, and decisions. By using the lightning__FlowScreen target value, the developer can expose their Lightning web component as a custom screen component that can be added to any flow screen. The developer can also use the @api decorator to expose public properties of their Lightning web component as configuration properties that can be set in Flow Builder. Flow Builder is a tool that allows the developer to create and modify flows using a drag-and-drop interface. A target value of lightning__FlowScreen does not allow the Lightning web component to replace standard functionality in flows and subflows or to be dragged onto a page in Lightning App Builder, as these are not related to the flow screen target value. Salesforce References: Lightning Web Components Developer Guide: Configure Components for Flows, Lightning Web Components Developer Guide: Communicate with Flow, Lightning Flow Developer Guide: Screen Components Basics

問題 #221

What two kinds of queries do the methods in Salesforce B2B Commerce services perform by default? (2 answers)

- A. Schema-less queries
- B. SOSL
- C. SOQL
- D. SQL

答案: A,C

解題說明:

Two kinds of queries that the methods in Salesforce B2B Commerce services perform by default are SOQL and schema-less queries. SOQL is the query language that is used to retrieve data from Salesforce objects and fields. Schema-less queries are queries that do not specify the object or field names explicitly, but use placeholders instead. For example, ccrz.ccServiceDao.getQuery('SELECT Id FROM Account WHERE Name = :name') is a schema-less query that uses :name as a placeholder for the field name. The framework will transform this query to use the actual field name based on the query transformation rules. Salesforce References: B2B Commerce and D2C Commerce Developer Guide, Query Transformation

問題 #222

A developer has the task to bring some historical data into an org. The data must reside in the org, but cannot be populated in standard or custom objects. The customer is fine with developers building UI components to surface this data on a case-by-case

basis.

Which option allows a developer to meet all of these requirements?

- A. Lightning Out
- B. External objects
- C. Big objects
- D. Lightning Canvas

答案：C

解題說明：

To bring some historical data into an org, the data must reside in the org, but cannot be populated in standard or custom objects, and the customer is fine with developers building UI components to surface this data on a case-by-case basis, the option that allows a developer to meet all of these requirements is big objects. Big objects are a type of object that can store and manage massive amounts of data on the Salesforce platform. Big objects can store up to billions of records and are accessible through a subset of SOQL or custom user interfaces. Big objects are not subject to the same storage limits or performance issues as standard or custom objects and are suitable for storing historical or archived data that does not need to be updated frequently. Big objects can be defined using Metadata API or declaratively in Setup. Lightning Canvas is not an option that allows a developer to meet all of these requirements, as it is a framework that allows developers to integrate third-party applications into Salesforce. Lightning Canvas does not store data in the org, but rather displays data from external sources using an iframe. External objects are not an option either, as they are a type of object that map to data stored outside Salesforce. External objects do not store data in the org, but rather access data from external systems using OData services. Lightning Out is not an option either, as it is a feature that allows developers to use Lightning components outside Salesforce. Lightning Out does not store data in the org, but rather renders components on external web pages or applications. Salesforce Reference: Salesforce Help: Define Big Objects, Salesforce Help: Lightning Canvas Developer's Guide, Salesforce Help: External Objects, Salesforce Developer Blog: Lightning Out

問題 #223

.....

B2B-Commerce-Developer更新: https://www.pdfexamdumps.com/B2B-Commerce-Developer_valid-braindumps.html

- 使用B2B-Commerce-Developer通過考試讓您安心通過Salesforce Accredited B2B Commerce Developer考試 ☐ ➡ www.testpdf.net ☐上的「B2B-Commerce-Developer」免費下載只需搜尋B2B-Commerce-Developer考古題更新
- B2B-Commerce-Developer熱門題庫 ☐ B2B-Commerce-Developer考證 ☐ B2B-Commerce-Developer權威認證 ☐ ☐開啟（www.newdumpspdf.com）輸入✓ B2B-Commerce-Developer ☐✓☐並獲取免費下載B2B-Commerce-Developer權威認證
- B2B-Commerce-Developer熱門題庫 ☐ B2B-Commerce-Developer考古題更新 ☐ 最新B2B-Commerce-Developer題庫 ☐ 請在☀ www.pdfexamdumps.com ☀☐網站上免費下載☐ B2B-Commerce-Developer ☐題庫B2B-Commerce-Developer通過考試
- B2B-Commerce-Developer認證考試的參考資料 ☐ 透過☐ www.newdumpspdf.com ☐輕鬆獲取➡ B2B-Commerce-Developer ☐☐免費下載B2B-Commerce-Developer題庫更新資訊
- 使用B2B-Commerce-Developer通過考試讓您安心通過Salesforce Accredited B2B Commerce Developer考試 ☐ ☀ www.newdumpspdf.com ☐☀☐是獲取【B2B-Commerce-Developer】免費下載的最佳網站B2B-Commerce-Developer下載
- B2B-Commerce-Developer熱門題庫 ☐ B2B-Commerce-Developer證照指南 ☐ B2B-Commerce-Developer考證 ☐ ☐進入「www.newdumpspdf.com」搜尋☐ B2B-Commerce-Developer ☐免費下載B2B-Commerce-Developer軟件版
- B2B-Commerce-Developer考證 ☐ B2B-Commerce-Developer考古題分享 ☐ B2B-Commerce-Developer題庫最新資訊 ☐ ☐ www.vcesoft.com ☐上的免費下載☀ B2B-Commerce-Developer ☐☀☐頁面立即打開B2B-Commerce-Developer真題
- 真實的B2B-Commerce-Developer通過考試&準確的Salesforce認證培訓 - 有效的Salesforce Salesforce Accredited B2B Commerce Developer ☐ [www.newdumpspdf.com]是獲取▶ B2B-Commerce-Developer ◀免費下載的最佳網站B2B-Commerce-Developer下載
- B2B-Commerce-Developer熱門證照 ☐ B2B-Commerce-Developer題庫最新資訊 ☐ B2B-Commerce-Developer學習資料 ☐ 在「tw.fast2test.com」網站上免費搜索“B2B-Commerce-Developer”題庫B2B-Commerce-Developer題庫更新資訊
- B2B-Commerce-Developer題庫最新資訊 ☐ B2B-Commerce-Developer下載 ☐ B2B-Commerce-Developer考古題更新 ☐ 開啟☐ www.newdumpspdf.com ☐輸入《B2B-Commerce-Developer》並獲取免費下載B2B-Commerce-Developer真題
- B2B-Commerce-Developer通過考試：Salesforce Accredited B2B Commerce Developer考試最新發布|更新的B2B-

Commerce-Developer更新 □ 打開【 www.newdumpspdf.com 】搜尋【 B2B-Commerce-Developer 】以免費下載
考試資料B2B-Commerce-Developer認證

- myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw,
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, Disposable vapes

從Google Drive中免費下載最新的PDFExamDumps B2B-Commerce-Developer PDF版考試題
庫: <https://drive.google.com/open?id=1K2WdWeiffNuHkmqXxTYYvoIvP3XomahN>