

JPNTest JN0-452無料サンプル -今すぐ入手



無料でクラウドストレージから最新のJPNTest JN0-452 PDFダンプをダウンロードする：https://drive.google.com/open?id=1exLj5f6tJvu-_lj_RQhsnFiF0YolShlw

JN0-452試験のブレインダンプを使用すると、あなたの成功は100%保証されます。JN0-452学習教材は、最も正確なJN0-452試験問題を提供するだけでなく、3つの異なるバージョン（PDF、Soft、およびAPPバージョン）でも提供します。豊富な練習資料はお客様のさまざまなニーズに対応でき、これらのJN0-452模擬練習にはすべて、テストに合格するために知っておく必要がある新しい情報が含まれています。あなたの個人的な好みに応じてそれらを選択することができます。

JN0-452試験トレントを購入した後、10分以内にできるだけ早く製品をお届けすることを保証します。したがって、長時間待つ必要がなく、配達時間や遅延を心配する必要はありません。JN0-452準備トレントをすぐにオンラインで転送します。このサービスは、JN0-452テストブレインダンプが人々の心をつかむことができる理由でもあります。さらに、JN0-452トレーニングガイドで20〜30時間だけ学習すれば、JN0-452試験に自信を持って合格することができます。

>> JN0-452無料サンプル <<

JN0-452資格取得、JN0-452更新版

証明書を効率的に渡す状況を確認するために、当社のJN0-452練習資料は一流の専門家によって編集されています。したがって、私たちのチームの能力は疑う余地がありません。役に立たないものに貴重な時間を無駄にすることなく、レビューして順調に進むのに役立ちます。彼らは、最近の試験でJN0-452スタディガイドが通常テストするものを厳選し、これらのJN0-452実際のテストに蓄積した知識を捧げました。

Juniper Mist AI Wireless, Specialist (JNCIS-MistAI-Wireless) 認定 JN0-452 試験問題 (Q82-Q87):

質問 # 82

What is the impact of adding more SSIDs to a radio?

- A. less secure
- B. channel overlap
- C. less BSSIDs reserved for a mesh network
- D. beacon overhead

正解: B

質問 # 83

Which 802.11 amendment, also known as Wi-Fi 6, introduced Orthogonal Frequency-Division Multiple Access (OFDMA) to improve efficiency in high-density environments?

- A. 802.11be
- B. 802.11ax
- C. 802.11ac
- D. 802.11n

正解: B

質問 #84

Which subscription is required to use the Marvis conversational assistant for troubleshooting wireless issues?

- A. Asset Visibility
- B. Premium Analytics
- C. Wi-Fi Assurance
- D. Marvis for Wireless

正解: D

質問 #85

An administrator is using the Marvis conversational assistant to investigate an issue. Which two of the following are valid natural language queries that Marvis can process to troubleshoot a problem? (Choose 2.)

- A. CONFIGURE WLAN "Guest-WiFi"
- B. REBOOT AP "Lobby-AP-01"
- C. TROUBLESHOOT client JaneDoe
- D. SET channel for "Lobby-AP-01" to 36
- E. LIST offline APs for site "Main-Office"

正解: C、E

質問 #86

You are building your floor plan for a recent Juniper Mist deployment and you must ensure that when you are finished, you can track user movements and locations throughout the floor plan. In this scenario, which statement is correct regarding AP orientation in the Mist UI?

- A. In the UI, the APs must all be oriented on the floor plan to face geographical north.
- B. In the UI, the APs must all be oriented on the floor plan to face true north.
- C. In the UI, the APs must be oriented on the floor plan in the same direction as the physical APs.
- D. In the UI, the orientation of the APs will not affect Mist's location services.

正解: C

解説:

In a Juniper Mist AI deployment, achieving high-fidelity location accuracy is entirely dependent on the digital twin (the floor plan in the Mist UI) accurately reflecting the physical environment. While scaling the map is the foundation, AP orientation is the most critical variable for the vBLE (virtual Bluetooth Low Energy) engine to correctly calculate a client's position.

Mist Access Points, such as the AP43 or AP45, feature a patented 16-element directional vBLE antenna array. This array does not broadcast in a simple omnidirectional circle; instead, it uses eight distinct directional beams to blanket an area. The Mist Cloud uses "probability surfaces" to determine a user's location by examining the RF fingerprints from these specific beams. If an AP is physically mounted with its LED pointing toward a specific hallway, but is oriented in the Mist UI facing a different direction, the location engine will receive signal data that does not match its internal map of the beams. This results in "flipped" locations or "teleporting," where a user appears on the opposite side of the AP from where they actually are.

To ensure accuracy, administrators must use the small green dot on the outer ring of the AP icon in the Mist Live View. This green dot represents the physical LED on the AP hardware. The orientation in the UI must be rotated so that the green dot points in the exact same direction as the physical LED relative to the floor plan's perspective. It is a common misconception that APs must face true north (A) or geographical north (D); the map and APs can be oriented in any way that is convenient for the facility layout, provided the relative alignment between the virtual icon and the physical device is identical.

質問 #87

.....

私たちのウェブサイトから見ると、JN0-452学習教材は3つのバージョンがあります。PDF、ソフトウェアとオ

さらに、JPNTest JN0-452ダンプの一部が現在無料で提供されています: <https://drive.google.com/open?id=1exLi5f6tJvu-ljROhsnFiF0YolShlw>