

PL-300 exam dumps & PL-300 torrent pdf & PL-300 training guide



What's more, part of that TestBraindump PL-300 dumps now are free: <https://drive.google.com/open?id=1-T1xPZguKjXyFuua43qphrrz2OmDrQCg>

If you have interests with our PL-300 practice materials, we prefer to tell that we have contacted with many former buyers of our PL-300 exam questions and they all talked about the importance of effective PL-300 learning prep playing a crucial role in your preparation process. Our practice materials keep exam candidates motivated and efficient with useful content based wholly on the real PL-300 Guide materials.

Microsoft PL-300 Certification Exam is an excellent way for data analysts to demonstrate their skills and knowledge in the field of business intelligence. With the growing importance of data-driven decision making in today's business landscape, the certification can help professionals stand out in a competitive job market and advance their careers.

>> PL-300 Free Dumps <<

PL-300 Updated CBT - Exam PL-300 Quiz

Do you need to find a high paying job for yourself? Well, by passing the Microsoft Power BI Data Analyst, you will be able to get your dream job. Make sure that you are buying our bundle PL-300 brain dumps pack so you can check out all the products that will help you come up with a better solution. You can easily land a dream job by passing the PL-300 Exam in the first attempt.

Microsoft Power BI Data Analyst Sample Questions (Q84-Q89):

NEW QUESTION # 84

Once the profit and loss dataset is created, which four actions should you perform in sequence to ensure that the business unit analysts see the appropriate profit and loss data? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

- From powerbi.com, assign the analysts the Contributor role to the workspace.
- From powerbi.com, add role members to the roles.
- From Power BI Desktop, add a Table Filter DAX Expression to the roles.
- From Power BI Desktop, create four roles.
- From Power BI Desktop, publish the dataset to powerbi.com.

Answer Area

> <

Answer:

Explanation:

Actions

- From powerbi.com, assign the analysts the Contributor role to the workspace.
- From powerbi.com, add role members to the roles.
- From Power BI Desktop, add a Table Filter DAX Expression to the roles.
- From Power BI Desktop, create four roles.
- From Power BI Desktop, publish the dataset to powerbi.com.

ANSWER AREA

- From Power BI Desktop, publish the dataset to powerbi.com.
- From Power BI Desktop, create four roles.
- From Power BI Desktop, add a Table Filter DAX Expression to the roles.
- From powerbi.com, add role members to the roles.

> <

Explanation:

Then you want to go in to the Dataset Security on the Service to add the members to the roles that was just created

You want to apply the DAX rule for the 4 roles and validate the expressions

You want to go in to Manage Roles in the Modeling tab to create the RLS roles required

Because no where in the description does it say that the Dataset is available in the Workspace

Actions

- From Power BI Desktop, publish the dataset to powerbi.com.
- From Power BI Desktop, create four roles.
- From Power BI Desktop, add a Table Filter DAX Expression to the roles.
- From powerbi.com, add role members to the roles.


> <

<https://docs.microsoft.com/en-us/power-bi/admin/service-admin-rls>

<https://docs.microsoft.com/en-us/power-bi/connect-data/service-datasets-build-permissions>

NEW QUESTION # 85

You have the Power BI data model shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

When a table visual is added to a blank report page and populated by using the StoreID field from the Sales table, a [answer choice] is displayed.

Adding a page filter of Sales[StoreID] = 1 will filter the values displayed on the page from [answer choice].

distinct count of the StoreID values
list of all the StoreID values
list of the distinct StoreID values
sum of the StoreID values

all the tables related to the Sales table
only the Sales table
only the Store table
the Sales table and the Customer table

Answer:

Explanation:

When a table visual is added to a blank report page and populated by using the StoreID field from the Sales table, a [answer choice] is displayed.

distinct count of the StoreID values
list of all the StoreID values
list of the distinct StoreID values
sum of the StoreID values

Adding a page filter of Sales[StoreID] = 1 will filter the values displayed on the page from [answer choice].

all the tables related to the Sales table
only the Sales table
only the Store table
the Sales table and the Customer table

NEW QUESTION # 86

You have a Power BI report named ReportA.

You have a Power BI tenant that allows users to export data.

You need to ensure that consumers of ReportA cannot export any data from visuals.

Which two actions should you perform? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. From the Power BI service, modify the Report settings.
- B. From the Power BI service, modify the dataset permissions.
- C. From Power BI Desktop, modify the Data Load settings.
- D. From Power BI Desktop, modify the Report settings.

Answer: A,D

Explanation:

<https://learn.microsoft.com/en-us/business-applications-release-notes/october18/intelligence-platform/power-bi-desktop/per-report-control-data-export>

NEW QUESTION # 87

Drag and Drop Question

You have a query named Customer that imports CSV files from a data lake. The query contains

500 rows as shown in the exhibit. (Click the Exhibit tab.)

	Source.Name	Customer ID	Modified Date	Customer	Category
1	Customer20200104.csv	1	1/1/2020 12:00:00 AM	Tailspin Toys (Head Office)	Novelty Shop
2	Customer20200104.csv	2	1/1/2020 12:00:00 AM	Tailspin Toys (Sylvanite, MT)	Novelty Shop
3	Customer20200104.csv	3	1/1/2020 12:00:00 AM	Tailspin Toys (Peeples Valley, AZ)	Novelty Shop
4	Customer20200104.csv	4	1/4/2020 12:00:00 AM	Tailspin Toys (Medicine Lodge, KS)	Novelty Shop
5	Customer20200104.csv	5	1/4/2020 12:00:00 AM	Tailspin Toys (Gasport, NY)	Novelty Shop
6	Customer20200104.csv	6	1/4/2020 12:00:00 AM	Tailspin Toys (Jessie, ND)	Novelty Shop
7	Customer20200104.csv	7	1/4/2020 12:00:00 AM	Tailspin Toys (Frankewing, TN)	Novelty Shop
8	Customer20200104.csv	8	1/4/2020 12:00:00 AM	Tailspin Toys (Bow Mar, CO)	Novelty Shop
9	Customer20200104.csv	9	1/4/2020 12:00:00 AM	Tailspin Toys (Netcong, NJ)	Novelty Shop
10	Customer20200104.csv	10	1/4/2020 12:00:00 AM	Tailspin Toys (Wimbledon, ND)	Novelty Shop
11	Customer20200112.csv	1	1/12/2020 12:00:00 AM	Tailspin Toys (Head Office)	Novelty Shop
12	Customer20200112.csv	2	1/12/2020 12:00:00 AM	Tailspin Toys (Sylvanite, MT)	Novelty Shop
13	Customer20200112.csv	3	1/12/2020 12:00:00 AM	Tailspin Toys (Peeples Valley, AZ)	Novelty Shop
14	Customer20200112.csv	4	1/12/2020 12:00:00 AM	Tailspin Toys (Medicine Lodge, KS)	Novelty Shop
15	Customer20200112.csv	5	1/12/2020 12:00:00 AM	Tailspin Toys (Gasport, NY)	Novelty Shop
16	Customer20200112.csv	2	1/22/2020 12:00:00 AM	Tailspin Toys (Sylvanite, MT)	Novelty Shop
17	Customer20200112.csv	7	1/22/2020 12:00:00 AM	Tailspin Toys (Frankewing, TN)	Novelty Shop
18	Customer20200112.csv	8	1/22/2020 12:00:00 AM	Tailspin Toys (Bow Mar, CO)	Novelty Shop
19	Customer20200112.csv	9	1/22/2020 12:00:00 AM	Tailspin Toys (Netcong, NJ)	Novelty Shop
20	Customer20200112.csv	10	1/22/2020 12:00:00 AM	Tailspin Toys (Wimbledon, ND)	Novelty Shop

Each file contains deltas of any new or modified rows from each load to the data lake. Multiple files can have the same customer ID.

You need to keep only the last modified row for each customer ID.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Filter the Customer query on Modified Date is Latest.	
Merge the CustomerGrouped query into the Customer query based on Customer ID and Modified Date by using a left outer join.	
Remove duplicates in the Customer ID column.	
Duplicate the Customer query and name the new query CustomerGrouped.	
Group the CustomerGrouped query by Customer ID and output the max Modified Date value into a column named Modified Date.	
Merge the two queries based on Customer ID and Modified Date by using an inner join.	

Answer:

Explanation:

Actions	Answer Area
Filter the Customer query on Modified Date is Latest.	Duplicate the Customer query and name the new query CustomerGrouped.
Merge the CustomerGrouped query into the Customer query based on Customer ID and Modified Date by using a left outer join.	Group the CustomerGrouped query by Customer ID and output the max Modified Date value into a column named Modified Date.
Remove duplicates in the Customer ID column.	Merge the two queries based on Customer ID and Modified Date by using an inner join.

NEW QUESTION # 88

Your company has affiliates who help the company acquire customers.

You build a report for the affiliate managers at the company to assist them in understanding affiliate performance.

The managers request a visual showing the total sales value of the latest 50 transactions for each affiliate. You have a data model that contains the following tables.

Table name	Column name
Transactions	TransactionDate
	ItemsOrdered
	Amount
	TransactionID
Affiliate	AffiliateID
	Name

You need to develop a measure to support the visual.

How should you complete the DAX expression? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Revenue Last 50 Transactions =

(

CALCULATE
CONCATENATEX
SUM
SUMX
TOPN

(Transactions[Amount]),

CALCULATE
CONCATENATEX
SUM
SUMX
TOPN

(50, Transactions, Transactions

TransactionID]
[Amount],
[ItemsOrdered],
[TransactionDate],

DESC)

)

Answer:

Explanation:

Revenue Last 50 Transactions =

(

CALCULATE
CONCATENATEX
SUM
SUMX
TOPN

(Transactions[Amount]),

CALCULATE
CONCATENATEX
SUM
SUMX
TOPN

(50, Transactions, Transactions

TransactionID]
[Amount],
[ItemsOrdered],
[TransactionDate],

DESC)

)

Reference:

<https://docs.microsoft.com/en-us/dax/topn-function-dax>

• • • • •

PL-300 Updated CBT: <https://www.testbraindump.com/PL-300-exam-prep.html>

- 2025 Latest TestBraindump PL-300 PDF Dumps and PL-300 Exam Engine Free Share: <https://drive.google.com/open?id=1-T1xPZeuKjXyFuua43qphrrz2OmDrQCg>